

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness, or with satisfactory references, we shall be pleased to extend our regular term of 30 days from date of invoice. 2 per cent discount will be allowed if paid within ten days, or 3 per cent discount for cash in full with order. All orders for C. O. D. shipments must be accompanied by at least one-third of the amount of the order so as to insure acceptance upon arrival.

Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insect or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control.

All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

Carloading

We have a railroad siding on our own property, and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

Explanatory Notes

Figures following names throughout this list indicates in feet the approximate height

of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of

Nurserymen.

Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped, and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on the inside back cover.

Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge made for packing. A schedule of packing prices will be found on the inside of back cover.

U. S. Patent Laws

The Truehedge Columnberry is protected by Plant Patent No. 110 under the U. S. Patent Laws. Asexual reproduction or disposition by sale, gift or otherwise, of scions, buds, or cuttings for such reproduction is prohibited unless license is previously obtained from the patent owners. Unauthorized reproductions, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The Kallay Bros. Co., Painesville, O.

| ABELIA | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------------------|---------------------|---------------------|---------------|
| —grandiflora 3 ft. (Glossy Abelia) 15 to 18 in. B&B\$ | 1.00 \$ | .75 | |
| 18 to 24 in. B&B | 1.25 | 1.00 | |
| 18 to 24 m. b&b | 1.20 | 1.00 | |
| ABIES | | | |
| —balsamea 40 ft. (Balsam Fir) 2 to 3 ft. B&B | 1.75 | 1.50 | 1 05 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.25 |
| | 2.50 | 2.25 | |
| 4 to 5 ft. B&B | 3.50 | | |
| 5 to 6 ft. B&B | | 3.25 | |
| 6 to 8 ft. B&B | 4.50 | 4.00 | |
| —concolor 50 ft. (White Fir) 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.50 | 2.25 | 2.00 |
| 4 to 5 ft. B&B | 3.50 | 3.25 | 3.00 |
| 5 to 6 ft. B&B | 4.50 | 4.25 | 4.00 |
| 6 to 8 ft. B&B | 6.50 | 6.00 | 5.50 |
| | | 0.00 | 0.00 |
| —douglasi (See Pseudotsuga dougla | S1) | | |
| ACANTHOPANAX | | | |
| -pentaphyllum 8 ft. (Five Leaf Ara | | | |
| 18 to 24 in | .20 | .16 | .14 |
| 2 to 3 ft | .25 | .20 | .16 |
| 3 to 4 ft 4 to 5 ft | .30 | .25 | .20 |
| ACER | | .00 | ••• |
| —dassycarpum 60 ft. (Silver Maple) | | | |
| 6 to 8 ft | .75 | .60 | .50 |
| 8 to 10 ft | 1.00 | .80 | .70 |
| 1½ to 1½ in | 1.15 | $1.00 \\ 1.15$ | .90 |
| 1½ to 1¾ in 1¾ to 2 in | $\frac{1.30}{2.00}$ | 1.15 1.75 | 1.50 |
| 2 to 2 ½ in | 2.25 | 2.00 | 1.75 |
| 2½ to 3 in | 2.50 | 2.25 | 2.00 |
| 3 to 3½ in | 3.25 | 3.00 | 2.75 |
| 3 ½ to 4 in 4 to 5 in | $\frac{4.25}{6.00}$ | $\frac{4.00}{5.00}$ | 3.50 |
| —dassycarpum wieri 50 ft. (Wier Cu | | Maple) | |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 8 to 10 ft | 1.35 | 1.15 | 1.00 |
| 1½ to 1½ in | 1.50 | 1.35 | 1.25 1.50 |
| 1½ to 1¾ in 1¾ to 2 in | $\frac{2.00}{2.25}$ | $\frac{1.75}{2.00}$ | 1.75 |
| 2 to 2½ in | 2.25 | 2.00 | 1.75 |
| 2½ to 3 in | 3.75 | 3.50 | 3.25 |
| —ginnala 15 ft. (Amur Maple) | | | |
| 4 to 5 ft. | .70 | .60 | .50 |
| 5 to 6 ft6 to 8 ft | $\frac{.80}{1.25}$ | .70 1.15 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| | | | |

| ACER—Continued | Each 1-4 | Each 5-24 | Each |
|-----------------------------------------------------------------------|---------------------|---------------------|---------------------|
| -negundo 60 ft. (Box Elder) | 1-4 | 0-24 | 25-up |
| 6 to 8 ft | .75 | .65 | .55 |
| 8 to 10 ft | .90 | .80 | .70 |
| 1¼ to 1½ in | 1.00 | .90 | .80 |
| 1½ to 2 in | 1.50 | 1.25 | 1.15 |
| -palmatum 12 ft. (Greenleaf Japa | anese M | aple) | |
| 3 to 4 ft. B&B | 1.75 | 1.50 | |
| 4 to 5 ft. B&B | 2.25 | 2.00 | |
| 5 to 6 ft. B&B | 3.00 | 2.75 | |
| 6 to 8 ft. B&B | 4.00 | 3.75 | |
| —palmatum atropurpureum 10 ft. | | | |
| (Redleaf Japanese Maple) 15 to 18 in. B&B | 1 50 | 1.05 | 1 00 |
| 18 to 24 in. B&B | $\frac{1.50}{2.00}$ | $\frac{1.25}{1.75}$ | $\frac{1.00}{1.50}$ |
| 24 to 30 in. B&B | 2.50 | 2.25 | 2.00 |
| 2½ to 3 ft. B&B | 3.00 | 2.75 | 2.50 |
| 3 to 3½ ft. B&B | 3.50 | 3.25 | 3.00 |
| 3½ to 4 ft. B&B | 4.00 | 3.75 | 3.50 |
| 4 to 5 ft. B&B | 4.50 | 4.25 | 4.00 |
| 5 to 6 ft. B&B | | 5.50 | 5.00 |
| 6 to 8 ft. B&B | | 9.00 | 8.00 |
| -pennsylvanicum 20 ft. (Striped | Maple) | | |
| 3 to 4 ft | | .70 | .60 |
| 4 to 5 ft | | .90 | .80 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| -platanoides 50 ft. (Norway Mapl | | 4 0 5 | 4 40 |
| 6 to 8 ft | 1.50 | 1.35 | 1.10 |
| 8 to 10 ft | $\frac{1.75}{2.00}$ | 1.50 | 1.25 |
| 1½ to 1½ in 1½ to 1¾ in | 2.25 | $\frac{1.75}{2.00}$ | $1.50 \\ 1.75$ |
| 1 3/4 to 2 in | 2.75 | 2.50 | 2.25 |
| 2 to 2½ in | | 2.75 | 2.50 |
| 2½ to 3 in | 3.50 | 3.25 | 3.00 |
| 3 to 3½ in | 4.50 | 4.25 | 4.00 |
| 3½ to 4 in | 6.00 | 5.50 | 5.00 |
| 4 to 5 in | 8.00 | 7.00 | 6.00 |
| 5 to 6 in., price on request | | | |
| —platanoides schwedleri 50 ft. (Schwedleri 50 ft. (Schwedleri 50 ft.) | | | |
| 1 % to 2 in | | 3.25 | 3.00 |
| 2 to 2½ in | 4.00 | 3.75 | 3.50 |
| 2½ to 3 in | $\frac{4.75}{6.50}$ | $\frac{4.50}{6.00}$ | 4.25 |
| 3 to 3½ in 3½ to 4 in | 9.00 | 8.00 | |
| 4 to 5 in | | 10.00 | |
| -rubrum 50 ft. (Red Maple) | 12.00 | 10.00 | |
| 6 to 8 ft | 1.50 | 1.25 | 1.10 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| 1 1/4 to 1 1/2 in | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in | 3.00 | 2.75 | 2.50 |
| 1 3/4 to 2 in | 3.75 | 3.50 | 3.00 |
| 2 to 2½ in | 5.50 | 5.00 | 4.50 |
| 2½ to 3 in | 7.50 | 7.00 | |
| 3 to 3 ½ in | 9.00 | $\frac{8.00}{9.00}$ | |
| 3½ to 4 in | 10.00 | 9.00 | |
| 4 to 6 inch, price on request | | | |

| | Each | Each | Each |
|---------------------------------------------|---------------------|---------------------|---------------------|
| ACER—Continued | 1-4 | 5-24 | 25-up |
| | Maple) 1.25 | 1.15 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| 1 1/4 to 1 1/2 in | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in | 2.25 | 2.00 | 1.75 |
| 1 3/4 to 2 in | 2.50 | 2.25 | 2.00 |
| 2 to 2½ in | 3.00 | 2.75 | 2.50 |
| 2½ to 3 in | 3.50 | $\frac{3.25}{4.50}$ | 3.00 |
| 3 to 3½ in 3½ to 4 in | $\frac{5.00}{6.00}$ | $\frac{4.50}{5.50}$ | $\frac{4.00}{5.00}$ |
| 4 to 5 in | 8.00 | 7.50 | 7.00 |
| 5 to in., rice on request | 0.00 | **** | 1.00 |
| -spicatum 20 ft. (Mountain Maple |) | | |
| 5 to 6 ft | 1.00 | .90 | .80 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| —tataricum 15 ft. (Tatarian Maple | | 0.0 | |
| 5 to 6 ft | $\frac{1.00}{1.50}$ | $\frac{.90}{1.25}$ | |
| 6 to 8 ft | 1.50 | 1.25 | |
| AESCULUS | | | |
| -carnea 40 ft. (Red Flowering Hor | sechesti | nut) | |
| 2 to 3 ft | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft | $\frac{4.50}{8.00}$ | 4.00 | |
| 1½ to 2 in 2 to 2½ in | 10.00 | $7.00 \\ 9.00$ | |
| —hippocastanum 40 ft. (Horsechest | | 3.00 | |
| 6 to 8 ft. | 1.50 | 1.25 | |
| 1½ to 2 in | 2.50 | 2.25 | |
| 2 to 2½ in | 3.25 | 3.00 | |
| 4 to 5 in | 11.00 | 10.00 | |
| AH ANTHHIC | | | |
| Allanthus —glandulosa 40 ft. (Tree of Heave | n) | | |
| 5 to 6 ft. | .90 | .80 | .70 |
| 6 to 8 ft | 1.25 | 1.10 | .90 |
| 8 to 10 ft | 1.50 | 1.25 | 1.15 |
| 1½ to 2 in | 2.00 | 1.75 | 1.50 |
| 2 to 2½ in | 2.50 | 2.25 | 2.00 |
| 2 ½ to 3 in | 3.00 | 2.75 | 2.50 |
| AKEBIA | | | |
| -quinata 15 ft. (Fiveleaf Akebia) | | | |
| 2 years | .30 | .25 | .20 |
| 3 years | .35 | .30 | .25 |
| AMELANCHIER | | | |
| -canadensis 30 ft. (Downy Shadble | ow) | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .70 | .60 | $\frac{.50}{1.00}$ |
| 5 to 6 ft6 to 8 ft | $\frac{1.25}{2.00}$ | $\frac{1.10}{1.75}$ | 1.50 |
| 8 to 10 ft | 3.00 | 2.75 | $\frac{1.50}{2.50}$ |
| | 0.00 | 2.10 | 2.00 |

| AMELANCHIER—Continued —stolonifera 3 ft. (Running Shadble 15 to 18 in | Each 1-4 ow) | Each 5-24 | Each 25-up |
|-------------------------------------------------------------------------------------------|--------------------|-----------|-------------------|
| 15 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .35 | .30 | .25 |
| 2 to 3 ft | .45 | .40 | .35 |
| AMORPHA— —fruticosa 10 ft. (Indigobush) | | | |
| 2 to 3 ft. | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .35 | .30 | .25 |
| AMPELOPSIS —quinquifolia 40 ft. (Virginia Creep | er) | | |
| 2 years, \$90.00 per M | | .14 | .12 |
| 3 years | .20 | .18 | .14 |
| —quinquifolia engelmanni 40 ft. (En | ngelma | nn Cree | per) |
| 2 years, \$90.00 per M | .16 | .14 | .12 |
| 3 years | .20 | .18 | .14 |
| —tricuspidata lowi 2 years, from 3 in. pots | .50 | .40 | .35 |
| -tricuspidata veitchi 50 ft. (Boston | | | - |
| 2 years medium, \$90.00 per M | .16 | .14 | .12 |
| 2 years No. 1 \$130.00 per M_ | .20 | .17 | .14 |
| 3 years No. 1 | .30 | .25 | .20 |
| AMYGDALUS —alboplena (Double White Flowering —rubroplena (Double Red Flowering 2 to 3 ft | | | .25 .35 .50 |
| ARALIA —spenosa 20 ft. (Hercules Club) 4 to 5 ft | .70 | .60 | .50 |
| 5 to 6 ft | .80 | .70 | .60 |
| 6 to 8 ft | 1.00 | .90 | .80 |
| ARISTOLOCHIA —sipho 20 ft. (Dutchman's Pipe) 2 years grafted | .40 | .35 | .30 |
| 3 years grafted | .50 | .45 | .40 |
| ARONIA—Pyrus —arbutifolia 6 ft. (Red Chokeberry) | | | |
| 18 to 24 in | .20 | .18 | .15 |
| 2 to 3 ft | .30 | .25 | .20 .25 |
| 3 to 4 ft 4 to 5 ft | .60 | .50 | .25 |
| -atropurpurea 6 ft. (Purple Chokeb | erry) | | |
| 18 to 24 in | .20 | .18 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .00 | .50 | .40 |

| ARONIA—Continued —brilliantissima 6 ft. (Brilliant Cho | Each 1-4 keberr | Each 5-24 | Each 25-up |
|--------------------------------------------------------|-----------------------|---------------------|---------------------|
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| -melanocarpa 8 ft. (Black Chokebe | rrv) | | |
| 18 to 24 in | .20 | .18 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| AZALEA | | | |
| -amoena 3 ft. (Amoena Azalea Crin | | | |
| 9 to 12 in. B&B | 1.25 | 1.15 | 1.00 |
| 12 to 15 in. B&B | 1.75 | 1.50 | |
| -calendulacea 8 ft. (Flame Azalea) | | | |
| 15 to 18 in. B&B | 1.50 | 1.25 | |
| 18 to 24 in. B&B | 1.75 | 1.50 | |
| —canescens roseum 6 ft. (Pink) | | | |
| 15 to 18 in. B&B | 1.50 | 1.25 | |
| 18 to 24 in. B&B | 1.75 | 1.50 | |
| -mollis-red and pink 3 ft. (Chines | | | |
| 9 to 12 in. B&B | .60 | .50 | .40 |
| 12 to 15 in. B&B | .80 | .70 | .60 |
| 15 to 18 in. B&B | 1.25 | 1.00 | .80 |
| 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 24 to 30 in. B&B | 2.25 | 2.00 | 1.75 |
| mollis-yellow 3 ft. (Chinese Azal | ea) | | |
| 9 to 12 in. B&B | .80 | .70 | .60 |
| 12 to 15 in. B&B | 1.00 | .90 | .75 |
| 15 to 18 in. B&B 18 to 24 in. B&B | $\frac{1.25}{2.25}$ | $\frac{1.15}{2.00}$ | $\frac{1.00}{1.75}$ |
| 10 to 24 m. b&b | | | 1.70 |
| -mucronulata 5 ft. (Lavender, earl | | | |
| 12 to 15 in. B&B 15 to 18 in. B&B | 1.50 | $\frac{1.25}{1.50}$ | |
| 18 to 24 in. B&B | $\frac{1.75}{2.25}$ | 2.00 | |
| | 2.20 | 2.00 | |
| —nudiflora 6 ft. (Pinxterbloom) | 1 50 | 1.05 | |
| 15 to 18 in. B&B 18 to 24 in. B&B | $\frac{1.50}{1.75}$ | $\frac{1.25}{1.50}$ | |
| 10 to 24 m. b@b | 1.10 | 1.00 | |
| BENZOIN —aestivale 12 ft. (Spicebush) | | | |
| 18 to 24 in | .25 | .22 | .18 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| | | | |
| BERBERIS | Each 1-24 | Each | Each 250-up |
| koreana 6 ft. (Korean Barberry) | 1-44 | 10-110 | 200-40 |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft | .60 | .55 | .50 |
| -thunbergi 5 ft. (Japanese Barber | | | |
| 12 to 15 in | .06 | .05 | .04 |
| 15 to 18 in | .08 | .07 | .06 |
| 18 to 24 in | .10 | .09 | 08 |
| 24 to 30 in. | .16 | .14 | .12 |
| 30 to 36 in | .22 | .20 | .18 |

| BERBERIS—Continued | Each 1-24 | Each 25-249 2 | |
|-------------------------------------------------------------|--------------|---------------------|-------|
| -thunbergi atropurpurea 5 ft. (Red | Japan | ese Barb | errv) |
| 12 to 15 in | .12 | .10 | .07 |
| 15 to 18 in | .14 | .11 | .09 |
| 18 to 24 in | .16 | | .12 |
| 24 to 30 in | .25 | .20 | .16 |
| 30 to 36 in | .35 | .30 | .25 |
| -thunbergi minor 3 ft. (Box Barber | | .50 | .40 |
| 9 to 12 in. (Box Barber | | 4.4 | 10 |
| 0 00 1111 | .16 | .14 | .12 |
| 12 to 15 in | .18 | .16 | .14 |
| 15 to 18 in | .25 | .20 | .18 |
| —thunbergi pluriflora erecta (Truel Plant Patent No. 110 | edge | Columnb | erry) |
| 9 to 12 in | .12 | $.08\frac{1}{2}$ | .07 |
| 12 to 15 in | .14 | .10 1/2 | .09 |
| 15 to 18 in | .16 | $.12\frac{1}{2}$ | .11 |
| 18 to 24 in | .20 | .16 | .14 |
| 24 to 30 in | .25 | .20 | .18 |
| | 0 | | .10 |
| | Each | Each | Each |
| BETULA | 1-4 | 5-24 | 25-up |
| -alba 40 ft. (European White Birch | | | |
| 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| 8 to 10 ft | 1.50 | 1.35 | 1.25 |
| 1 1/4 to 1 1/2 in | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in | 2.50 | 2.25 | 2.00 |
| 1 3/4 to 2 in | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in | 3.50 | 3.25 | 3.00 |
| 2½ to 3 in | 4.00 | 3.50 | |
| 3 to 3½ in | 5.00 | 4.50 | |
| 3½ to 4 in | 6.00 | 5.50 | |
| -alba laciniata 40 ft. (Cut Leaf We | ening | Birch) | |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.25 | |
| 2 ½ to 3 in | 4.50 | 4.00 | |
| 3 to 3 ½ in | 5.00 | 4.50 | |
| 3 ½ to 4 in | 6.00 | 5.50 | |
| | 7.00 | 6.00 | |
| 4 to 5 in | 1.00 | 0.00 | |
| 5 to 6 in., price on request | | | |
| -lenta 45 ft. (Sweet Birch) | 1 00 | | |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| -lutea 40 ft. (Yellow Birch) | | | |
| 6 to 8 ft | 1.50 | 1.35 | 1.20 |
| 8 to 10 ft | 2.25 | 2.00 | 1.75 |
| 1 1/4 to 1 1/2 in | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in | 3.00 | 2.75 | 2.50 |
| -nigra 40 ft. (River Birch) | | | |
| 5 to 6 ft | 1.00 | .80 | .90 |
| | 1.25 | 1.15 | 1.00 |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.25 | 2.00 | 1.75 |
| 1 ½ to 1 ½ in | 2.50 | $\frac{2.00}{2.25}$ | 1.10 |
| 1½ to 1¾ in | 3.00 | 2.50 | |
| 1 3/4 to 2 in | 4.00 | $\frac{2.50}{3.50}$ | |
| 2 to 2½ in | | | |
| 2½ to 3 in | 5.00 | 4.50 | |

| BETULA—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------|----------------------------------------------------|
| nigramultiple stems 5 to 6 ft | 1.75 2.25 3.00 4.00 | 1.50 2.00 2.75 3.75 | 1.25 1.75 2.50 3.50 |
| 6 to 8 ft. 8 to 10 ft. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. | $\begin{array}{c} 1.25 \\ 1.50 \\ 2.50 \\ 3.00 \\ 3.50 \\ 4.00 \\ 5.00 \end{array}$ | 1.10 1.35 2.25 2.75 3.25 3.50 4.50 | 1.00 1.25 2.00 2.50 3.00 |
| —populifolia 40 ft. (Gray Birch) 5 to 6 ft 6 to 8 ft 8 to 10 ft | $1.00 \\ 1.25 \\ 2.00$ | .85 1.15 1.75 | $\begin{array}{c} .75 \\ 1.00 \\ 1.50 \end{array}$ |
| BIGNONIA | | | |
| —radicans 25 ft. (Trumpet Creeper) 2 years No. 1 \$ 90.00 per M_ 3 years No. 1 \$120.00 per M_ | .15 .25 | .12 .20 | .10 .15 |
| BUDDLEIA—(Butterfly Bush) | | | |
| —alternifolia (Lilac-purple) 2 years —charming (Bright Pink) | .25 | .20 | .15 |
| 2 years | .25 | .20 | .15 |
| —concord (Reddish Blue) 2 years | .25 | .20 | .15 |
| —farquhari (Lilac-purple) 2 years | .20 | .15 | .12 |
| -dubonnet (Wine Red) | .25 | .20 | .15 |
| 2 years —eleanor (Blue, Orange Eye) | | | |
| 2 years ——ile de france (Claret-Purple) | .25 | .20 | .15 |
| 2 years | .25 | .20 | .15 |
| 2 years | .20 | .15 | .12 |
| BUXUS— | | | |
| -sempervirens 12 ft. (Boxwood) u | | ed | 4.0 |
| 8 to 12 in. B&B | .50 | .45 | .40 |
| 12 to 15 in. B&B 15 to 18 in. B&B | $\frac{.80}{1.25}$ | $\frac{.70}{1.15}$ | 1.00 |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| 24 to 30 in, B&B | $\frac{2.00}{2.50}$ | 2.25 | 2.00 |
| 30 to 36 in. B&B | $\frac{2.30}{3.00}$ | 2.75 | 2.05 |
| 36 to 42 in. B&B | 5.00 | 4.50 | |
| 42 to 48 in. B&B | 5.50 | 5.00 | |
| Sheared, Globe Form | 0.00 | 0.00 | |
| 24 to 30 in R&R | 3.00 | 2.75 | |
| Sheared, Pyramidal Form | | | |
| 24 to 30 in. B&B | 3.00 | 2.75 | |
| 30 to 36 in. B&B | 4.50 | 4.00 | |
| 36 t o42 in. B&B | 5.00 | 4.50 | |

| CALLICARPA —americana 6 ft. American Beautyberr. | 5 94 | Each 25-up |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------|
| 15 to 18 in | 0 .25 | |
| —purpurea 4 ft. (Chinese Beautyberry) 15 to 18 in | $\begin{array}{ccc} 0 & .15 \\ 5 & .20 \end{array}$ | |
| CALYCANTHUS —floridus 5 ft. (Strawberry Shrub) 18 to 24 in | 0 .16 | .14 |
| 2 to 3 ft | 5 .20 | .18 |
| CARAGANA —arborescens 12 ft. (Siberian Peashrub 2 to 3 ft | 0 .18 | .14 |
| 3 to 4 ft | 5 .30 | .18 .25 .30 |
| CARPINUS —carolineana 35 ft. (American Hornbea | am) | |
| 6 to 8 ft | $\begin{array}{ccc} 0 & 3.25 \\ 0 & 4.00 \end{array}$ | 2.00 3.00 |
| 2 to 2½ in | | |
| CATALPA —bignonioides nana 12 ft. (Umbrella Tr 5 to 6 ft. 1 year head | | .70 |
| 5 to 6 ft. 2 years head 1.1 | | .85 |
| speciosa 35 ft. (Western Catalpa) 6 to 8 ft | 5 .75 5 1.15 | $ \begin{array}{r} .40 \\ .60 \\ 1.00 \\ 1.25 \end{array} $ |
| CEANOTHUS | | |
| —americana 3 ft. (Jersey Tea) 15 to 18 in | 0 .25 0 .35 | .20 .30 |
| CELASTRUS —orbiculatus 15 ft. (Oriental Bitterswee 2 years medium \$70.00 per M .1 2 years No. 1 \$100.00 per M .2 3 years No. 1 \$120.00 per M .2 | 5 .12 0 .15 | .08 .12 .15 |
| —scandens 20 ft. (American Bittersweet 2 years medium \$70.00 per M | 5 .12 0 .15 | .08 .12 ,15 |

| CELTIS —occidentalis 45 ft. (Hackberry) | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------------|---------------|
| 6 to 8 ft | 1.50 | 1.25 | |
| 8 to 10 ft | 2.00 | 1.75 | |
| 1 1/4 to 1 1/2 in | 2.50 | 2.25 | |
| | 3.00 | 2.75 | |
| 1½ to 1¾ in | 5.00 | 4.10 | |
| CEPHALANTHUS | | | |
| occidentalis 6 ft. (Buttonbush) | 20 | 10 | 4 = |
| 18 to 24 in | .20 | .18 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| CERCIS —canadensis 30 ft. (Judas Tree) | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .90 | .80 | .70 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.75 | 2.50 | 2.25 |
| CERCIDIPHYLLUM —japonicum 25 ft. (Katsura Tree) 4 to 5 ft. B&B | 3.00 3.50 4.00 6.00 7.50 10.00 13.00 | 2.50 3.00 3.50 5.00 7.00 9.00 12.00 | |
| -virginica 15 ft. (White Fringe) | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .90 | .80 |
| 6 to 8 ft | 1.50 | 1.35 | 1.25 |
| CLADRASTIS —lutea 35 ft. (Yellowwood) 3 to 4 ft | 1.50 1.75 2.25 | 1.25 1.50 2.00 | |
| | | _,,,, | |
| CLEMATIS —paniculata 20 ft. (Sweet Autum) | | | |
| 1 year No. 1, \$80.00 per M | .15 | .12 | .10 |
| 2 years No. 1 | .25 | .20 | .15 |
| -henryi (Snow-white) | .45 | .40 | .35 |
| -jackmanni (Violet-blue) | .45 | .40 | .35 |
| -Mad. Ed. Andre (Wine-red) | .45 | .40 | .35 |
| Man Andre (Wille-reu) | .40 | .40 | ,00 |

| CLETHRA | Each 1-4 | Each 5-24 | Each |
|--------------------------------------|-------------------------------------------|--------------|--------------|
| -alnifolia 6 ft. (Sweet Pepper Bus | h) | 0-44 | 25-up |
| 18 to 24 in | .20 | .18 | .15 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .55 | .50 |
| 5 to 6 ft | .80 | .70 | .60 |
| CLERODENDRON | | | |
| -trichotomum 6 ft. (Harlequin) | | | |
| 3 to 4 ft | 1.00 | .85 | .75 |
| 4 to 5 ft | 1.25 | 1.10 | 1.00 |
| 5 to 6 ft | 1.50 | 1.25 | |
| COLUTHEA | | | |
| -arborescens 10 ft. (Bladder Senna | | | |
| 2 to 3 ft 3 to 4 ft | .25 | .22 | .20 |
| 4 to 5 ft | .35 $.40$ | .30 | .25 |
| 5 to 6 ft | .50 | .45 | .40 |
| 6 to 8 ft | .70 | .60 | .50 |
| COMPTONIA | | | |
| -esplenifolia 3 ft. (Sweet Fern) | | | |
| 15 to 18 in | .35 | .30 | .25 |
| 18 to 24 in | .40 | .35 | .30 |
| 24 to 30 in | .50 | .45 | .40 |
| CORNUS | | | |
| -alternifolia 18 ft. (Pagoda Dogwo | | | |
| 2 to 3 ft 3 to 4 ft | .40 | .35 $.40$ | .30 |
| 4 to 5 ft | .70 | .60 | .35 |
| 5 to 6 ft | .80 | .70 | .60 |
| -alba sibirica 8 ft. (Coral Dogwood | 1) | | |
| 18 to 24 in | .15 | .13 | .10 |
| 2 to 3 ft | .18 | .14 | .12 |
| 3 to 4 ft 4 to 5 ft | .20 .30 | .18 .25 | .15 |
| —alba elegantissima 6 ft. (Silverble | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft 3 to 4 ft | $.40 \\ .50$ | $.35 \\ .45$ | .30 |
| -alba spaethi 6 ft. (Golden Leaved | Dogwo | od) | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft 3 to 4 ft | $.40 \\ .50$ | $.35 \\ .45$ | $.30 \\ .40$ |
| -amomum 8 ft. (Silky Dogwood) | | | |
| 18 to 24 in | .15 | .12 | .10 |
| 2 to 3 ft | $\begin{array}{c} .20 \\ .25 \end{array}$ | .18 $.20$ | .14 |
| 3 to 4 ft 4 to 5 ft | .30 | .25 | .20 |
| | | | |

| CORNUS—Continued | Each | Each | Each |
|-------------------------------------------|---------|--------|-------|
| | 1-4 | 5-24 | 25-up |
| -baileyi 10 ft. (Bailey Dogwood) | .20 | .16 | 10 |
| 18 to 24 in | | | .12 |
| 2 to 3 ft | .25 | .20 | .16 |
| 3 to 4 ft | .30 | .25 | .20 |
| -florida 20 ft. (White Flowering | Dogwoo | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .65 | .55 | .45 |
| 4 to 5 ft. B&B | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. B&B | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. B&B | 4.00 | 3.75 | 3.50 |
| 8 to 10 ft. B&B | 5.50 | 5.00 | 4.50 |
| 10 to 12 ft. B&B | 8.00 | 7.50 | 7.00 |
| Large specimen, tree form, 3 to | 5 in. | | |
| caliper, price on request | | | |
| —florida rubra 20 ft. (Red Flower | ing Do | (boown | |
| 18 to 24 in, B&B | 1.00 | .85 | 75 |
| | | | .75 |
| 2 to 3 ft. B&B | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. B&B | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 8 ft. B&B | 5.50 | 5.00 | 4.25 |
| 8 to 10 ft. B&B | 8.00 | 7.50 | 7.00 |
| 10 to 12 ft. B&B | 12.00 | 11.00 | 10.00 |
| kousa 20 ft. (Kousa Dogwood) | | | |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .60 | .55 | .50 |
| 6 to 8 ft. B&B | 5.00 | 4.50 | |
| 8 to 10 ft. B&B | 7.00 | 6.00 | |
| | 1.00 | 0.00 | |
| -mas 20 ft. (Cornelian Cherry) | 4.0 | 0.5 | 0.0 |
| 18 to 24 in | .40 | .35 | .30 |
| 2 to 3 ft | .60 | .50 | |
| 3 to 4 ft | .70 | .65 | |
| 4 to 5 ft | 1.10 | 1.00 | |
| 6 to 8 ft | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft | 3.00 | 2.75 | 2.50 |
| 10 to 12 ft | 5.00 | 4.50 | 4.00 |
| -paniculata 12 ft. (Gray Dogwood | d) | | |
| 18 to 24 in | .20 | .16 | .13 |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| 3 to 4 ft | | .25 | .30 |
| 4 to 5 ft | .40 | | |
| 5 to 6 ft | .60 | .55 | .50 |
| —sanguinea 10 ft. (Bloodtwig Dog | | | |
| 18 to 24 in | .16 | .14 | .12 |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .20 | .16 |
| -stolonifera 10 ft. (Red Osier Dos | | | |
| 18 to 24 in | .15 | .13 | .10 |
| 2 to 3 ft | .20 | .15 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| 0 to 4 to =============================== | .40 | .20 | .20 |
| 4 to 5 ft. | .30 | .25 | |
| 5 to 6 ft | .40 | .35 | .30 |
| -stolonifera flaviramae 6 ft. (Gold | len Twi | g Dogw | ood) |
| 18 to 24 in | .20 | .18 | .14 |
| 2 to 3 ft | .25 | .22 | .18 |
| 3 to 4 ft | .35 | .30 | .25 |
| | | | |

| 18 to 24 in | CORYLUS —americana 12 ft. (American Hazel | Each 1-4 | Each 5-24 | Each 25-up |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------|--------------|---------------|
| 2 to 3 ft | 18 to 24 in | | 10 | 10 |
| 3 to 4 ft | 2 to 2 ft | | | |
| ### 4 to 5 ft | | | | |
| 5 to 6 ft | 5 to 4 tt | | | |
| -avellana 15 ft. (English Filbert) 3 to 4 ft | 4 10 0 10 | | | |
| 3 to 4 ft. .55 .50 4 to 5 ft. .65 .60 COTONEASTER —acutifolia 12 ft. (Peking Cotoneaster) 18 to 24 in. .25 .20 .16 2 to 3 ft. .30 .25 .20 .25 .20 .45 .40 .35 .4 to .35 .45 —apiculata 5 ft. (Large Red Berries) 15 to 18 in. B&B .90 .80 .70 .80 .70 .80 .80 .70 .80 .25 .20 .25 .20 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .35 .45 .40 .30 .40 .20 .20 .20 .20 | | .70 | .60 | .55 |
| COTONEASTER -acutifolia 12 ft. (Peking Cotoneaster) 18 to 24 in | -avellana 15 ft. (English Filbert) | | | |
| COTONEASTER -acutifolia 12 ft. (Peking Cotoneaster) 18 to 24 in | | .55 | .50 | |
| -acutifolia 12 ft. (Peking Cotoneaster) 18 to 24 in | 4 to 5 ft | .65 | .60 | |
| 2 to 3 ft | -acutifolia 12 ft. (Peking Cotoneast | | 20 | 1.0 |
| 3 to 4 ft | 10 10 24 111 | | | |
| ### ### ### ### ### ### ### ### ### ## | 2 to 3 it | | | |
| —apiculata 5 ft. (Large Red Berries) 15 to 18 in. B&B | 3 to 4 ft | | | |
| 15 to 18 in. B&B | 4 to 5 ft | .55 | .50 | .45 |
| 18 to 24 in. B&B | | | | |
| | | | | |
| —bullata 6 ft. (Red Berries) 18 to 24 in. B&B | | | | |
| 18 to 24 in. B&B | 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| 2 to 3 ft. B&B | | | | |
| 3 to 4 ft. B&B | 18 to 24 in. B&B | | | |
| | 2 to 3 ft. B&B | 1.25 | 1.15 | |
| 18 to 24 in. B&B | 3 to 4 ft. B&B | 1.50 | 1.35 | 1.25 |
| | 18 to 24 in. B&B | | | .80 |
| 18 to 24 in. B&B | 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B | | | | 2.0 |
| 3 to 4 ft. B&B | | | | |
| 4 to 5 ft. B&B | | | | |
| horizontalis 3 ft. (Prostrate Quinceberry) 12 to 15 in. B&B | | | | |
| 12 to 15 in. B&B | 4 to 5 ft. B&B | 2.00 | 1.75 | 1.50 |
| 15 to 18 in. B&B | | | | |
| 24 to 30 in. B&B 1.75 | | .75 | | |
| 24 to 30 in. B&B 1.75 | 15 to 18 in. B&B | .90 | | |
| -hupehensis 5 ft. (Hupen Cotoneaster) 18 to 24 in. B&B | | | | |
| 18 to 24 in. B&B 1.50 | 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| 2 to 3 ft. B&B | -hupehensis 5 ft. (Hupen Cotoneast | | | |
| 2 to 3 ft. B&B | 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in. B&B 1.00 | 2 to 3 ft. B&B | | 1.50 | 1.25 |
| 18 to 24 in. B&B 1.00 | -integerrima 6 ft. (Bright Red Ber | ries) | | |
| 2 to 3 ft. B&B | 18 to 24 in. B&B | 1.00 | .90 | .80 |
| 15 to 18 in. B&B 1.00 .85 18 to 24 in. B&B 1.50 1.25 1.00 2 to 3 ft. B&B 1.75 1.50 1.25 —microphylla 15 ft. (Rockspray) 12 to 15 in. B&B 1.00 .80 | | 1.25 | 1.15 | 1.00 |
| 15 to 18 in. B&B 1.00 .85 18 to 24 in. B&B 1.50 1.25 1.00 2 to 3 ft. B&B 1.75 1.50 1.25 —microphylla 15 ft. (Rockspray) 12 to 15 in. B&B 1.00 .80 | —lucida 12 ft. | | | |
| 18 to 24 in. B&B 1.50 1.25 1.00 2 to 3 ft. B&B 1.75 1.50 1.25 —microphylla 15 ft. (Rockspray) 12 to 15 in. B&B 1.00 .80 | | 1.00 | | |
| 2 to 3 ft. B&B 1.75 1.50 1.25 microphylla 15 ft. (Rockspray) 12 to 15 in. B&B 1.00 .80 | | 1.50 | 1.25 | 1.00 |
| 12 to 15 in. B&B 1.00 .80 | | 1.75 | 1.50 | 1.25 |
| 12 to 15 in. B&B 1.00 .80 | -microphylla 15 ft. (Rockspray) | | | |
| | 12 to 15 in, B&B | 1.00 | .80 | |
| | 15 to 18 in. B&B | | | |

| COTONEASTER—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-----------------------------------------------|---------------------|---------------------|---------------------|
| -nitens 6 ft. (Purplish Black Bern | ries) | | _ up |
| 12 to 15 in. B&B | 1.00 | .90 | |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 3 to 4 ft. B&B | 1.50 | 1.35 | 1.25 |
| -salicifolia 10 ft (Willowleaf Coto | neaste | r) | |
| 18 to 24 in | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B | 1.50 | 1.35 | 1.25 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| -wilsoni 4 ft. (Wilson Cotoneaster | c) | | |
| 12 to 15 in. B&B | .75 | .65 | .55 |
| 15 to 18 in. B&B | .90 | .80 | .70 |
| 18 to 24 in. B&B | $\frac{1.25}{1.75}$ | $\frac{1.15}{1.50}$ | $\frac{1.00}{1.25}$ |
| 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| CD + TT + TC + 12 | | | |
| -coccinea 15 ft. (Thicket Hawtho | rn) | | |
| 3 to 4 ft. | .80 | .70 | .60 |
| 4 to 5 ft | 1.25 | 1.15 | 1.00 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| -cordata 12 ft. (Washington Hawt | thorn) | | |
| 2 to 3 ft | .80 | .70 | .60 |
| 3 to 4 ft | $\frac{1.25}{1.75}$ | $\frac{1.15}{1.50}$ | $\frac{1.00}{1.25}$ |
| 4 to 5 ft 5 to 6 ft | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ | 1.25 1.75 |
| 6 to 8 ft | 2.75 | 2.50 | |
| -crusgalli 15 ft. (Cockspur Thorn) | | | |
| 3 to 4 ft. | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.25 | 2.00 | 1.75 |
| 6 to 8 ft 8 to 10 ft | $\frac{2.75}{3.25}$ | $\frac{2.50}{3.00}$ | 2.25 |
| 10 to 12 ft | 4.00 | $\frac{3.50}{3.50}$ | |
| | | | |
| —mollis 18 ft. (Downy Hawthorn) 3 to 4 ft. | .80 | .70 | .60 |
| 4 to 5 ft | 1.25 | 1.15 | 1.00 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.25 | 2.00 | 1.75 2.25 |
| 8 to 10 ft | 2.75 | 2.50 | 2.25 |
| -oxyacantha 12 ft. (English Hawt | | - | 0.0 |
| 3 to 4 ft 4 to 5 ft | $\frac{.80}{1.25}$ | $\frac{.70}{1.15}$ | $\frac{.60}{1.00}$ |
| 5 to 6 ft | $\frac{1.25}{1.75}$ | $\frac{1.15}{1.50}$ | 1.25 |
| 6 to 8 ft | 2.25 | 2.00 | |
| —oxyacantha pauli 15 ft. (Paul's S | anvlot ' | Thorn) | |
| 4 to 5 ft | 1.60 | 1.40 | |
| 5 to 6 ft | 1.75 | 1.65 | |
| 6 to 8 ft | 2.50 | 2.25 | |
| -oxyacantha punicea 15 ft. (Sing | le Red | Thorn) | |
| 4 to 5 ft | 1.60 | 1.40 | |
| 5 to 6 ft | 1.75 | 1.65 | |
| | | | |

| CRATAEGUS—Continued —oxyacantha rosea plena 15 ft. (Do 4 to 5 ft | 1.60 | Each 5-24 Pink Thom 1.40 | Each 25-up |
|------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------|------------|
| 5 to 6 ft | 1.75 | 1.65 | |
| —punctata 22 ft. (Dotted Hawthorn 3 to 4 ft | .80 1.25 1.75 2.25 | $ \begin{array}{c} .70 \\ 1.15 \\ 1.50 \\ 2.00 \end{array} $ | |
| 20 Ct /D II | | | |
| —tomentosa 20 ft. (Pear Hawthorn 4 to 5 ft | 1.25 1.75 2.25 | 1.15 1.50 2.00 | |
| CRYPTOMERIA | | | |
| —japonica lobbi 20 ft. (Lobb Crypt | omeris | .) | |
| 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 2 to 3 ft. B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| CYDONIA —japonica 5 ft. (Japan Quince) | 20 | | |
| 18 to 24 in | .20 | .17 | .14 |
| 2 to 3 ft | .50 | .25 | .20 |
| -japonica pygmea 3 ft. (Dwarf Ja | apan (| Quince) | |
| 15 to 18 in | .20 | .17 | .14 |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| -japonica umbilicata 8 ft. (Navel F | loweri | ng Quine | ce) |
| 15 to 18 in | .35 | .30 | .25 |
| 18 to 24 in | .40 | .35 | .30 |
| | | | |
| —vulgaris 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | | .30 |
| 0 00 4 10 | | .00 | .00 |
| DAPHNE | | | |
| —cneorum 15 ft. (Garland Flower) | | | |
| 6 to 9 in. B&B | .35 | .30 | .25 |
| 9 to 12 in. B&B | .45 | .40 | .35 |
| 12 to 15 in. B&B | .55 | .50 | .45 |
| 15 to 18 in. B&B | .80 | .70 | .60 |
| DESMODIUM —penduliflorum (Bushclover) 2 years | .30 | .25 | .20 |
| 3 years | .40 | .35 | .30 |
| | | | |
| DEUTZIA- | | | |
| -gracilis 3 ft. (Slender Deutzia) | | | |
| 12 to 15 in | .20 | .15 | .12 |
| 15 to 18 in | .25 | .20 | .16 |
| 18 to 24 in | .30 | .25 | .20 |
| 24 to 30 in | .35 | .30 | .25 |

| | Each | Each | Each |
|----------------------------------------------------------------------------|---------------------------------------------|---------------------|--------------------|
| DEUTZIA —Continued | 1-4 | 5-24 | 25-up |
| -gracilis rosea 4 ft. (Rose Panicle | | | |
| 12 to 15 in | .20 | .16 | .14 |
| 15 to 18 in | .25 | .22 | .18 |
| 18 to 24 in | .30 | .25 | .20 |
| 24 to 30 in | .35 | .30 | .25 |
| 30 to 36 in | .40 | .35 | .30 |
| -lemoini 5 ft. (Lemoine Deutzia) | | | |
| 18 to 24 in | .20 | .18 | .14 |
| 2 to 3 ft | .25 | .22 | .16 |
| 3 to 4 ft | .35 | .30 | .22 |
| -scabra candidissima 12 ft. (Snov | vflake D | eutzia) | |
| 2 to 3 ft | .20 | .16 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| —scabra crenata rosea plena 7 ft. (| Double | Dogo Do | ntrio) |
| 2 to 3 ft | .20 | Rose De | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| 4 to 5 ft | .35 | .30 | .25 |
| | | | |
| -scabra pride of Rochester 7 ft. (| | | |
| 2 to 3 ft | | .16 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| 4 to 5 ft | .35 | .30 | .25 |
| DIERVILLA —trifida 4 ft. (Dwarf Bush Honey 18 to 24 in 2 to 3 ft 3 to 4 ft | | .18 .25 .30 | .16 .20 .25 |
| DIOSPYROS | | | |
| -virginiana 15 ft. (Common Persi | mmon) | | |
| 4 to 5 ft | | .80 | .65 |
| 5 to 6 ft | 1.25 | $\frac{1.00}{1.50}$ | $\frac{.85}{1.25}$ |
| 6 to 8 ft 8 to 10 ft | $\begin{array}{c} 1.75 \\ 2.00 \end{array}$ | 1.75 | 1.20 1.50 |
| 1½ to 1¾ in | 2.50 | 2.00 | |
| 1 3/4 to 2 in | 3.00 | 2.50 | |
| ELEAGNUS | | | |
| -angustifolia 15 ft. (Russian Oliv | e) | | |
| 18 to 24 in | .20 | .16 | .12 |
| 2 to 3 ft | .25 | .20 | .16 |
| 3 to 4 ft 4 to 5 ft | .30 | .25 $.35$ | .20 |
| 5 to 6 ft | .50 | .45 | .40 |
| 6 to 8 ft | .70 | .60 | .50 |
| —argentea 12 ft. (Silverberry) | | | |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .80 | .70 | .60 |

| ELEAGNUS—Continued | Each | Each | Each |
|------------------------------------------------|--------------|--------------|------------|
| —longipes 6 ft. (Cherry Eleagnus) | 1-4 | 5-24 | 25-up |
| 18 to 24 in | .35 | .30 | |
| 2 to 3 ft | .45 | .40 | |
| | | | |
| -umbellata 12 ft. (Autumn Eleagn | us) | 2.0 | 95 |
| 2 to 3 ft 3 to 4 ft | .35 $.40$ | $.30 \\ .35$ | .25 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .70 | .60 | .50 |
| 6 to 8 ft | 1.00 | .90 | .80 |
| ELSHOLTZIA | | | |
| -stauntoni 4 ft. | 4.0 | 0 = | 0.0 |
| 15 to 18 in 18 to 24 in | .40 | .35 | .30 |
| 18 to 24 m | .50 | .45 | .40 |
| EUONYMUS | | | |
| —alatus 8 ft. (Winged Euonymus) 18 to 24 in | .40 | .35 | .30 |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .75 | .65 | .60 |
| | | | |
| —alatus compacta 6 ft. (Dwarf Wir 2 to 3 ft | | | s) |
| 2 00 3 10 | .80 | .70 | |
| -americana 8 ft. (Brook Euonymu | s) | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| -atropurpureus 15 ft. (Wahoo) | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .55 | .50 | .45 |
| -europaeus 15 ft. (European Burn | ing Bu | sh) | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .60 | .50 | .40 |
| 6 to 8 ft | .90 | .80 | .70 |
| -obovatus 1 ft. (Running Euonymu | ıs) | | |
| 9 to 12 in | .30 | .25 | .20 |
| 12 to 15 in | .35 | .30 | .25 |
| —oxyphyllus 15 ft. | | | |
| 18 to 24 in | .55 | .50 | .45 |
| 2 to 3 ft | .70 | .65 | .60 |
| -patens syn. siboldianus 8 ft. | 0.5 | 9.0 | 0.5 |
| 12 to 15 in | | .30 | .25 |
| 15 to 18 in | $.40 \\ .45$ | .35 | .30 .35 |
| 24 to 30 in | .60 | .55 | .50 |
| 30 to 36 in | .80 | .70 | .60 |
| | .00 | | |
| -radicans 1 ft. (Wintercreeper) | .25 | .22 | .18 |
| 9 to 12 in 12 to 15 in | .30 | .25 | .10 |
| 15 to 18 in | .40 | .35 | .30 |
| TO UU TU III; | . 10 | .00 | .00 |


| EUONYMUS—Continued —radicans carrieri 3 ft. (Glossy W | Each 1-4 interci | Each 5-24 reeper) | Each 25-up |
|-------------------------------------------------------|------------------------|-------------------------|---------------|
| 12 to 15 in | .30 | .25 | .20 |
| 15 to 18 in | .35 | .30 | .25 |
| 18 to 24 in | .40 | .35 | .30 |
| | 337. | | |
| -radicans colorata 1 ft. (Redleaved | | | |
| 15 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .35 | .30 | .25 |
| 24 to 30 in | .40 | .35 | .30 |
| -radicans erecta 3 ft. (Upright Wi | intores | conor) | |
| 12 to 15 in. | .25 | .20 | 15 |
| | .30 | | .15 |
| 15 to 18 in | | .25 | .20 |
| 18 to 24 in | .35 | .30 | .25 |
| -radicans vegetus 4 ft. (Largeleaf | Wint | ercreepe | r) |
| 12 to 15 in | .30 | .25 | .20 |
| 15 to 18 in | .40 | .35 | .30 |
| 18 to 24 in | | .45 | .40 |
| | | .10 | .40 |
| -yedoensis 10 ft. (Yeddo Euonymu | ıs) | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | |
| 4 to 5 ft | .50 | .45 | |
| 5 to 6 ft | .60 | .50 | .45 |
| 6 to 8 ft | .90 | .80 | .70 |
| 0 00 0 10 | | .00 | |
| EXOCHORDIA —grandiflora 10 ft. (Pearl Bush) | | | |
| 2 to 3 ft | .25 | .22 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .60 | .55 | .50 |
| | | | |
| FAGUS | | | |
| -americana 60 ft. (American Beech | | | |
| 5 to 6 ft. B&B | 3.00 | 2.50 | |
| 6 to 8 ft. B&B | 4.00 | 3.50 | |
| 2 to 2½ in. B&B | 8.00 | 7.00 | |
| | 10.00 | 9.00 | |
| 3 to 3½ in. B&B | 15.00 | 14.00 | |
| | | | |
| -sylvatica 75 ft. (European Beech) |) | 4 50 | |
| 3 to 4 ft. B&B | 1.75 | 1.50 | |
| 4 to 5 ft. B&B | 2.50 | 2.25 | |
| 5 to 6 ft. B&B | 3.50 | 3.00 | |
| -sylvatica heterophylla 40 ft. (Fer 2 to 3 ft. B&B | nleaf | Beech) | |
| 3 to 4 ft. B&B | 3.50 | 3.00 | |
| 4 to 5 ft. B&B | 5.00 | 4.50 | |
| 5 to 6 ft. B&B | 6.50 | 6.00 | |
| 0 00 U 10, D00D | 0.00 | 0.00 | |
| -sylvatica pendula 40 ft. (Weeping | Beech | h) | |
| 2 to 3 ft. B&B | 2.50 | 2.25 | |
| 3 to 4 ft. B&B | 3.50 | 3.00 | |
| 4 to 5 ft. B&B | 5.00 | 4.50 | |
| 5 to 6 ft. B&B | 6.50 | 6.00 | |
| , , , , , , , , , , , , , , , , , , , , | 3.50 | 0.00 | |

| 74 CVG C | Each | Each | Each |
|-----------------------------------------------------|--------------------------------|---------------------|---------------------|
| FAGUS—Continued —sylvatica riversi 45 ft. (Rivers P | umla Da | 5-24 | 25-up |
| 2 to 3 ft. B&B | $\frac{\text{urple be}}{2.50}$ | 2.25 | 2.00 |
| 3 to 4 ft. B&B | $\frac{2.50}{3.25}$ | 3.00 | $\frac{2.00}{2.75}$ |
| 4 to 5 ft. B&B | 4.50 | 4.25 | 4.00 |
| 5 to 6 ft. B&B | 5.50 | 5.25 | 5.00 |
| 6 to 8 ft. B&B | 10.00 | 8.00 | |
| 2 to 2½ in. B&B | 15.00 | | |
| 2½ to 3 in. B&B | 20.00 | | |
| FONTANESIA | | | |
| -fortuni 15 ft. (Fortune Fontanes | | | |
| 3 to 4 ft | | .25 | .20 |
| 4 to 5 ft | .40 | .35 | .30 |
| 5 to 6 ft | .60 | .50 | .40 |
| FORSYTHIA | | | |
| -intermedia 7 ft. (Border Forsyth | nia) | 4.0 | |
| 2 to 3 ft | .20 | .16 | .12 |
| 3 to 4 ft 4 to 5 ft | .25 $.30$ | $.20 \\ .25$ | .15 |
| | | | .20 |
| -intermedia spectabilis 8 ft. (Show | vy Borde | | |
| 2 to 3 ft | | $.16 \\ .20$ | |
| 3 to 4 ft 4 to 5 ft | .25 $.30$ | .20 $.25$ | $.15 \\ .20$ |
| | .00 | .20 | .20 |
| -ovata 8 ft. (Korean Forsythia) 18 to 24 in | .40 | .35 | .30 |
| 2 to 3 ft | .50 | .45 | .40 |
| | | .40 | .40 |
| -suspensa 5 ft. (Weeping Forsyth 2 to 3 ft. | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| -suspensa fortuni 7 ft. (Fortune | Forsythia | a) | |
| 2 to 3 ft | | .16 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| 4 to 5 ft | .30 | .25 | .20 |
| -viridissima 5 ft. (Greenstem For | sythia) | | |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| FRAXINUS | | | |
| —americana 60 ft. (White Ash) | | | |
| 6 to 8 ft | 1.00 | .90 | .80 |
| 8 to 10 ft | 1.25 | 1.15 | 1.00 |
| 1 1/4 to 1 1/2 in | 1.60 | 1.40 | 1.25 |
| 1½ to 1¾ in | 2.00 | 1.75 | |
| 1 3/4 to 2 in | 2.50 | 2.25 | |
| 2 to 2½ in | $\frac{3.00}{3.75}$ | $\frac{2.75}{3.50}$ | |
| 2½ to 3 in 3 to 3½ in | 5.00 | $\frac{3.50}{4.50}$ | |
| —excelsior 90 ft. (European Ash) | | 1.00 | |
| 6 to 8 ft | | .90 | .80 |
| 8 to 10 ft | | 1.15 | 1.00 |
| 1 ½ to 1 ½ in | 1.60 | 1.40 | 1.25 |
| 1½ to 1¾ in | | 1.75 | 1.50 |
| 1¾ to 2 in | 2.50 | 2.25 | 2.00 |
| | | | |

| FRAXINUS—Continued —lanceolata 60 ft. (Green Ash) | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| 6 to 8 ft | 1.00 1.25 1.60 2.00 2.50 3.00 3.75 | .90 1.15 1.40 1.75 2.25 2.75 3.50 | .80 1.00 1.25 1.50 2.00 2.50 |
| GINKGO —biloba 60 ft. (Maidenhair Tree) | | | |
| 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 14 to 1 ½ in. 11 ½ to 1 ¾ in. 11 ¼ to 2 in. | 1.75 2.25 2.75 3.25 5.00 5.75 | 1.50 2.00 2.50 3.00 4.50 5.50 | 1.25 1.75 2.25 2.75 4.00 |
| GLADITSIA —triocanthos 60 ft. (Honey Locust | ÷) | | |
| 4 to 5 ft | .60 1.00 1.50 | $ \begin{array}{r} .55 \\ .80 \\ 1.25 \end{array} $ | $ \begin{array}{r} .50 \\ .70 \\ 1.00 \end{array} $ |
| | 1.50 2.00 3.00 3.50 4.00 4.50 | ney Loc 1.25 1.75 2.75 3.25 3.50 4.00 | 1.00 1.50 2.50 |
| GYMNOCLADUS —dioica 40 ft. (Kentucky Coffee Tr | | | |
| 4 to 5 ft | 1.25 2.00 2.50 2.75 | 1.00 1.75 2.25 2.50 | 2.00 |
| HAMAMELIS | | | |
| virginiana 15 ft. (Witch-Hazel) 18 to 24 in | $ \begin{array}{r} .30 \\ .40 \\ .50 \\ .70 \\ 1.00 \end{array} $ | .25 .35 .45 .65 | .20 .30 .40 .55 |
| HALESIA —tetraptera 14 ft. (Great Silverbe 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | ll) .65 .80 1.25 | .60 .70 1.15 | 1.00 |
| HEDERA —helix 40 ft. (English Ivy) 3 in. pots, 2 years | .35 | .30 | .25 |

| | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------------------|---------------------|---------------------|---------------|
| HIBISCUS—syriacus 15 ft. (Althea) —anemonaeflorus—double rose |) | 0-24 | 20-up |
| -ardens-double violet | | | |
| -banner-double white, red stripes | _ | | |
| -boule de feu-double purplish red | ł | | |
| —lucy—double red —pulcherrima—double flesh, red ce | nter | | |
| -purpurea semi plena-semi doubl | e purp | le | |
| -coelestis-single blue | | | |
| -rubis-single red | | | |
| —totus albus—single white 2 to 3 ft. | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .40 | .35 | .30 |
| HYDRANGEA | | | |
| -arborescens grandiflora 6 ft. (Hill | | | |
| 18 to 24 in | .20 | .16 | .10 |
| 2 to 3 ft 3 to 4 ft | $.25 \\ .30$ | $.20 \\ .25$ | $.12 \\ .20$ |
| | | | .40 |
| —paniculata grandiflora 7 ft. (Peege 18 to 24 in | | angea) | .10 |
| 2 to 3 ft | .25 | .20 | .12 |
| 3 to 4 ft | .30 | .25 | .20 |
| -quercifolia 4 ft. (Oakleaf Hydran | gea) | | |
| 12 to 15 in | .30 | .25 | .20 |
| 15 to 18 in | .40 | .35 | .30 |
| HYPERICUM | | | |
| -aureum 4 ft. (Golden St. Johnswo | rth) | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 2½ ft | .35 | .30 | .25 |
| -densiflorum 4 ft. (St. Johnsworth) | | 2.0 | |
| 18 to 24 in 2 to 2½ ft | $.25 \\ .30$ | $.20 \\ .25$ | .15 |
| 2 ½ to 3 ft | .35 | .30 | .25 |
| -moserianum 2 ft. (Goldflower) | ••• | •00 | , |
| 15 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .35 | .30 | .25 |
| 2 to 2½ ft | .40 | .35 | .30 |
| -prolificum 5 ft. (Shrubby St. John | nswort | h) | |
| 18 to 24 in | .25 | .20 | .15 |
| 2 to 2 ½ ft | .30 | .25 | .20 |
| 2½ to 3 ft | .35 | .30 | .25 |
| ILEX | | | |
| -crenata 10 ft. (Japanese Holly) | 1 75 | 150 | |
| 15 to 18 in. B&B 18 to 24 in. B&B | $\frac{1.75}{2.00}$ | $\frac{1.50}{1.75}$ | |
| | 2.00 | 1.10 | |
| —glabra 5 ft. (Ink Berry) 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.10 | .90 |
| 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 2 to 2½ ft. B&B | 2.25 | 2.00 | 1.75 |

| | | | - |
|-------------------------------------------|-------------|--------------|-------|
| ILEX—Continued | Each 1-4 | Each 5-24 | Each |
| —Opaca 20 ft. (American Holly) | 1-4 | 9-24 | 25-up |
| 15 to 18 in. B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| 2 to 3 ft. B&B | 2.50 | 2.25 | 2.00 |
| 3 to 4 ft. B&B | 3.00 | 2.75 | 2.50 |
| 4 to 5 ft. B&B | 4.50 | 4.25 | |
| -verticilata 6 ft. (Winterberry) | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .55 | .50 | .45 |
| 5 to 6 ft | .75 | .65 | .55 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| JUGLANS | | | |
| -cinerea 75 ft. (Butternut) | | | |
| 4 to 5 ft | 1.00 | .80 | |
| 5 to 6 ft | 1.25 | 1.00 | |
| -nigra 80 ft. (Black Walnut) | | | |
| 5 to 6 ft | 1.00 | .85 | |
| 6 to 8 ft | 1.25 | 1.00 | |
| 8 to 10 ft | 1.75 | 1.50 | |
| JUNIPERUS | | | |
| —chinensis columnaris glauca 20 ft. | | | |
| (Blue Chinese Juniper) | | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | |
| 3 to 4 ft. B&B | 2.25 | 2.00 | |
| 4 to 5 ft. B&B | 3.00 | 2.75 | |
| 5 to 6 ft. B&B | 4.00 | 3.50 | |
| 6 to 7 ft. B&B | 5.00 | 4.50 | |
| 7 to 8 ft. B&B | 7.00 | 6.00 | |
| -chinensis globosa 4 ft. (Globe Chin | nese Ju | niper) | |
| 18 to 24 in. B&B | 1.50 | 1.25 | |
| 24 to 30 in. B&B | 2.00 | 1.75 | |
| 30 to 36 in. B&B | 2.50 | 2.25 | |
| chinensis oblonga 8 ft. 2 to 3 ft. B&B | | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | |
| 3 to 4 ft. B&B | 2.25 | 2.00 | |
| 4 to 5 ft. B&B | 3.00 | 2.75 | |
| —chinensis mascula 12 ft. | | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.00 | 3.50 | 3.00 |
| 6 to 7 ft. B&B | 5.00 | 4.50 | 4.00 |
| 7 to 8 ft. B&B | 7.00 | 6.00 | |
| 8 to 9 ft. B&B | 9.00 | 8.00 | |
| -chinensis pfitzeriana 6 ft. (Pfitze | | | |
| 12 to 15 in. spreading B&B | 1.00 | .85 | .65 |
| 15 to 18 in. spreading B&B | 1.25 | 1.10 | .85 |
| 18 to 24 in. spreading B&B | 1.50 | 1.30 | 1.15 |
| 24 to 30 in. spreading B&B | 2.25 | 2.00 | 1.75 |
| 30 to 36 in. spreading B&B | 3.00 | 2.75 | 2.50 |
| 18 to 24 in. upright B&B | 1.75 | 1.50 | 1.25 |
| 24 to 30 in. upright B&B | 2.50 | 2.25 | 2.00 |
| 30 to 36 in. upright B&B | 3.00 | 3.75 | 2.50 |
| 3 to 4 ft. upright B&B | 3.75 | 3.50 | |
| 4 to 5 ft. upright B&B | 5.00 | 4.75 | 4.50 |
| 5 to 6 ft. upright B&B | 6.00 | 5.50 | |
| | | | |



Juniperus Pfitzeriana Kallay's Compacta 4 ft.

A new, compact pfitzer juniper developed by us regarding which a foremost landscape architect and horticultural writer wrote as follows:

JUNIPERUS pfitzeriana Kallay's compacta is an evergreen that everyone has been looking for. It has all the qualities of the well known Pfitzer's Juniper—light gray green foliage, smoke and disease resistant, perfectly hardy, and easily transplanted. In addition it grows in a compact form. Instead of having irregular broad branches that tend to grow upwards, leaving the center low as the ordinary Pfitzer's juniper, it sends out small regular branches that are full clear to the ground with a full center. As the ordinary Pfitzer's juniper gets old it tends to get leggy. This new variety remains always bushy and compact.

It can be used in formal planting as a globe type of evergreen, as a hedge, or in informal planting as a facer to higher evergreens or deciduous planting. It is an excellent evergreen for house foundation planting or in masses for park effect. It is the favorite Pfitzer's juniper plus,"

| | | | | | 1-4 | 5-24 | 25-up |
|----|----|----|-----|-----|------|------|-------|
| 12 | to | 15 | in. | B&B | 1.15 | 1.00 | .85 |
| 15 | to | 18 | in. | B&B | 1.25 | 1.15 | 1.00 |
| 18 | to | 24 | in. | B&B | 1.60 | 1.40 | 1.25 |

| JUNIPERUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------------|---------------------|---------------------|---------------------|
| -chinensis pyramidalis 12 ft. (Gree | en Chin | ese Jun | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft | 4.00 | 3.50 | 3.00 |
| —chin. sargenti 1½ ft. (Sargent July 12 to 15 in. B&B | uniper) | .90 | .80 |
| 15 to 18 in. B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in. B&B | 1.75 | 1.50 | 1.25 |
| | | 1.00 | 1.20 |
| —communis 8 ft. (Common Juniper 18 to 24 in. B&B | .75 | .65 | .50 |
| 2 to 3 ft. B&B | 1.00 | .90 | .80 |
| 3 to 4 ft. B&B | 1.50 | 1.25 | 1.10 |
| | | | 1.10 |
| —communis depressa 2 ft. (Prostrat | te Junij 1.00 | per) .85 | .75 |
| 12 to 15 in. B&B | 1.00 1.25 | 1.10 | .90 |
| 15 to 18 in. B&B | | | |
| 18 to 24 in. B&B 24 to 30 in. B&B | $\frac{1.50}{2.00}$ | $1.30 \\ 1.75$ | 1.10 |
| | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ |
| 30 to 36 in. B&B | | | |
| -commpnis depressa aurea 2 ft. (| Golden | Prostra | te) |
| Juniper) 12 to 15 in, B&B | 1.15 | 1.00 | .85 |
| 15 to 18 in. B&B | 1.50 | 1.25 | 1.00 |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| 24 to 30 in. B&B | 2.25 | 2.00 | 1.75 |
| —communis depressa plumosa 2 ft. | (Andor | ra Juni | ner) |
| 12 to 15 in. B&B | 1.15 | 1.00 | .85 |
| 15 to 18 in. B&B | 1.35 | 1.15 | 1.00 |
| 18 to 24 in. B&B | 1.75 | 1.50 | 1.25 |
| 24 to 30 in. B&B | 2.00 | 1.75 | 1.50 |
| —communis hibernica 15 ft. (Irish a | | | C.F |
| 18 to 24 in. B&B 24 to 30 in. B&B | $\frac{.80}{1.00}$ | .70 .90 | .65 $.80$ |
| 30 to 36 in. B&B | 1.50 | 1.35 | 1.15 |
| -communis suecica 20 ft. (Swedis | h Innir | | |
| 15 to 18 in. B&B | ,3um 180 | .70 | .60 |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 24 to 30 in. B&B | 1.10 | 1.00 | .90 |
| 30 to 36 in. B&B | 1.75 | 1.50 | 1.25 |
| -excelsa stricta 12 ft. (Spiney Gre | eek Jun | iper) | |
| 15 to 18 in. B&B | 1.30 | 1.15 | 1.00 |
| 18 to 24 in. B&B | $\frac{1.75}{2.00}$ | $\frac{1.50}{1.75}$ | 1.25 |
| | | 1.10 | |
| —horizontalis 1 ft. (Creeping Junip 12 to 15 in. B&B | er) .90 | .80 | .70 |
| 15 to 18 in. B&B | $\frac{.90}{1.10}$ | 1.00 | .70 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| | | | |

| JUNIPERUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------|---------------------|---------------------|---------------------|
| -horizontalis glauca 1 ft. (Blue Cr | eeping | Juniper | r) |
| 12 to 15 in. B&B | .90 | .80 | .70 |
| 15 to 18 in. B&B | 1.10 | 1.00 | .90 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| —horizontalis douglasi 1 ft. (Creepin | ne So. | vin) | |
| 12 to 15 in. B&B | .90 | .80 | .70 |
| 15 to 18 in. B&B | 1.10 | 1.00 | .90 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| | | | |
| —japonica syn. procumbens 3 ft. (Ja | | | |
| 12 to 15 in. B&B 15 to 18 in. B&B | 1.00 | 0.90 $0.1.15$ | .80 1.00 |
| | 1.25 | | |
| 18 to 24 in. B&B | 1.75 | 1.50 | 1.25 |
| 24 to 30 in. B&B | 2.25 | 2.00 | |
| 30 to 36 in. B&B | 3.00 | 2.75 | |
| -sabina 5 ft. (Savin Juniper) | | | |
| 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.10 | .90 |
| 18 to 24 in. B&B | 1.50 | 1.30 | 1.15 |
| 24 to 30 in. B&B | 1.75 | 1.50 | |
| | | Carrin | |
| —sabina tamariscifolia 1½ ft. (Tan | | | 75 |
| 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.10 | 1.00 |
| 18 to 24 in. B&B | 1.50 | 1.35 | 1.25 |
| Charalton Plan 25 ft | | | |
| -scopularum Chandlers Blue 25 ft. | 1.25 | 1.15 | |
| | | | |
| 2 to 3 ft. B&B | 1.75 | 1.50 | |
| -squamata meyeri 4 ft. (Meyer's Jun | niper) | | |
| 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.15 | 1.00 |
| | | | |
| -virginiana 25 ft. (Red Cedar) | 1.50 | 1.25 | 1.00 |
| 2 to 3 ft. B&B | 1.75 | 1.50 | 1.00 1.25 |
| 3 to 4 ft. B&B | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ | 1.75 |
| 4 to 5 ft. B&B | $\frac{2.25}{3.25}$ | 3.00 | 2.75 |
| 5 to 6 ft. B&B | $\frac{3.25}{4.50}$ | $\frac{3.00}{4.25}$ | 4.00 |
| 6 to 7 ft. B&B | | 5.50 | 5.00 |
| 7 to 8 ft. B&B | $6.00 \\ 8.00$ | $\frac{5.50}{7.50}$ | 7.00 |
| 8 to 9 ft. B&B | 1.00 | 10.00 | 9.00 |
| 0 00 10 10. 2022 | 13.00 | 12.00 | 11.00 |
| 10 to 12 ft. B&B | 13.00 | 12.00 | 11.00 |
| -vir. burki syn. virg. venusta 15 ft. | | | |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| -virg. cannarti 18 ft. (Cannart Red | Ceda | r) | |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B | 2.25 | 2.00 | 1.75 |
| 3 to 4 ft. B&B | $\frac{2.50}{2.50}$ | 2.25 | 2.00 |
| 4 to 5 ft. B&B | 3.25 | 3.00 | $\frac{2.75}{2.75}$ |
| 5 to 6 ft. B&B | 4.25 | 4.00 | 3.75 |
| 0 00 Tt. Dab | | | |

| JUNIPERUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------------|---------------------|---------------------------------------------|---------------------|
| -virg. cannarti Kallay's type 20 ft. | 2.00 | 1 75 | 1 50 |
| 2 to 3 ft. B&B 3 to 4 ft. B&B | $\frac{2.00}{2.25}$ | $\begin{array}{c} 1.75 \\ 2.00 \end{array}$ | $\frac{1.50}{1.75}$ |
| 4 to 5 ft. B&B | 3.00 | $\frac{2.00}{2.75}$ | $\frac{1.75}{2.50}$ |
| 5 to 6 ft. B&B | 4.00 | $\frac{2.15}{3.75}$ | $\frac{2.50}{3.50}$ |
| | | | 0.00 |
| -virg. elegantissima lee 15 ft. (Gold | itip Ju | niper) | 1 77 |
| 2 to 3 ft. B&B 3 to 4 ft. B&B | 2.25 | $\begin{array}{c} 2.00 \\ 2.25 \end{array}$ | $\frac{1.75}{2.00}$ |
| 4 to 5 ft. B&B | $\frac{2.5}{3.25}$ | 3.00 | $\frac{2.00}{2.75}$ |
| | 0.20 | 5.00 | 2.10 |
| -virg. glauca 20 ft. (Blue Cedar) 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.00 | 3.75 | 3.50 |
| 6 to 7 ft. B&B | 5.00 | 4.50 | 4.00 |
| 7 to 8 ft. B&B | 7.00 | 6.50 | 6.00 |
| 8 to 9 ft. B&B | 9.00 | 8.50 | 8.00 |
| -virg. glauca Kallay's blue 20 ft. | | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.00 | 3.75 | 3.50 |
| 6 to 7 ft. B&B | 5.00 | 4.50 | 4.00 |
| -virg. globosa 4 ft. (Globe Juniper) | | | |
| 30 to 36 in. B&B | 2.50 | 2.25 | |
| 3 to 4 ft. B&B | 4.00 | 3.50 | |
| -virg. keteleeri 15 ft. | 2.00 | | 4 = 0 |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B 4 to 5 ft. B&B | $\frac{2.25}{3.00}$ | $\frac{2.00}{2.75}$ | $\frac{1.75}{2.50}$ |
| 5 to 6 ft. B&B | 4.00 | 3.50 | 3.00 |
| 6 to 7 ft. B&B | 5.00 | $\frac{3.50}{4.50}$ | 4.00 |
| 7 to 8 ft. B&B | 7.00 | 6.50 | 6.00 |
| —pendula 15 ft. (Weeping Red Ced | ar) | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.00 | 3.75 | 3.50 |
| 6 to 7 ft. B&B | 5.00 | 4.75 | 4.50 |
| 7 to 8 ft. B&B | 7.00 | 6.50 | 6.00 |
| -virg. schotti 18 ft. (Schott's Red (| Cedar) | | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.00 | 3.75 | 3.50 |
| KALMIA | | | |
| —latifolia 6 ft. (Mountain Laurel) | | | |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| 24 to 30 in. B&B | 2.50 | 2.25 | 2.00 |
| 30 to 36 in. B&B | 3.00 | 2.75 | 2.50 |
| 3 to 4 ft. B&B | 3.50 | 3.25 | 3.00 |
| 4 to 5 ft. B&B | 5.00 | 4.50 | 4.00 |

| KEDDIA | Each | Each | Each |
|----------------------------------------------------|---------------------|------------------|--------------------|
| KERRIA | 1-4 | 5-24 | 25-up |
| —japonica fl. pl. 6 ft. (Double Flow 15 to 18 in. | | 2.0 | or |
| 18 to 24 in | .35 .45 | $.30 \\ .40$ | .25 |
| 2 to 3 ft | .55 | .50 | .45 |
| 2 00 0 10 | .00 | .00 | |
| KOELREUTERA | | | |
| —paniculata 25 ft. (Goldenrain Tre | e) | | |
| 3 to 4 ft | 1.00 | .75 | |
| 4 to 5 ft | 1.25 | 1.00 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| | | | |
| KOLKWITZIA | | | |
| —amabilis 6 ft. (Beautybush) | | | |
| 18 to 24 in | .25 | .20 | .18 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| | | | |
| LABURNUM— | | | |
| alpinum 30 ft. (Scotch Laburnum) 4 to 5 ft. | 1.00 | .90 | 9.0 |
| 5 to 6 ft | $\frac{1.00}{1.50}$ | 1.35 | $\frac{.80}{1.25}$ |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| | 2.00 | 1.10 | 1.00 |
| -vulgare 20 ft. (Goldenchain) | | | |
| 4 to 5 ft | 1.00 | .90 | |
| 5 to 6 ft | 1.50 | 1.35 | |
| | | | |
| LARIX | ` | | |
| -europaea 60 ft. (European Larch 5 to 6 ft. B&B | 3.50 | 3.00 | |
| 6 to 8 ft. B&B | 4.50 | 4.00 | |
| 8 to 10 ft. B&B | 6.00 | 5.50 | |
| 0 00 10 10 200 | | 0.00 | |
| LEUCOTHOE | | | |
| -catesbaei 6 ft (Drooping Leucoth | oe) | | |
| 12 to 15 in. B&B | 1.00 | .75 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.15 | 1.00 |
| 18 to 24 in. B&B | 1.75 | 1.50 | 1.25 |
| | | | |
| LIGUSTRUM | Each 1-24 | Each 25-249 | Each 250-up |
| —amurense 12 ft. (Amur Privet) | | 29 210 | 200 up |
| 12 to 18 in. 3 canes and up | $.03\frac{1}{2}$ | .03 | .02 1/2 |
| 18 to 24 in. 3 canes and up | .05 | .04 | .03 ½ |
| 2 to 3 ft. 4 canes and up | .07 | .06 | .05 |
| 3 to 4 ft. 5 canes and up | .12 | .10 | .08 |
| 4 to 5 ft | .20 | .17 | .15 |
| -ibolium 10 ft. (Hardy California F | Privet) | | |
| | | $.04\frac{1}{2}$ | |
| 2 to 3 ft | .07 | .06 | |
| il 9 ft (Chinaga Duivet) | | | |
| —ibota 8 ft. (Chinese Privet) 18 to 24 in | .10 | .09 | .08 |
| 2 to 3 ft | .14 | .12 | .10 |
| 3 to 4 ft | .20 | .16 | .14 |
| 3 00 4 201-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- | | | , , |

| LIGUSTRUM—Continued | Each 1-24 | Each 25-249 2 | Each |
|-------------------------------------|---------------------|---------------------|---------------------|
| -ibota regelianum 6 ft. (Regal Pri | vet) | | _ |
| 12 to 18 in | .16 | .15 | .14 |
| 18 to 24 in | .20 | .18 | .16 |
| 24 to 30 in | .30 | $.27\frac{1}{2}$ | .25 |
| 30 to 36 in | .40 | .35 | .30 |
| | | | .00 |
| —nanum compactum 3½ ft. (Lode | | | |
| 12 to 15 in | .20 | .16 | |
| 15 to 18 in | .27 | .25 | |
| -ovalifolium 10 ft. (California Pri | vet) | | |
| 12 to 18 in. 3 canes and up | $.03\frac{1}{2}$ | $.02\frac{1}{2}$ | .02 |
| 18 to 24 in. 3 canes and up | .04 | $.03\frac{1}{2}$ | .03 |
| 2 to 3 ft. 4 canes and up | .06 | $.05\frac{1}{2}$ | .05 |
| 3 to 4 ft. 4 canes and up | .10 | .09 | .08 |
| • | 11 0 | 10 D | |
| —ovalifolium variegatum 10 ft. (Go | | | |
| 15 to 18 in | .20 | .16 | .14 |
| 18 to 24 in | .25 | .20 | .18 |
| -Vulgare 10 ft. (English Privet) | | | |
| 3 to 4 ft | .25 | .20 | |
| 4 to 5 ft | .35 | .30 | |
| | | | |
| LIRIODENDRON | Each 1-4 | Each 5-24 | Each |
| —tulipifera 60 ft. (Tulip Tree) | 1-4 | 5-24 | 25-up |
| 5 to 6 ft | 1.00 | .90 | .80 |
| 6 to 8 ft | 1.50 | 1.35 | 1.25 |
| 8 to 10 ft | 1.75 | 1.60 | 1.40 |
| 1 ½ to 1 ½ in | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in | $\frac{2.75}{3.00}$ | $\frac{2.50}{2.75}$ | 2.25 |
| 2 to 2 ½ in | $\frac{3.00}{4.00}$ | $\frac{2.13}{3.50}$ | |
| 2 ½ to 3 in | 5.00 | 4.50 | |
| 3 to 3 ½ in | 6.00 | 5.50 | |
| 3½ to 4 in | 8.00 | 7.00 | |
| | | | |
| LIQUIDAMBER | | | |
| -styraciflua 50 ft. (Sweet Gum) | | | |
| 6 to 8 ft | 2.25 | 2.00 | 1.75 |
| 8 to 10 ft | 3.00 | 2.75 | 2.50 |
| 1½ to 2 in 2 to 2½ in. | $\frac{3.75}{5.00}$ | $\frac{3.50}{4.50}$ | $\frac{3.25}{4.00}$ |
| 2 to 2 ½ in | 6.00 | 5.50 | 5.00 |
| 3 to 3½ in | 7.50 | 7.00 | 6.50 |
| 3½ to 4 in | 9.50 | 9.00 | |
| 4 to 5 in | 14.00 | 13.00 | |
| 5 to 7 in., price on request | | | |
| | | | |
| LONICERA | | | |
| —bella albida 8 ft. (White Bell Ho | | | 10 |
| 2 to 3 ft | .18 | .15 | .12 |
| 3 to 4 ft | $.25 \\ .30$ | $.20 \\ .25$ | .15 |
| 4 to 5 ft 5 to 6 ft | .30 $.45$ | .40 | .35 |
| 0 00 0 10 | .10 | .10 | .00 |

| LONICERA—Continued | Each | Each | Each |
|------------------------------------|--------------|----------|-------|
| | 1-4 | 5-24 | 25-up |
| —bella rosea 8 ft. (Pink Bell Hon | ievsuckle | | |
| 2 to 3 ft | 18 | .15 | .12 |
| 3 to 4 ft | 25 | .20 | .15 |
| 4 to 5 ft | .30 | .25 | .20 |
| 5 to 6 ft | .45 | .40 | .35 |
| -fragrantissima 8 ft. (Winter Ho | nevsuckl | e) | |
| 18 to 24 in | .18 | .16 | .12 |
| 2 to 3 ft | 25 | .20 | .15 |
| 3 to 4 ft | 30 | .25 | .20 |
| 4 to 5 ft | .40 | .35 | .30 |
| -halliana 15 ft. (Hall's Japan Ho | n orran alrl | .) | |
| 2 years No. 1 \$80.00 per M | | .12 | .10 |
| 2 years No. 1 \$80.00 per M | . 10 | .14 | .10 |
| -korolkowi floribunda 10 ft. (Blue | eleaf Hor | neysuck: | le) |
| 18 to 24 in | | .22 | .18 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| 1- J-1: 10 f+ | | | |
| —ledebouri 10 ft. 18 to 24 in | .22 | .20 | .18 |
| 2 to 3 ft | | .25 | .20 |
| | | .40 | .20 |
| -maacki 10 ft. (Amur Honeysuck | le) | | |
| 2 to 3 ft | | .20 | .16 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .40 | .35 | .30 |
| 5 to 6 ft | .60 | .50 | .40 |
| -morrowi 8 ft. (Morrow Honeysu | ckle) | | |
| 18 to 24 in | .20 | .15 | .12 |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| | | | |
| -morrowi yellow fruited 8 ft. | 25 | 0.0 | 1 - |
| 18 to 24 in | | .20 | .15 |
| 3 to 4 ft | | .30 | .25 |
| 4 to 5 ft | .40 | .35 | .30 |
| —reticulata aurea 12 ft. | | | |
| 2 years No. 1 | .25 | .20 | .15 |
| | | | |
| -sempervirens 15 ft. (Scarlet Tr | | 9.0 | 15 |
| 2 years No. 1 | 25 | .20 | .15 |
| -standishi 5 ft. | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | | .30 | .25 |
| 3 to 4 ft | | .35 | .30 |
| | 1-7-1 | | |
| -syringantha 4 ft. (Lilac Honeysu | ickie) | .40 | 95 |
| 18 to 24 in | | .55 | .35 |
| 2 to 3 ft | 00 | .55 | .50 |
| -tatarica alba 10 ft. (White Tatar | rian Hone | eysuckle | e) . |
| 2 to 3 ft | 18 | .15 | .12 |
| 3 to 4 ft | | .20 | .15 |
| 4 to 5 ft | | .25 | .20 |
| 5 to 6 ft | .45 | .40 | .35 |
| | | | |

| LONICEDA Continued | Each | Each | Each |
|---------------------------------------------------------------|---------------------|---------------------|---------------------|
| LONICERA—Continued | 1-4 | 5-24 | 25-up |
| —tatarica rose grandiflora 10 ft. (Pink Tatarian Honeysuckle) | | | |
| 2 to 3 ft | .18 | .15 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| 4 to 5 ft | .30 | .25 | .20 |
| 5 to 6 ft | .45 | .40 | .35 |
| —tatarica sibirica 10 ft. (Red Tata | nion Uo | norranal | 1 |
| 2 to 3 ft | .25 | neysuck .20 | .1e) .15 |
| 3 to 4 ft | .30 | | .20 |
| | | | •=0 |
| -xylosteum 6 ft. (Fly Honeysuckle | e) | 20 | 1.0 |
| 18 to 24 in | .25 | .20 | .16 |
| 2 to 3 ft | .30 | .25 | .20 |
| LYCIUM | | | |
| -chinese 10 ft. (Chinese Matrimor | | | |
| 2 to 3 ft | .20 | .16 | .12 |
| 3 to 4 ft | .25 | .20 | .15 |
| MAGNOTIA | | | |
| MAGNOLIA —acuminata 70 ft. (Cucumber Tree | o) | | |
| 3 to 4 ft. B&B | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. B&B | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. B&B | 2.75 | 2.50 | 2.25 |
| 6 to 8 ft. B&B | 3.25 | 3.00 | 2.75 |
| 1½ to 2 in. B&B | 8.00 | 7.00 | |
| 2 to 2½ in. B&B | 9.00 | 8.00 | |
| $2\frac{1}{2}$ to 3 in. B&B | 12.00 | 11.00 | |
| -glauca 20 ft. (Sweet Bay) | | | * |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. B&B | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. B&B | 4 00 | 3.75 | 3.50 |
| 8 to 10 ft. B&B | 5.00 | 4.75 | 4.50 |
| -kobus 35 ft. (Kobus Magnolia) | | | |
| 2 to 3 ft. B&B | 1.50 | 1.25 | |
| 3 to 4 ft. B&B | 1.75 | $\frac{1.50}{2.25}$ | |
| 4 to 5 ft. B&B | 2.50 | 2.40 | |
| —lennei 18 ft. (Lenne Magnolia) | | 0.0 | |
| 3 to 4 ft. B&B | 3.50 | 3.25 | |
| 4 to 5 ft. B&B 5 to 6 ft. B&B | 4.50 | 4.25 | |
| 6 to 8 ft. B&B | $\frac{6.00}{8.00}$ | $\frac{5.50}{7.00}$ | |
| | | 1.00 | |
| -soulangiana 18 ft. (Saucer Magne | | 0.00 | 1 75 |
| 2 to 3 ft. B&B 3 to 4 ft. B&B | $\frac{2.25}{2.75}$ | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ |
| 4 to 5 ft. B&B | 4.00 | $\frac{2.50}{3.75}$ | 3.50 |
| 5 to 6 ft. B&B | 5.50 | 5.00 | 4.50 |
| 6 to 8 ft. B&B | 8.00 | 7.50 | 7.00 |
| -soulangiana nigra 18 ft. (Dark R | Pod) | | |
| 2 to 3 ft. B&B | 2.50 | 2.25 | 2.00 |
| 3 to 4 ft. B&B | 2.50 | 3.25 | 2.00 |
| 4 to 5 ft. B&B | 4.50 | 4.25 | |
| 5 to 6 ft. B&B | 6.50 | 6.00 | |
| | | | |

| PAINESVILLE, OHIO | | | 31 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------|--------------------|
| MAGNOLIA—Continued | Each 1-4 | Each 5-24 | Each 25-up |
| -stellata 8 ft. (Star Magnolia) 2 to 3 ft. B&B | 4.00 | 3.50 | |
| —tripetala 30 ft. (Umbrella Magn | nolia) | | |
| 3 to 4 ft | 1.00 | .75 | |
| 4 to 5 ft | 1.50 | 1.25 | |
| MALUS —arnoldiana 10 ft. (Arnold Crab) | | | |
| Semi-double pink flowers, small | l yellow | | ¥ 0 |
| 3 to 4 ft | $\frac{.70}{1.00}$ | .60 .80 | $.50 \\ .65$ |
| —coronaria 15 ft. (Wild Sweet Cr. | | .00 | .00 |
| Clustered rose-pink flowers, ye | ab) ellowish | fruit | |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .80 | .70 | .60 |
| 5 to 6 ft 6 to 8 ft | 1.25 | $\frac{1.10}{1.50}$ | 1.00 |
| | | | |
| —floribunda 18 ft. (Japanese Flowers, small red from Rose-red flowers, small red | ering Ci | ab) | |
| 3 to 4 ft | .70 | .60 | .50 |
| 4 to 5 ft | 1.00 | .60 .80 | .65 |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| —floribunda atrosanguinea 20 ft. Late flowering, buds and flowers small, yellow fruit 3 to 4 ft | .70 1.00 | e Crab) red, .60 .80 1.10 | .50 .65 1.00 |
| | 1.20 | 1.10 | 1.00 |
| —floribunda lemoini 15 ft. Deep pink flowers, yellow frui | it. | | |
| 2 to 3 ft | .75 | .60 | |
| 3 to 4 ft | 1.00 | .80 | |
| —hopa 12 ft. (Red Flowering Crab Rosy-crimson flowers, round, r | red fruit | , | |
| 3 to 4 ft | | .60 | .50 |
| 4 to 5 ft 5 to 6 ft | | $\frac{.80}{1.10}$ | $\frac{.65}{1.00}$ |
| —halliana parkmannii (Parkman's | | 2,20 | 2000 |
| Semi-double rose-pink flowers | | 4.05 | |
| 4 to 5 ft | | 1.25 | |
| 5 to 6 ft | 2.00 | 1.75 | |
| —ioensis 20 ft. (Prairie Crab) | mit | | |
| Single pink flowers, greenish for 4 to 5 ft. | 1.25 | 1.15 | 1.00 |
| 5 to 6 ft | 1.50 | 1.35 | 1.25 |
| 6 to 8 ft | 2.00 | 1.75 | |
| —ioensis plena 12 ft. (Bechtel's Cr Double pink flowers, very sho | ab) wy | | |
| 2 to 3 ft | 60 | .50 | .40 |
| 8 to 4 ft | | 1.00 | .60 |
| 5 to 6 ft. | | 1.65 | 1.50 |
| 8 to 10 ft | | 2.25 | |
| | | | |

| MALUS—Continued —niedzwetzkyana 12 ft. (Redvein | Each 1-4 Crab) | Each 5-24 | Each 25-up |
|-------------------------------------------------------------------------------------------|----------------------|---------------------|---------------|
| Purplish leaves, deep pink flo | | ple fru | it |
| 3 to 4 ft | .70 | .60 | .50 |
| 4 to 5 ft | | .80 | .65 |
| 5 to 6 ft | | 1.10 | 1.00 |
| | | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| -purpurea 20 ft. (Purple Crab) Purple leaves, red flowers, da | rk red f | ruit | |
| 3 to 4 ft | | .60 | .50 |
| 4 to 5 ft | | .80 | .65 |
| 5 to 6 ft | | 1.10 | 1.00 |
| 6 to 8 ft | | 1.50 | 1.25 |
| 8 to 10 ft | 2.25 | 2.00 | 1.75 |
| -purpurea eleyi 20 ft. (Eley Cra Deep red flowers, large, edible | b) e red fru | it | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | | .60 | .50 |
| 4 to 5 ft | _ 1.00 | .80 | .65 |
| 5 to 6 ft | | 1.10 | 1.00 |
| 6 to 8 ft | $_{-}$ 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | $_{-}$ 2.25 | 2.00 | 1.75 |
| 10 to 12 ft | _ 3.00 | 2.75 | 2.50 |
| -sargenti 8 ft. (Sargent Crab) Sharptoothed leaves, white flo | | rk red f | ruit |
| | | 1.25 | 1.00 |
| 4 to 5 ft5 to 6 ft | _ 1.75 | $\frac{1.25}{1.65}$ | 1.50 |
| -scheideckeri 20 ft. (Scheidecker Double pink flowers, orange | Crab) | | |
| 3 to 4 ft | .70 | .60 | .50 |
| 4 to 5 ft | | .80 | .65 |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| -seiboldi 15 ft. (Toringo Crab) Blush pink flowers, yellowish | | | |
| 3 to 4 ft | | .60 | 5.0 |
| 4 to 5 ft | 70 $- 1.00$ | .80 | .50 $.65$ |
| 5 to 6 ft | | 1.10 | 1.00 |
| -spectabilis 15 ft. (Chinese Crab | | 1.10 | 1.00 |
| Coral-rose flowers, small, yello | | | |
| 3 to 4 ft | .70 | .60 | .50 |
| 4 to 5 ft | _ 1.00 | .80 | .65 |
| 5 to 6 ft | $_{-}$ 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | _ 1.75 | 1.50 | 1.25 |
| -theifera 18 ft. (Tea Crab) Flowers white, tinted pale pin best of the flowering crabs in | | | |
| 3 to 4 ft | | 1.00 | .75 |
| 0 00 4 10 | _ 1.40 | | |
| 4 to 5 ft | 1.50 | 1 95 | 1 (1() |
| 4 to 5 ft 5 to 6 ft | -1.50 -1.75 | $\frac{1.25}{1.50}$ | 1.00 |

| MAHONIA | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------|--------------|---------------------|---------------------|
| -aquifolium 5 ft. (Oregon Hollygra | pe) | | _ |
| 15 to 18 in. B&B | 1.00 | .90 | .80 |
| 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 24 to 30 in. B&B | 2.25 | 2.00 | 1.75 |
| 30 to 36 in. B&B | 2.75 | 2.50 | 2.25 |
| MORUS | Nr. : | II \ | |
| —alba pendula 10 ft. (Tea's Weepi | ng Mu. | | 1 05 |
| 6 ft. 1 year head 6 ft. 2 years head | 1.75 | $\frac{1.35}{1.65}$ | $\frac{1.25}{1.50}$ |
| -new american, 40 ft., large fruiting | g, graf | ted | |
| 5 to 6 ft | .75 | .60 | |
| 6 to 8 ft | 1.00 | .80 | |
| MYRICA | | | |
| —carolinensis 5 ft. (Northern Baybe | .35 | 9.0 | .25 |
| 15 to 18 in | | .30 | .25 |
| | $.45 \\ .55$ | $.40 \\ .50$ | |
| 18 to 24 in | | .50 | .45 |
| 12 to 15 in. | .35 | .30 | .25 |
| | .45 | .40 | .25 |
| 15 to 18 in 18 to 24 in | .55 | .50 | .35 |
| 24 to 30 in | .80 | .70 | .60 |
| 30 to 36 in | .90 | .80 | .70 |
| | | .90 | |
| 3 to 4 ft | 1.00 | .90 | .80 |
| NYSSA —sylvatica 40 ft. (Tupelo) | | | |
| 2 to 3 ft | .60 | .50 | |
| 3 to 4 ft | 1.00 | .75 | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.00 | 1.75 | |
| OXYDENDRON | | | |
| —arboreum 30 ft. (Sourwood) | | | |
| 2 to 3 ft | .65 | .60 | .50 |
| 3 to 4 ft | .80 | .70 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| | | | |
| PACHYSANDRA | \ | | |
| -terminalis 1 ft. (Japanese Spurge |) | | |
| One of the best evergreen groun | ia cove | ers | .07 |
| 2 years from $2\frac{1}{4}$ in. pots\$60.00per M. | .10 | .08 | .07 |
| PHILADELPHUS | | | |
| -avalanche 6 ft. | | | |
| 15 to 18 in | .20 | .16 | .14 |
| 18 to 24 in | .25 | .20 | .18 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| -banniere 8 ft. | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| | | | |

| PHILADELPHUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-----------------------------------|--------------|--------------|---------------|
| -coronarius 9 ft. (Sweet Scented | | | -0 up |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .30 | .25 | .20 |
| 5 to 6 ft | .45 | .40 | .35 |
| -coronarius aureus 5 ft. (Golden | | | |
| 12 to 15 in | .25 | .22 | .18 |
| 15 to 18 in | .35 | .30 | .25 |
| 18 to 24 in | .40 | .35 | |
| -gordonianus 10 ft. (Gordon Mock | 0 , | 1.0 | 10 |
| 2 to 3 ft | $.20 \\ .25$ | .16 | .13 |
| 3 to 4 ft | .30 | $.20 \\ .25$ | .16 $.20$ |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .40 | .40 | .59 |
| —grandiflorus 12 ft. (Big Scented | | 0 / | |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .30 | .25 | .20 |
| 5 to 6 ft | .45 | .40 | .35 |
| -lemoinei 5 ft. (Lemoine Mockora | | | |
| 18 to 24 in | .25 | .20 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| -mt. blanc 10 ft. | | | |
| 18 to 24 in | .25 | .20 | .18 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| —norma 7 ft. | | | |
| 2 to 3 ft | .25 | .20 | .18 |
| 3 to 4 ft | .35 | .30 | .25 |
| —pyramidale 6 ft. | | | |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| -virginal 8 ft. (Double White) | | | |
| 18 to 24 in | .25 | .20 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| PHOTINIA | | | |
| —villosa 12 ft. (Christmasberry) | | | |
| 2 to 3 ft. | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .60 | .55 | .50 |
| 6 to 8 ft | .80 | .70 | .60 |
| -laevis 15 ft. | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft. | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .55 | .50 |
| | | • | |

| PHYSOCARPUS | Each 1-4 | Each 5-24 | Each 25-up |
|------------------------------------------------------|---------------------|---------------------|---------------------|
| F C (T) C AT' 1 | | | |
| -monogynus 5 ft. (Dwarf Ninebar | .20 | .17 | .15 |
| 18 to 24 in 2 to 3 ft | .20 $.25$ | .20 | .18 |
| 2 to 5 1t | .20 | .20 | .10 |
| -opulifolia 10 ft. (Ninebark) | | | |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .30 | .25 | .20 |
| —opulifolius lutens 10 ft. (Goldleaf | Nineba | ark) | |
| 2 to 3 ft | .20 | .17 | .15 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .30 | .25 | .20 |
| —opulifolius nanus 5 ft. | | | |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| | | | |
| PICEA | | | |
| -canadensis 50 ft. (White Spruce |) | | |
| 2 to 3 ft. B&B | 1.50 | 1.25 | |
| 3 to 4 ft. B&B | 2.00 | 1.75 | |
| 4 to 5 ft. B&B | 2.50 | 2.25 | |
| 5 to 6 ft. B&B | 3.50 | 3.00 | |
| -canadensis albertiana 60 ft. (Bla | ck Hills | Spruce |) |
| 2 to 3 ft. B&B | 1.50 | 1.25 | |
| 3 to 4 ft. B&B | 2.00 | 1.75 | |
| 4 to 5 ft. B&B | 2.50 | 2.25 | |
| 5 to 6 ft. B&B | 3.50 | 3.00 | |
| -excelsa 75 ft. (Norway Spruce) | | | |
| 18 to 24 in. B&B | .80 | .70 | .60 |
| 2 to 3 ft. B&B | 1.25 | 1.10 | .90 |
| -glauca conica 6 ft. (Dwarf Spruc | (9) | | |
| 18 to 24 in. B&B | 2.50 | 2.00 | |
| 2 to 3 ft. B&B | 3.50 | 3.00 | |
| | | | |
| —pungens 60 ft. (Colorado Spruce 18 to 24 in. B&B | 1.25 | 1.00 | |
| 4 to 5 ft. B&B | $\frac{1.25}{2.50}$ | $\frac{1.00}{2.25}$ | 2.00 |
| 5 to 6 ft. B&B | 3.00 | $\frac{2.25}{2.75}$ | $\frac{2.50}{2.50}$ |
| 6 to 7 ft. B&B | 4.50 | 4.00 | 3.50 |
| 7 to 8 ft. B&B | 6.00 | 5.50 | 5.00 |
| 8 to 10 ft. B&B | 8.00 | 7.00 | 6.00 |
| 10 to 12 ft. B&B | 10.00 | 9.00 | 8.00 |
| —pungens glauca 60 ft. (Colorado | Blue S | pruce) | |
| 18 to 24 in. B&B | 1.50 | 1.25 | |
| 4 to 5 ft. B&B | 4.00 | 3.50 | 3.00 |
| 5 to 6 ft. B&B | 5.00 | 4.50 | 4.00 |
| 6 to 7 ft. B&B | 6.00 | 5.50 | 5.00 |
| 7 to 8 ft. B&B | 8.00 | 7.00 | 6.00 |
| 8 to 10 ft. B&B | 10.00 | 9.00 | 8.00 |
| 10 to 12 ft. B&B | 14.00 | 13.00 | 12.00 |
| | | | |

| PICEA—Continued | Each | Each | Each |
|------------------------------------|---------------------|--------------------------------------------|---------------------|
| —pungens kosteri 60 ft. (Kosters F | 1-4 | 5-24 | 25-up |
| 18 to 24 in. B&B | 2.25 | 2.00 | 1.75 |
| | $\frac{2.25}{2.75}$ | $\frac{2.00}{2.50}$ | |
| 24 to 30 in. B&B | $\frac{2.75}{3.50}$ | $\frac{2.50}{3.25}$ | $\frac{2.25}{3.00}$ |
| 30 to 36 in. B&B | $\frac{3.50}{4.50}$ | | |
| 3 to 4 ft. B&B | | 4.00 | 3.50 |
| 4 to 5 ft. B&B | 6.00 | 5.50 | 5.00 |
| 5 to 6 ft. B&B | 8.50 | 8.00 | 7.00 |
| 6 to 7 ft. specimen B&B | 10.00 | 9.00 | 8.00 |
| 7 to 8 ft. specimen B&B | 15.00 | 13.00 | 12.00 |
| 8 to 9 ft. specimen B&B | 20.00 | 16.00 | 18.00 |
| 9 to 10 ft. specimen B&B | 30.00 | 27.50 | 25.00 |
| 10 to 11 ft. specimen B&B | 35.00 | 32.50 | 30.00 |
| 11 to 12 ft. specimen B&B | 45.00 | 42.50 | 40.00 |
| 12 to 13 ft. specimen B&B | 55.00 | 52.50 | 50.00 |
| 13 to 14 ft. specimen B&B | 65.00 | 62.50 | 60.00 |
| · | | | |
| —pungens moerheimi 40 ft. (Moerh | neimi B | lue Spr | uce) |
| 18 to 24 in. B&B | 2.50 | 2.25 | 2.00 |
| 24 to 30 in. B&B | 3.00 | 2.75 | 2.50 |
| 30 to 36 in. B&B | 4.00 | 3.75 | 3.50 |
| 3 to 4 ft. B&B | 5.00 | 4.50 | 4.00 |
| 4 to 5 ft. B&B | 7.00 | 6.50 | 6.00 |
| 5 to 6 ft. B&B | 9.00 | 8.50 | 8.00 |
| 6 to 7 ft. B&B | 10.00 | 9.50 | 9.00 |
| 0 to 1 tt. D&D | 10.00 | 9.50 | 3.00 |
| DIED:0 | | | |
| PIERIS | | | |
| -floribunda 3 ft. (Mountain Andr | | | |
| 15 to 18 in. B&B | | 1.75 | 1.50 |
| 18 to 24 in. B&B | 2.50 | 2.25 | 2.00 |
| · · · · / I A I | \ | | |
| —japonica 4 ft. (Japanese Androm | | 1 50 | 1 05 |
| 12 to 15 in. B&B | 1.75 | 1.50 | 1.25 |
| 15 to 18 in. B&B | 2.00 | 1.75 | 1.50 |
| -mariana 5 ft. (Staggerbush) | | | |
| 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | | 1.25 | 1.00 |
| | 1.50 | | |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| | | | |
| PINUS | | | |
| -densiflora 60 ft. (Japanese Red F | Pine) | | |
| 18 to 24 in. B&B | | .75 | |
| 2 to 3 ft. B&B | 1.50 | $\begin{array}{c} .75 \\ 1.25 \end{array}$ | 1.00 |
| 3 to 4 ft. B&B | 1.75 | 1.50 | 1.00 |
| 5 to 4 it. D&D | 1.10 | 1,00 | |
| -montana 15 ft. (Swiss Mountain 1 | Pine) | | |
| 2 to 3 ft. B&B | 2.50 | 2.25 | |
| 3 to 4 ft. B&B | 3.25 | 3.00 | |
| | | | |
| -montana mughus 4 ft. (Dwarf Me | ountain | Pine) | |
| 9 to 12 in. B&B | 1.10 | 1.00 | .90 |
| 12 to 15 in. B&B | 1.50 | 1.30 | 1.15 |
| 15 to 18 in. B&B | 2.00 | 1.75 | 1.50 |
| | | 2.10 | 2.00 |
| -nigra austriaca 60 ft. (Austrian | Pine) | | |
| 7 to 8 ft. B&B | 10.00 | 9.00 | 8.00 |
| 8 to 10 ft. B&B | 12.00 | 11.00 | 10.00 |
| 10 to 12 ft. B&B | 15.00 | 14.00 | 13.00 |
| 12 to 14 ft. B&B | | 16.00 | 15.00 |
| | 11.00 | 20.00 | 10.00 |

| PINUS—Continued | Each 1-4 | Each 5-24 | Each |
|----------------------------------------------------|---------------------|---------------------|-------|
| —resinosa 50 ft. (Red Pine) | 1-4 | 9-44 | 25-up |
| 3 to 4 ft. B&B | 2.50 | 2.25 | |
| 4 to 5 ft. B&B | $\frac{2.50}{4.00}$ | $\frac{2.25}{3.50}$ | |
| 5 to 6 ft. B&B | 5.00 | 4.50 | |
| | 0.00 | 2.00 | |
| -strobus 80 ft. (White Pine) | | | |
| 2 to 3 ft B&B | 1.50 | 1.35 | 1.25 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 7 ft. B&B | | 5.00 | |
| 7 to 8 ft. B&B | 8.00 | 7.00 | |
| -sylvestris 75 ft. (Scotch Pine) 2 to 3 ft. B&B | 1.50 | 1.35 | |
| 2 to 5 ft. D&D | 1.50 | 1.59 | |
| -thunbergi 65 ft. (Japanese Black | Pine) | | |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 2 to 3 ft. B&B | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. B&B | 1.75 | 1.50 | 1.25 |
| | | | |
| PLATANUS | | | |
| —occidentalis 75 ft. (American Syc | ramore) | | |
| 6 to 8 ft | 1.25 | 1.00 | .90 |
| 8 to 10 ft | 1.35 | 1.25 | 1.10 |
| 1 ½ to 1½ in | 2.00 | 1.75 | 1.50 |
| 1 ½ to 1 ¼ in | $\frac{2.50}{2.50}$ | 2.25 | 2.00 |
| 1 ¾ to 2 in | 3.00 | 2.75 | 2.50 |
| 2 to 2 ½ in | 3.50 | 3.25 | 3.00 |
| 2 ½ to 3 in | 4.75 | 4.50 | 4.25 |
| 3 to 3 ½ in | 6.00 | 5.50 | |
| 3 ½ to 4 in | 7.50 | 7.00 | |
| 4 to 5 in | | 10.00 | |
| —platanus orientalis 70 ft. (Europ | ean Syc | eamore) | |
| 6 to 8 ft | 1.25 | 1.15 | 1.00 |
| 8 to 10 ft | 1.50 | 1.35 | 1.25 |
| 1 1/4 to 1 1/2 in | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in | 2.50 | 2.25 | 2.00 |
| 1 3/4 to 2 in | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in | 3.50 | 3.25 | 3.00 |
| 2½ to 3 in | 4.75 | 4.50 | 4.25 |
| 3 to 3½ in | 6.00 | 5.50 | |
| 3 ½ to 4 in | 7.50 | 7.00 | |
| | | | |
| POPULUS | | | |
| -bolleana 50 ft. (Silver Poplar) | | | |
| 5 to 6 ft | .60 | .50 | .40 |
| 6 to 8 ft | .70 | .60 | .50 |
| 8 to 10 ft | 1.00 | .85 | .75 |
| 10 to 12 ft | 1.25 | 1.15 | 1.00 |
| 1½ to 1¾ in | | 1.75 | 1.50 |
| 1 3/4 to 2 in | 2.25 | 2.00 | 1.75 |
| 2 to 2½ in | 3.00 | 2.75 | 2.00 |
| | | | |

| POPULUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------------------------------|--------------|--------------|--------------------|
| -nigra italica 75 ft. (Lombardy Pop | olar) | | |
| 6 to 8 ft | .40 | .30 | .25 |
| 8 to 10 ft | .50 | .40 | .35 |
| 10 to 12 ft | .80 | .60 | .50 |
| 1½ to 1¾ in | 1.00 | .75 | .65 |
| 1 3/4 to 2 in | 1.10 | 1.00 | .90 |
| 2 to 2½ in | 1.75 | 1.50 | 1.25 |
| 2 ½ to 3 in | 2.50 | 2.25 | 2.00 |
| -simoni 30 ft. (Simon Poplar) | 4.0 | | 2.0 |
| 5 to 6 ft. | .40 | .35 | .30 |
| 6 to 8 ft | $.50 \\ .70$ | .40 | .35 |
| 8 to 10 ft 10 to 12 ft | 1.00 | .60 .80 | .50 .70 |
| 1½ to 1¾ in | 1.25 | 1.00 | 90 |
| 1 3/4 to 2 in | 1.75 | 1.50 | $\frac{.90}{1.30}$ |
| 2 to 2 ½ in | 2.25 | 2.00 | 1.75 |
| POTENTILLA | 31 \ | | |
| —fruticosa 4 ft. (Shrubby Quinquife | .20 | .18 | .15 |
| 15 to 18 in | .25 | .22 | .18 |
| 18 to 24 in | .30 | .25 | .20 |
| | .00 | 0 | |
| —veitchi 2 ft. 12 to 15 in | .25 | .22 | .18 |
| 15 to 18 in | .30 | .25 | .22 |
| PRUNUS —besseyi 7 ft. (Bessey Cherry) | | | |
| 2 to 3 ft. | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| —cistina 10 ft. (Hansen's Purpleleav | red Pl | um) | |
| 2 to 3 ft. | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .70 | .65 | .60 |
| 5 to 6 ft | .90 | .80 | .70 |
| cerasifera pissardi 12 ft. (Purplele | eaved | Plum) | |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .70 | .65 | .60 |
| 5 to 6 ft | .90 | .80 | .70 |
| —glandulosa sinensis 5 ft. (Double Pink Flowering Almond | 1) | 20 | |
| 18 to 24 in | .25 | .20 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .45 | .40 | .35 |
| —glandulosa alpiplena 5 ft. | , d) | | |
| (Double White Flowering Almo | na) | 20 | |
| 18 to 24 in | .25 | $.20 \\ .25$ | |
| 2 to 3 ft | .50 | .25 | |
| -maritima 12 ft. (Beech Plum) | 0.5 | 0.0 | |
| 15 to 18 in | .25 | .20 | |
| 18 to 24 in | .30 | .25 | |

| PRUNUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------|-------------|--------------|---------------|
| -padus 20 ft. (European Bird Che | | | |
| 3 to 4 ft | .60 | .55 | .50 |
| 4 to 5 ft | .70 | .65 | .60 |
| 5 to 6 ft | 1.00 | .75 | |
| 6 to 8 ft | 1.25 | 1.00 | |
| —pennsylvanicum 25 ft. (Pin Chei | | | |
| 4 to 5 ft | .50 | .40 | |
| 5 to 6 ft | .70 | .60 | .50 |
| | .10 | .00 | .00 |
| -pumila 5 ft. (Sand Cherry) | 9.0 | 0.5 | 20 |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .40 | .35 | .30 |
| -serotina 60 ft. (Black Cherry) | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .70 | .60 | |
| -tomentosa 10 ft. (Nanking Cherr | y) | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .55 | .50 |
| 5 to 6 ft | .75 | .70 | .60 |
| 6 to 8 ft | 1.00 | .90 | .80 |
| -triloba 10 ft. (Flowering Plum) | | | |
| 2 to 3 ft | .50 | .45 | |
| 3 to 4 ft | .60 | .55 | |
| | | | |
| virginiana 30 ft. (Common Chol 2 to 3 ft. | | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .55 | .45 |
| 5 +0 6 ft | .80 | .70 | .40 |
| 5 to 6 ft | | | |
| The following japanese flowering | cherries | are av | ailable |
| in the following grades: | | | |
| —amanogawa—semi-double pink | | | |
| 3 to 4 ft | 1.25 | 1.15 | |
| 4 to 5 ft | 1.75 | 1.50 | |
| -james veitch-double blush pink | | | |
| 2 to 3 ft | 1.00 | .85 | |
| 3 to 4 ft | 1.25 | 1.15 | |
| nadendouble pink | | | |
| 2 to 3 ft | 1.00 | .85 | |
| 3 to 4 ft | 1.25 | 1.15 | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.00 | 1.75 | |
| -seiboldi-double pink | | | |
| 2 to 3 ft. | 1.00 | OE | |
| 0 +0 / 4+ | 1.25 | .85 | |
| 3 to 4 ft | 1.25 | 1.15 | |
| -yoshino-blush pink to white | | | |
| 3 to 4 ft | 1.25 | 1.15 | |
| 4 to 5 ft. | 1.75 | 1.50 | - |
| 5 to 6 ft | 2.00 | 1.75 | |
| | | | |

| POLYGONUM | Each 1-4 | Each 5-24 | Each 25-up |
|------------------------------------------------------|---------------------|---------------------|---------------------|
| —auberti 25 ft. (Silver Lace Vine) 2 yrs. No. 1 | .25 | .20 | .16 |
| | | | |
| PYRACANTHA | | | |
| -coccinea lalandi 6 ft. (Firethorn) 15 to 18 in. B&B | 1.00 | .90 | .80 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 1.75 | 1.50 | 1.25 |
| 30 to 36 in. B&B | 2.25 | 2.00 | 1.75 |
| 3 to 4 ft. B&B 4 to 5 ft. B&B | $\frac{3.00}{5.00}$ | $\frac{2.75}{4.50}$ | |
| 5 to 6 ft. B&B | 6.50 | 6.00 | |
| PSEUDOTSUGA | | | |
| -douglasi 75 ft. (Douglas Fir) | | | |
| 2 to 3 ft. B&B | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. B&B 4 to 5 ft. B&B | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ |
| 4 to 5 it. b&b | 2.30 | 4.40 | 2.00 |
| PTELEA —trifoliata 20 ft. (Hoptree) | | | |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .70 | .60 | .50 |
| 5 to 6 ft | .80 | .70 | .60 |
| QUERCUS | | | |
| —alba 65 ft. (White Oak) 6 to 8 ft. | 2.75 | 2.50 | 2.25 |
| 8 to 10 ft | 3.75 | 3.50 | 3.25 |
| 1 1/4 to 1 1/2 in | 4.50 | 4.00 | |
| 1 ½ to 1 ¾ in | 5.25 | 5.00 | |
| 1 ¾ to 2 in | $\frac{6.00}{7.00}$ | 5.50 | |
| 2 to 2½ in | 7.00 | | |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 3.00 | 2.75 | |
| 1 3/4 to 2 in | 4.50 | 4.00 | |
| 2 to 2½ in | 5.50 | 5.00 | |
| —palustris 70 ft. (Pin Oak) | 1 95 | 1.00 | 1.00 |
| 6 to 8 ft 8 to 10 ft | $\frac{1.35}{1.50}$ | $1.20 \\ 1.35$ | $1.00 \\ 1.25$ |
| 1 1/4 to 1 1/2 in | 1.75 | 1.60 | 1.50 |
| 1½ to 1¾ in | 2.25 | 2.00 | 1.75 |
| 1 % to 2 in | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in | 3.75 | 3.50 | 3.25 |
| 2 ½ to 3 in 3 to 3 ½ in | $4.75 \\ 5.75$ | $\frac{4.50}{5.50}$ | $4.25 \\ 5.25$ |
| 3 ½ to 4 in | 8.00 | 7.00 | 6.50 |
| 4 to 5 in | 12.00 | 11.00 | 10.00 |
| 6, 7 and 8 inch, price on request | t | | |
| —phellos 45 ft. (Willow Oak) | 0 = 0 | 2.00 | |
| 6 to 8 ft 4 to 5 in | $2.50 \\ 15.00$ | 2.00 | |
| 2 00 0 III. | 15.00 | | |

| PAINESVILLE, OHIO | | | |
|--------------------------------------------|---------------------|---------------------|---------------------|
| | Each | Each | Each |
| QUERCUS—Continued | 1-4 | 5-24 | 25-up |
| —prinus 50 ft. (Chestnut Oak) | 6.00 | | |
| 2 to 2 ½ in 2 ½ to 3 in | 8.00 | | |
| | 0.00 | | |
| —rubra 70 ft. (Red Oak) 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | $\frac{1.15}{2.25}$ | 2.00 |
| 1 1/4 to 1 1/2 in | 3.00 | $\frac{2.75}{2.75}$ | $\frac{2.50}{2.50}$ |
| 1½ to 1¾ in | 3.50 | 3.25 | 3.00 |
| 1 3/4 to 2 in | 4.50 | 4.25 | 4.00 |
| 2 to 2½ in | 5.50 | 5.25 | 5.00 |
| 2½ to 3 in | 7.00 | 6.50 | 6.00 |
| 3 to 3 ½ in | 8.00 | 7.50 | 7.00 |
| - /2 | $11.00 \\ 15.00$ | $10.00 \\ 14.00$ | $9.00 \\ 13.00$ |
| 4 to 5 in 6, 7 and 8 in., price on request | 15.00 | 14.00 | 19.00 |
| · · · · · · · · · · · · · · · · · · · | | | |
| —robur 80 ft. (English Oak) 3 ½ to 4 in | 8.00 | 7.50 | |
| | 12.00 | 10.00 | |
| 6 in. price on request | | 10.00 | |
| -robur fastigiata 40 ft. (Pyramidal | Engl | ish Oak) | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft | 3.50 | 3.25 | 3.00 |
| 6 to 8 ft | 5.00 | 4.50 | 4.00 |
| | | | |
| RETINOSPORA | | | |
| —filifera 10 ft. (Thread Branched C | | | |
| 15 to 18 in. B&B | 1.00 | .85 | .75 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 3 ft. B&B 3 to 4 ft. B&B | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ | $\frac{1.25}{1.75}$ |
| 4 to 5 ft. B&B | 3.50 | 3.00 | 1.10 |
| —filifera aurea 6 ft. (Golden Thread | | | |
| 12 to 15 in. B&B | 1.25 | 1.15 | 1.00 |
| 15 to 18 in. B&B | 1.50 | 1.35 | 1.25 |
| 18 to 24 in. B&B | 2.00 | 1.75 | 1.50 |
| -filifera aurea nova 8 ft. (Variegate | | | |
| Branched Cypress) | eu IIII | eau | |
| 15 to 18 in. B&B | 1.25 | 1.15 | |
| 18 to 24 in. B&B | 1.50 | 1.25 | |
| obtusa crippsi aurea 8 ft. (Hinoki | Carne | aa) | |
| 12 to 15 in. B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.15 | 1.00 |
| 18 to 24 in. B&B | 150 | 1.35 | 1.25 |
| 2 to 3 ft. B&B | 2.00 | 1.75 | |
| obtusa crippsi aurea 8 ft. (Hinoki | Carron | | |
| 15 to 18 in. B&B | 1.25 | 1.15 | |
| 18 to 24 in. B&B | 1.50 | 1.35 | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | |
| | | | |
| -obtusa gracilis 10 ft. (Slender Hin | | | |
| 18 to 24 in. B&B | 1.50 | 1.35 | |
| 2 to 3 ft B&B 3 to 4 ft. B&B | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.00}$ | |
| 0 to 1 tt. D&D | 2.00 | 2.00 | |

| | Each | Each | Each |
|------------------------------------|---------|---------|-------|
| RETINOSPORA—Continued | 1-4 | 5-24 | 25-up |
| obtusa gracilis aurea 10 ft. | | | |
| 18 to 24 in. B&B | 1.50 | 1.35 | |
| 2 to 3 ft B&B | 2.00 | 1.75 | |
| 3 to 4 ft. B&B | 2.50 | 2.00 | |
| —obtusa nana 5 ft. | | | |
| | 1.25 | 1.15 | |
| 15 to 18 in. B&B | | | |
| 18 to 24 in. B&B | 1.50 | 1.35 | |
| 2 to 3 ft. B&B | 2.00 | 1.75 | |
| —pisifera 25 ft. (Sawara Cypress) | | | |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 7 ft. B&B | 4.50 | 4.00 | |
| 7 to 8 ft. B&B | 6.00 | 5.50 | |
| | | | |
| —pisifera aurea 25 ft. (Golden Sa | | | |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 7 ft. B&B | 4.50 | 4.00 | 3.50 |
| 7 to 8 ft. B&B | 6.00 | 5.50 | 5.00 |
| —plumosa 20 ft. (Plume Cypress) | | | |
| 15 to 18 in. B&B | .80 | .70 | .60 |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| | | | 1.00 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 7 ft. B&B | 4.50 | 4.00 | 3.50 |
| 7 to 8 ft. B&B | 6.00 | 5.50 | 5.00 |
| -plumosa aurea 18 ft. (Golden Pl | lume Cy | press) | |
| 15 to 18 in. B&B | .80 | .70 | .60 |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. B&B | 3.50 | 3.25 | 3.00 |
| 6 to 7 ft. B&B | 4.50 | 4.00 | 3.50 |
| 0 to 1 tt. D&D | | | 5.50 |
| —plumosa argentea 15 ft. (Silver | Tip Cyp | oress) | |
| 15 to 18 in. B&B | .95 | .85 | .75 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 2.00 | 1.75 | 1.50 |
| -plumosa sulphurea 20 ft. (Sulphu | r Plum | e Cypre | (22 |
| 15 to 18 in. B&B | .95 | .85 | .75 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 24 to 30 in. B&B | 2.00 | 1.75 | |
| 24 00 00 III. D&D | | 1.70 | 1.50 |
| -squarrosa veitchi 20 ft. (Gray Cy | press) | | |
| 15 to 18 in. B&B | | .70 | .60 |
| 18 to 24 in. B&B | 1.00 | .85 | .75 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | - |
| 3 to 4 ft. B&B | 2.00 | 1.75 | |
| 4 to 5 ft. B&B | 2.50 | 2.25 | |
| 5 to 6 ft. B&B | 3.50 | 3.25 | |
| 6 to 7 ft. B&B | 4.50 | 4.00 | |
| U U I IU DOD manadadadada | 3.00 | 3.00 | |

| RHAMNUS | Each 1-4 | Each 5-24 | Each 25-up |
|--------------------------------------------|-------------|--------------|---------------|
| -carolineana 25 ft. (Carolina Buch | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| -cathartica 12 ft. (Buckthorn) | | | |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| 5 to 6 ft | .40 | .35 | .30 |
| 6 to 8 ft | .60 | .50 | .40 |
| —chadwicki 15 ft. | 0.2 | | 0.5 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| -frangula 10 ft. (Glossy Buckthorn | 1) | 2.0 | |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .22 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| 5 to 6 ft | .40 | .35 | .30 |
| —purshiana 12 ft. (Cascara Buckthe | orn) .35 | 20 | |
| 2 to 3 ft | .40 | .30 | |
| 3 to 4 ft | .40 | .35 | |
| RHODOTYPOS | | | |
| -kerroides 6 ft. (Jetbead) | | | |
| 18 to 24 in | .25 | .22 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| RHUS | | | |
| -canadensis 6 ft. (Fragrant Suma | | | |
| 18 to 24 in | .25 | .20 | .16 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .70 | .60 | .50 |
| —copallina 12 ft. (Shining Sumac) | 25 | 9.0 | 0.5 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 $.45$ | .30 |
| 4 to 5 ft | .50 | .40 | .40 |
| —cotinus 12 ft. (Purple Fringe) 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft | .80 | .70 | .65 |
| 4 to 5 ft | 1.10 | 1.00 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| -cotonoides 15 ft. (American Smo | | 1.20 | |
| 2 to 3 ft. | .40 | .35 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .80 | .70 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.25 | 1.15 | 1.00 |
| -glabra 12 ft. (Smooth Sumac) | | | |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .22 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| | | | |

| Eac | | Each |
|----------------------------------------------------|----------|-------|
| RHUS—Continued 1-4 | 5-24 | 25-up |
| -typhina 15 ft. (Staghorn Sumac) | 0 .16 | .14 |
| 2 to 3 ft | | .18 |
| 4 to 5 ft | | .25 |
| 5 to 6 ft | .00 | .20 |
| -typhina laciniata 20 ft. (Cutleaf Sum | 20) | |
| | 5 .30 | .25 |
| 3 to 4 ft | | .30 |
| 5 to 6 ft4 | | .35 |
| | | |
| RHODODENDRON | Canalina | |
| —carolineanum 5 ft. Nursery Grown, (Rhododendron) | Caronna | |
| 15 to 18 in. B&B 1.7 | 5 1.50 | 1.25 |
| 18 to 24 in. B&B 2.2 | | 1.75 |
| 24 to 30 in. B&B 3.0 | | 2.50 |
| 30 to 36 in. B&B 4.0 | | 3.25 |
| -catawbiense 6 ft. Nursery Grown, (Ca | ıtawba | |
| Rhododendron) | F 0.00 | |
| 18 to 24 in. B&B 2.2 | | |
| 24 to 30 in. B&B 2.7 30 to 36 in. B&B 3.0 | | |
| 30 to 36 in. B&B 3.0 | 0 2.75 | |
| -maximum collected 10 ft. (Rosebay R | hododend | ron) |
| 24 to 30 in. B&B 2.0 | 0 	 1.75 | 1.50 |
| 30 to 36 in. B&B 2.5 | 0 	 2.25 | 2.00 |
| 3 to 4 ft. B&B 3.2 | 5 3.00 | 2.75 |
| -hybrid seedlings, mixed colors 6 ft. | | |
| 15 to 18 in. B&B 2.5 | 0 = 2.25 | 2.00 |
| 18 to 24 in. B&B 3.0 | | |
| 24 to 30 in. B&B 4.0 | 0 3.50 | |
| RIBES | | |
| —alpinum 5 ft. (Mountain Currant) | | |
| 12 to 15 in | 5 .22 | .20 |
| 15 to 18 in | | .25 |
| 18 to 24 in4 | | .30 |
| | | .00 |
| ROBINIA | | |
| —hispida 9 ft. (Rose Acacia) | | |
| 18 to 24 in3 | | .20 |
| 2 to 3 ft4 | 0 .35 | .30 |
| -hispida topgrafted 10 ft. | | |
| 4 to 5 ft. 2 years heads 1.2 | 5 1.00 | .85 |
| 5 to 6 ft. 3 years heads 1.5 | | 1.00 |
| | | 1.00 |
| | | .30 |
| 5 to 6 ft6 | | |
| | | .40 |
| 8 to 10 ft | | .50 |
| 1½ to 1¾ in 1.2 | | .65 |
| 1 % to 2 in 1.7 | | 1.00 |
| -/2 vv = 1.(| 5 1.15 | 1.50 |

| ROSA —blanda 5 ft. (Meadow Rose) | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------------------------|--------------|--------------|---------------|
| 18 to 24 in | .30 .35 | $.25 \\ .30$ | .20 .25 |
| —humilis 5 ft. (Pasture Rose) 18 to 24 in 2 to 3 ft | .30 | .25 | .20 |
| —lucida 5 ft. (Virginia Rose) | | | |
| 18 to 24 in 2 to 3 ft | $.30 \\ .35$ | $.25 \\ .30$ | .20 $.25$ |
| — nitida 3 ft. (Bristly Rose) 18 to 24 in | .35 .40 | .30 .35 | .25 |
| —palustris 8 ft. (Swamp Rose) 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| -rubiginosa 6 ft. (Sweetbriar Rose | | 2 | 2.0 |
| 18 to 24 in | $.30 \\ .35$ | .25 $.30$ | $.20 \\ .25$ |
| 2 to 3 ft | .40 | .35 | .30 |
| | .40 | .00 | .00 |
| -rubrifolia 6 ft. (Redleaf Rose) | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| | .00 | | |
| —setigera 6 ft. (Prairie Rose) 18 to 24 in | .25 | .20 | .15 |
| 2 to 3 ft | .30 | .25 | .20 |
| | | | |
| ROSES | *** | | |
| Hybrid tea, two years No. 1, Paines | ville gr | own | |
| Angele Pernet. Coppery orange_ | .30 | .25 | .20 |
| Autumn. Orange red | .30 | .25 | .20 |
| A.R. Barracklough. Glowing pink | .30 | .25 | .20 |
| Betty Uprichard Copper red, | | | |
| buds, opening salmon pink | .30 | .25 | .20 |
| Briarcliff. Columbia pink | .30 | .25 | .20 |
| Charles K. Douglas. Semi-double bright red | .30 | .25 | .20 |
| Columbia. Vivid pink, long stem | .30 | .25 | .20 |
| Dame Edith Helen. Bright pink, | .50 | .20 | .20 |
| long stems | .35 | .30 | .25 |
| Duchess of Wellington. Saffron yellow buds, opening light yel- | | | |
| low | .35 | .30 | .25 |
| Earl Haig. Cherry crimson | .30 | .25 | .20 |
| Edel. White | .30 | .25 | .20 |
| E. G. Hill. Deep maroon, velvety | | | |
| center | .35 | .30 | .25 |
| Etoile de France. Dark crimson_ | .30 | .25 | .20 |
| Etoile de Holland. Dark red | .30 | .25 | .20 |

| ROSES—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------------------------------------------------------------|-------------|--------------|---------------|
| Frances Scott Key. Bright red | .30 | .25 | .20 |
| | | | |
| Frau Karl Druschki. Large waxy white | .30 | .25 | .20 |
| Golden Gleam. Golden yellow | .35 | .30 | .25 |
| Golden Dawn. Copper yellow, opening to lemon yellow Gruss an Teplitz. Velvety crim- | .35 | .30 | .25 |
| son, free bloomer, blossoms semi-double | .30 | .25 | .20 |
| Independence Day. Brownish orange, opening to apricot yellow | .30 | .25 | .20 |
| J. J. L. Mock. Bright pink, rolling silvery edge | .30 | .25 | .20 |
| Joanna Hill. Lemon yellow buds, opening to Indian yellow | .35 | .30 | .25 |
| John Russell. Rich crimson scar- | .30 | .25 | .20 |
| k. A. Victoria. Pure white | .30 | .25 | .20 |
| | .30 | .25 | .20 |
| Miss Lolita Armour. Coppery pink Luxembourg. Rich, golden yellow | .30 | .25 | .20 |
| | | .25 | |
| Marcia Stanhope. Fragrant white | .30 | .25 | .20 |
| Margaret McGredy. Brilliant red petals, gold at base | .30 | .25 | .20 |
| Mme. Jules Goujard. Orange red | .35 | .30 | .25 |
| Laurent Carle. Velvety carmine | .30 | .25 | .20 |
| Mevrouw G. A. VanRossen. Or- | .50 | .40 | .20 |
| ange buds, opening to coppery | | | |
| yellow | .30 | .25 | .20 |
| McGredy Scarlet. Velvety scarlet | .30 | .25 | .20 |
| Mrs. E. P. Thom. Long buds, | | •=• | |
| opening to lemon yellow Mrs. Lovell Swisher. Pale flesh | .30 | .25 | .20 |
| pink | .30 | .25 | .20 |
| Mrs. P. S. Dupont. Deep golden | .50 | .40 | .20 |
| yellow | .30 | .25 | .20 |
| Pres. Herbert Hoover. Maroon, | 0.0 | | |
| blending to orange and gold | .30 | .25 | .20 |
| Red Radiance. Red Rev. F. Page Roberts. Golden yel- | .30 | .25 | .20 |
| low, stained with copper Souv. de Claudius Pernet. Clear | .30 | .25 | .20 |
| yellow | .30 | .25 | .20 |
| Souv. de Georges Pernet. Orient- | | | |
| al red | .30 | .25 | .20 |
| Sunkist. Brownish orange Talisman. Orange buds, opening | .30 | .25 | .20 |
| to golden yellow | .30 | .25 | .20 |
| Wilhelm Kordes. Vivid salmon | 0.6 | | |
| pink, shaded orange | .30 | .25 | .20 |
| Willowmere. Pink, shaded yellow | .30 | .25 | .20 |

RAMBLERS and CLIMBING ROSES

| | Each | Each | Each |
|------------------------------------|------------|-------|-------|
| No. 1 Grade | 1-4 | 5-24 | 25-up |
| American Pillar. Carmine rose, | ~ = | 2.2 | 2.0 |
| cream center Blue Rambler. Blue | .25 .25 | .22 | .20 |
| | | | |
| Chaplin Pink. Double, rich pink | .30 | .25 | .22 |
| Clmg. American Beauty. Carmine red | .25 | .22 | .20 |
| Countess of Stradbroke. Deep | | | |
| red | .30 | .25 | .22 |
| Crimson Rambler. Deep crimson | .25 | .22 | .20 |
| Dorothy Perkins. Shell pink | ,25 | .22 | .20 |
| Dr. Van Fleet. Flesh white | .25 | .22 | .20 |
| Flower of Fairfield. Dark red | .25 | .22 | .20 |
| Gardenia. Creamy yellow | .30 | .25 | .22 |
| Mad. G. Staechelin. Pearl pink | .30 | .25 | .22 |
| Marie Gouchalt. Brilliant red | .30 | .25 | .22 |
| Marie Wallace. Rose pink | .25 | .22 | .20 |
| Paul's Scarlet. Scarlet to crimson | .25 | .22 | .20 |
| Primrose. Yellow | .25 | .22 | .20 |
| Scorcher. Vermilion, everblooming | .35 | .30 | .25 |
| Silver Moon. White with cluster | | | |
| of yellow stamens | .25 | .22 | .20 |
| Star of Persia. Bright yellow | .25 | .22 | .20 |
| POLYANTHA or BABY | RAN | IBLE! | R |
| No. 1 Grade | | | |
| Gloria Mundi. Salmon red | .30 | .25 | .20 |
| Locarno. Crimson scarlet | .30 | .25 | .20 |
| RUGOSA and HYI | BRID | S | |
| No. 1 Grade | | | |
| Agnes. New yellow | .35 | .30 | .25 |
| Chas. F. Worth. Crimson carmine | .35 | .30 | .25 |
| Conrad F. Meyer. Silvery pink | .35 | .30 | .25 |
| Grootendorst. Pink | .30 | .25 | .22 |
| F. J. Grootendorst. Deep red | .30 | .25 | .22 |
| John Ruskin. Brilliant red | .35 | .30 | .25 |
| Rugosa Alba. Pure white | .35 | .30 | .25 |
| Rugosa Rubra. Rose red | .35 | .30 | .25 |

| SALIX TO SECOND IN THE | Each 1-4 | Each 5-24 | Each 25-up |
|----------------------------------------------|---------------------|---------------------|---------------------|
| —babylonica 50 ft. (Babylon Wee 6 to 8 ft | | .60 | .50 |
| 8 to 10 ft | 1.00 | .80 | .70 |
| 1 1/4 to 1 1/2 in | | 1.15 | 1.00 |
| 1½ to 1¾ in 1¾ to 2 in | | $\frac{1.35}{2.00}$ | $1.25 \\ 1.75$ |
| —blanda 40 ft. (Wisconsin Weepin | | | 1.10 |
| 6 to 8 ft | .75 | .60 | .50 |
| 8 to 10 ft | 1.00 | .80 | .70 |
| 1 ¼ to 1 ½ in 1 ½ to 1 ¾ in | $\frac{1.25}{1.50}$ | $\frac{1.15}{1.35}$ | $\frac{1.00}{1.25}$ |
| 1 ¾ to 2 in | 2.25 | 2.00 | 1.75 |
| —caprea 20 ft. (Goat Willow) | | 4.0 | |
| 4 to 5 ft 5 to 6 ft | .45 .60 | .40 .50 | .35 |
| | .00 | .50 | .40 |
| —discolor 18 ft. (Pussy Willow) 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| 5 to 6 ft | .40 | .35 | .30 |
| 6 to 8 ft | .60 | .50 | .40 |
| -elegantissima 60 ft. (Thurlow W | illow) | | |
| 6 to 8 ft | .75 | .60 | .50 |
| 8 to 10 ft 1 ½ to 1½ in | $\frac{1.00}{1.25}$ | .80 1.15 | .70 1.00 |
| 1½ to 1¾ in | 1.50 | 1.35 | 1.25 |
| 1 3/4 to 2 in | 2.25 | 2.00 | 1.75 |
| -incana 20 ft. (Rosemary Willow) | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| nigra 12 ft. (Black Willow) | 4.0 | | 0.0 |
| 3 to 4 ft | .40 | $.35 \\ .50$ | .30 |
| 5 to 6 ft | .70 | .60 | .50 |
| -niobe 30 ft. (Golden Weeping Wil | llow) | | |
| 6 to 8 ft | .75 | .60 | .50 |
| 8 to 10 ft | 1.00 | .80 | .70 |
| 1 ½ to 1 ½ in | 1.25 | 1.15 | 1.00 |
| 1 % to 2 in | $\frac{1.50}{2.25}$ | $\frac{1.35}{2.00}$ | $\frac{1.25}{1.75}$ |
| 2 to $2\frac{1}{2}$ in | 2.50 | 2.25 | 2.00 |
| 2½ to 3 in | 4.00 | 3.50 | |
| -pentandra 25 ft. (Laurelleaved W | Villow) | | |
| 5 to 6 ft | .60 | .50 | .40 |
| 6 to 8 ft 8 to 10 ft | $\frac{.80}{1.00}$ | .70 .90 | .60 .80 |
| 10 to 12 ft | 1.50 | $\frac{.90}{1.25}$ | 1.00 |
| -pentandra tree form | | | |
| 6 to 8 ft | 1.25 | 1.00 | .80 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 10 to 12 ft | 1.75 | 1.50 | 1.25 |
| | | | |

| SALIX—Continued —vitellina 30 ft. (Golden Willow) | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------|---------------------------------------------|--------------------------|---------------------|
| 6 to 8 ft | .75 | .60 | .50 |
| 8 to 10 ft | 1.00 | .80 | .70 |
| 1 ½ to 1½ in | 1.25 | 1.15 | 1.00 |
| 1 ½ to 1 ¾ in | 1.50 | 1.35 | 1.25 |
| SAMBUCUS | | | |
| -canadensis 10 ft. (American Elde | er) | | |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .20 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| —canadensis acutiloba 10 ft. (Cutl | | | 10 |
| 3 to 4 ft | .25 | .20 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| -nigra 15 ft. (European Elder) | 0.0 | 1.0 | |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .20 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| -nigra aurea 15 ft. (Golden Europ | ean Eld | | |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .25 | .20 | .18 |
| 4 to 5 ft | .35 | .30 | .25 |
| 5 to 6 ft | .45 | .40 | .35 |
| -pubens 8 ft. (Scarlet Elder) | | | |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| SASSAFRAS | | | |
| —variifolium 50 ft. (Sassafras) | | | |
| 6 to 8 ft | 2.00 | 1.50 | |
| 8 to 10 ft | 2.50 | 2.00 | |
| SORBARIA | | | |
| —aitchisoni 7 ft. (Kashmir False Spi | rea) | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .70 | .60 | .55 |
| -sorbifolia 5 ft. (Ural False Spirea | 1 | | |
| 2 to 3 ft. | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| | | | |
| SORBUS— —americana 25 ft. (American Moun | A | l. \ | |
| 5 to 6 ft. | | $\frac{\text{sn}}{1.00}$ | |
| 6 to 8 ft | $\frac{1.25}{1.75}$ | 1.50 | |
| | | | |
| -aucuparia 30 ft. (European Moun 6 to 8 ft. | tain As | | 1.00 |
| 8 to 10 ft | $\frac{1.25}{1.75}$ | $\frac{1.15}{1.50}$ | $\frac{1.00}{1.25}$ |
| 1 1/4 to 1 1/2 in | $\begin{array}{c} 1.75 \\ 2.25 \end{array}$ | $\frac{1.50}{2.00}$ | $\frac{1.25}{1.75}$ |
| 1 ½ to 1 ¾ in | $\frac{2.25}{2.75}$ | 2.50 | $\frac{1.75}{2.25}$ |
| 1 3/4 to 2 in | $\frac{2.75}{3.25}$ | 3.00 | $\frac{2.25}{2.75}$ |
| 2 to 2 ½ in | 4.00 | 3.75 | 2.10 |
| | 4.00 | 0.10 | |

| SPIREA | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------|--------------|--------------|---------------|
| -anthony waterer 3 ft. (Dwarf Pi | nk Spire | a) | |
| 12 to 15 in | | .12 | .10 |
| 15 to 18 in | .20 | .15 | .12 |
| 18 to 24 in | .25 | .20 | .16 |
| 24 to 30 in | .30 | .25 | .20 |
| -arguta 7 ft. (Garland Spirea) | | | |
| 2 to 3 ft | .20 | .16 | .14 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| —billardi 5 ft. (Pink Flowering Sp | | | |
| 2 to 3 ft | | .15 | .12 |
| 3 to 4 ft | .25 | .20 | .16 |
| —bumalda 3 ft. | | | |
| 15 to 18 in | .25 | .20 | .15 |
| 18 to 24 in | .30 | .25 | .20 |
| —collosa alba 2½ ft. (White Japa | nese Sp | irea) | |
| 15 to 18 in | .20 | | |
| 18 to 24 in | .30 | .25 | |
| -douglasi 6 ft. (Red Flowering) | 2.0 | | |
| 2 to 3 ft | .20 | .15 | .12 |
| 3 to 4 ft | .25 | .20 | .16 |
| froebeli 4 ft. (Dwarf Pink) | | | |
| 15 to 18 in | | .12 | .08 |
| 18 to 24 in | .20 | .16 | .12 |
| 24 to 30 in 30 to 36 in | $.25 \\ .30$ | $.20 \\ .25$ | .16 .20 |
| —prunifolia plena 10 ft. (Double l | | | |
| 18 to 24 in | .25 | .18 | .16 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| -salicifolia 5 ft. (Willowleaf Spir | ea) | | |
| 18 to 24 in | | .15 | .12 |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| —thunbergi 5 ft. (White Flowering | | .) | |
| 18 to 24 in | | .16 | .14 |
| 2 to 3 ft | .25 | .22 | .18 |
| 3 to 4 ft | .35 | .30 | .25 |
| -trichocarpa 5 ft. (Korean Spirea | .) | | |
| 2 to 3 ft | | .22 | .18 |
| 3 to 4 ft | .35 | .30 | .25 |
| -vanhoutti 10 ft. (Single White F | lowering | | |
| 2 to 3 ft | | .15 | .10 |
| 3 to 4 ft | .25 | .18 | .14 |
| 4 to 5 ft | .25 | .20 | .18 |
| —wallufi 3 ft. | | | |
| 15 to 18 in 18 to 24 in | .20 | .18 | .16 |
| 10 00 44 III. | .25 | .20 | .18 |
| | | | |

| STEPHANANDRA —flexuosa 6 ft. (Creamy White) | Each 1-4 | Each 5-24 | Each 25-up |
|--------------------------------------------------|---------------------|---------------------|--------------------|
| 18 to 24 in | .20 | .16 | .12 |
| 2 to 3 ft | .25 | .20 | .16 |
| 3 to 4 ft | .35 | .30 | .25 |
| SYMPHORICARPOS —mollis 6 ft. (Spreading Snowberr | 77.) | | |
| 18 to 24 in. | .15 | .12 | .10 |
| 2 to 3 ft | .20 | .18 | .14 |
| 3 to 4 ft | .25 | .22 | .18 |
| -racemosus 6 ft. (White Snowberr | v) | | |
| 18 to 24 in | .15 | .12 | .10 |
| 2 to 3 ft | .20 | .18 | .14 |
| 3 to 4 ft | .25 | .22 | .18 |
| -vulgaris 4 ft. (Coralberry) 18 to 24 in. | .15 | .12 | .10 |
| 2 to 3 ft | .20 | .18 | .14 |
| 3 to 4 ft | .25 | .22 | .18 |
| -vulgaris chenaulti 6 ft. (Improve | d Cora | lberry) | |
| 18 to 24 in | .15 | .12 | .10 |
| 2 to 3 ft | .20 | .18 | .14 |
| 3 to 4 ft | .25 | .22 | .18 |
| SYRINGA —chinensis syn. rothomagensis 10 | ft (Ch | inese Li | loo) |
| 2 to 3 ft. | | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | |
| -japonica 20 ft. (Japanese Tree I | ilac) | | |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .70 | .60 | .50 |
| 5 to 6 ft | .90 | $\frac{.80}{1.25}$ | $\frac{.75}{1.00}$ |
| 6 to 8 ft 8 to 10 ft | $\frac{1.50}{2.00}$ | $\frac{1.25}{1.75}$ | 1.00 |
| | | 1.70 | |
| —josikaea 10 ft. (Hungarian Lilac) 2 to 3 ft. | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| 5 to 6 ft | .80 | .70 | .60 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| —persica 10 ft. (Persian Lilacs) | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .90 | .80 | .70 |
| -pekinensis 15 ft. (Peking Lilac) | 0.0 | | 2.0 |
| 18 to 24 in | .30 | .25 | .20 |
| 2 to 3 ft | .45 $.60$ | .40 $.50$ | .35 |
| 3 to 4 ft 4 to 5 ft | .90 | .75 | |
| ailles 9 ft (Lets Liles) | .90 | .10 | |
| —villosa 8 ft. (Late Lilac) 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .45 | .40 | .35 |
| 4 to 5 ft | .60 | .55 | .50 |
| *************************************** | .00 | .00 | .,, |

| SYRINGA—Continued —vulgaris alba 12 ft. (Common White 3 to 4 ft | .50 .20 .2.25 3.00 illac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .40 .50 2.00 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | Each 25-up 18 .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| | ze Lilac .50 .60 2.25 3.00 ilac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .40 .50 2.00 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .18 .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 3 to 4 ft | .50 .20 .2.25 3.00 illac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .40 .50 2.00 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .18 .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 4 to 5 ft | .60 2.25 3.00 ilac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .50 2.00 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .18 .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 5 to 6 ft. spec | 2.25 3.00 ilae) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | 2.00 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .18 .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| -vulgaris 12 ft. (Common Purple L 2 to 3 ft | 3.00 illac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | 2.75 .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| —vulgaris 12 ft. (Common Purple L 2 to 3 ft | ilac) .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .20 .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 2 to 3 ft | .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 2 to 3 ft | .25 .35 .40 1.00 2.25 3.00 3.50 4.50 5.50 | .30 .35 .90 2.00 2.75 3.25 4.25 5.25 | .25 .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 3 to 4 ft | .40 1.00 2.25 3.00 3.50 4.50 5.50 | .35 .90 2.00 2.75 3.25 4.25 5.25 | .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 4 to 5 ft | .40 1.00 2.25 3.00 3.50 4.50 5.50 | .90 2.00 2.75 3.25 4.25 5.25 | .30 .80 1.75 2.50 3.00 4.00 5.00 |
| 4 to 5 ft. spec. clumps 5 to 6 ft. spec. clumps 6 to 7 ft. spec. clumps 7 to 8 ft. spec. clumps 8 to 9 ft. spec. clumps 9 to 10 ft. spec. clumps —vulgaris hybrids 10 ft. following n Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | 1.00 2.25 3.00 3.50 4.50 5.50 | .90 2.00 2.75 3.25 4.25 5.25 | .80 1.75 2.50 3.00 4.00 5.00 |
| 5 to 6 ft. spec. clumps 6 to 7 ft. spec. clumps 7 to 8 ft. spec. clumps 8 to 9 ft. spec. clumps 9 to 10 ft. spec. clumps —vulgaris hybrids 10 ft. following n Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | 3.00 3.50 4.50 5.50 | 2.00 2.75 3.25 4.25 5.25 | 1.75 2.50 3.00 4.00 5.00 |
| 6 to 7 ft. spec. clumps 7 to 8 ft. spec. clumps 8 to 9 ft. spec. clumps 9 to 10 ft. spec. clumps —vulgaris hybrids 10 ft. following n Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | 3.50 4.50 5.50 | 2.75 3.25 4.25 5.25 | $3.00 \\ 4.00 \\ 5.00$ |
| 7 to 8 ft. spec. clumps | 4.50 5.50 | 4.25 5.25 | 4.00 5.00 |
| 8 to 9 ft. spec. clumps 9 to 10 ft. spec. clumps —vulgaris hybrids 10 ft. following n Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | 5.50 | 5.25 | 5.00 |
| 9 to 10 ft. spec. clumps vulgaris hybrids 10 ft. following n Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | 5.50 | | |
| Belle de Nancy—double rose Chas. Joly—purplish red Frau B. Dammann—single whit J. Calot—rosy pink | amed | varietie | s: |
| Marie LeGrayee—single white Mad. Lemoini—double white Mad. A. Chatenay—double whit Mad. Casimir Perier—double cr Mad. Felix Dykhuis—double wh Pres. Grevy—double blue Souv. de Ludwig Spaeth—single Viviand Morel—double lilac | rple e eamy v ite | white | |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .65 | .60 | .55 |
| 4 to 5 ft | 1.25 | 1.00 | .80 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.25 | 2.00 | 1.75 |
| TAMARIX —africana 12 ft. (Early Light Pink) 2 to 3 ft | .20 .25 .30 .40 | .15 .20 .25 .35 | .12 .16 .20 |
| -gallica 8 ft. (Blue-green Leaves, P | ink Flo | wers) | |
| 2 to 3 ft. | .25 | .20 | .18 |
| 3 to 4 ft | .30 | .25 | .22 |
| | | | |
| —hispida 8 ft. (Silvery Leaves, Pink 2 to 3 ft. | | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| TAXODIUMdistichum 80 ft. (Common Bald C 3 to 4 ft. B&B | | 1.75 2.50 3.25 4.50 | |

| | Each | Each | Each |
|------------------------------------------------------|----------------|---------------------|---------------------|
| TAXUS | 1-4 | 5-24 | 25-up |
| —baccata fastigiata aurea 10 ft. 12 to 15 in. B&B | | 1.25 | 1.00 |
| 15 to 18 in. B&B | | 2.00 | 1.75 |
| 18 to 24 in. B&B | | 2.75 | 2.50 |
| 24 to 30 in. B&B | _ 4.00 | 3.75 | 3.50 |
| -baccata repandens 2 ft. (Spread | | ish Yew | |
| 12 to 15 in. B&B 15 to 18 in. B&B | | $\frac{1.25}{1.50}$ | $\frac{1.00}{1.25}$ |
| 18 to 24 in. B&B | | $\frac{1.30}{2.00}$ | 1.75 |
| 24 to 30 in. B&B | | $\frac{2.50}{2.50}$ | 2.25 |
| 30 to 36 in. B&B | | 3.50 | |
| —baccata washingtoni aurea 8 ft. | | | |
| (Golden Washington Yew) | 1.75 | 1 50 | 1 05 |
| 15 to 18 in. B&B | | 1.50 | $\frac{1.25}{1.75}$ |
| 18 to 24 in. B&B 24 to 30 in. B&B | | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ |
| 30 to 36 in. B&B | | $\frac{2.50}{3.50}$ | $\frac{2.25}{3.25}$ |
| 3 to 4 ft. B&B | 7.00 | 6.50 | |
| —canadensis 2½ ft. (Canadian Y | | | |
| 12 to 15 in. B&B | | .85 | .75 |
| 15 to 18 in. B&B | _ 1.50 | 1.25 | 1.00 |
| 18 to 24 in. B&B | _ 1.75 | 1.50 | 1.25 |
| 24 to 30 in. B&B | | 2.00 | 1.75 |
| -cuspidata 6 ft. (Japanese Sprea 12 to 15 in. B&B | 1.25 | 1.10 | 1.00 |
| 15 to 18 in. B&B | | 1.35 | 1.25 |
| 18 to 24 in. B&B | | 1.75 | 1.50 |
| 24 to 30 in. B&B | | 2.25 | 2.00 |
| 30 to 36 in. B&B | | 3.25 | |
| -cuspidata capitata 12 ft. (Upri | | | |
| 15 to 18 in. B&B | | 1.15 | 1.00 |
| 18 to 24 in. B&B | | 1.50 | 1.35 |
| 24 to 30 in. B&B | _ 2.25 | 2.00 | 1.75 |
| —cuspidata intermedia 6 ft. 12 to 15 in. B&B | _ 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B | | 1.50 | 1.25 |
| 18 to 24 in. B&B | | 1.75 | |
| -cuspidata Kallay's Vase-shaped | | | |
| 12 to 15 in. B&B | _ 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B | _ 1.75 | 1.50 | 1.25 |
| 18 to 24 in. B&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 in. B&B | | 2.50 | 2.25 |
| —cuspidata nana 3 ft. (Compact 12 to 15 in. B&B | | Yew) 1.50 | |
| 15 to 18 in. B&B | 2.25 | 2.00 | |
| —cuspidata nana breviola 6 ft. (D | warf Japa | | ew) |
| 9 to 12 in, B&B | _ 1.25 | 1.15 | 1.00 |
| 12 to 15 in. B&B | _ 1.50 | 1.35 | 1.25 |
| 15 to 18 in. B&B | 2.25 | 2.00 | 1.75 |
| 18 to 24 in. B&B | 2.75 | 2.50 | 2.25 |
| 24 to 30 in. B&B 30 to 36 in. B&B | 3.50 - 6.00 | $\frac{3.00}{5.50}$ | |
| 3 to 3 ½ ft. B&B | 7.50 | $\frac{5.50}{7.00}$ | |
| 3 ½ to 4 ft. B&B | | 8.50 | |
| | | | |

| TAXUS—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------|---------------------|---------------------|---------------------|
| -media andersoni 8 ft. (Anderson | Yew) | | |
| 12 to 15 in. B&B | 1.50 | 1.25 | 1.00 |
| | 1.75 | 1.50 | 1.25 |
| 15 to 18 in. B&B | $\frac{1.75}{2.25}$ | $\frac{1.30}{2.00}$ | 1.75 |
| 18 to 24 in. B&B | | $\frac{2.00}{2.75}$ | $\frac{1.75}{2.50}$ |
| 24 to 30 in. B&B | 3.00 | 2.15 | 2.50 |
| -media browni 6 ft. (Brown's Yev | | | |
| 12 to 15 in. B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B | 1.75 | 1.50 | 1.25 |
| 18 to 24 in.B&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 in. B&B | 3.00 | 2.75 | 2.50 |
| -media hatfieldi 8 ft. (Hatfield's Y | ew) | | |
| 12 to 15 in. B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B | 1.75 | 1.50 | 1.25 |
| -media hicksi 10 ft. (Hicks Yew) | | | |
| , | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B 18 to 24 in. B&B | $\frac{1.50}{1.75}$ | $\frac{1.25}{1.50}$ | $\frac{1.00}{1.25}$ |
| | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ | |
| 24 to 30 in. B&B | | | 1.75 |
| 30 to 36 in. B&B | 3.25 | 3.00 | 2.75 |
| 3 to 3 ½ ft. B&B | 4.50 | 4.25 | |
| 3½ to 4 ft. B&B | 6.00 | 5.50 | |
| 4 to 5 ft. B&B | 8.00 | 7.50 | |
| 5 to 6 ft. B&B | 12.00 | | |
| THUYA | l | - \ | |
| -occidentalis 40 ft. (American Ar | | | |
| 18 to 24 in. B&B | .80 | .70 | .60 |
| 2 to 3 ft. B&B | 1.10 | 1.00 | .90 |
| 4 to 5 ft. B&B | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. B&B | 2.25 | 2.00 | 1.75 |
| 6 to 7 ft. B&B | 3.00 | 2.75 | 2.50 |
| 7 to 8 ft. B&B | 3.75 | 3.50 | 3.25 |
| 8 to 9 ft. B&B | 5.00 | 4.50 | 4.00 |
| 9 to 10 ft. B&B | 6.00 | 5.50 | 5.00 |
| 10 to 12 ft. B&B | 7.50 | 7.00 | 6.50 |
| -occ. compacta 4 ft. (Parson's Arbo | orvitae) | , | |
| 12 to 15 in. B&B | 1.00 | .85 | .70 |
| 15 to 18 in, B&B | 1.10 | 1.00 | .85 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| -occ. columbia 40 ft. (Silver Tip A | rborvit | ae) | |
| 18 to 24 in. B&B | .90 | .80 | .70 |
| 2 to 3 ft. B&B | 1.25 | 1.15 | 1.00 |
| 5 to 6 ft. B&B | 3.00 | $\frac{1.15}{2.75}$ | $\frac{1.00}{2.50}$ |
| 6 to 7 ft. B&B | 3.75 | $\frac{2.15}{3.50}$ | $\frac{2.50}{3.25}$ |
| 7 to 8 ft. B&B | 5.00 | $\frac{3.50}{4.50}$ | 4.00 |
| -occ. douglasi aurea 15 ft. (Douglasi | | | |
| 18 to 24 in. B&B | .90 | | .70 |
| 2 to 3 ft. B&B | $\frac{.90}{1.25}$ | .85 | |
| 3 to 4 ft. B&B | $\frac{1.25}{2.00}$ | 1.15 | 1.00 |
| 4 to 5 ft. B&B | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ | $\frac{1.50}{2.00}$ |
| 5 to 6 ft. B&B | $\frac{2.50}{3.00}$ | $\frac{2.25}{2.75}$ | $\frac{2.00}{2.50}$ |
| | 3.00 | 4.10 | 2.00 |

| | Each | Each | Each |
|---------------------------------------------------|-------------------------------------------------|---------------------|-------------|
| THUYA—Continued —occ. elegantissima 15 ft. (Golde | 1-4 | 5-24 | 25-up |
| | | .85 | .70 |
| 18 to 24 in. B&B 2 to 3 ft. B&B | | 1.15 | 1.00 |
| 3 to 4 ft. B&B | | 1.75 | 1.50 |
| 4 to 5 ft. B&B | | 2.25 | 2.00 |
| 5 to 6 ft. B&B | | 2.75 | 2.50 |
| 6 to 7 ft. B&B | | 3.50 | 3.25 |
| 7 to 8 ft. B&B | | 4.50 | 4.00 |
| 8 to 9 ft. B&B | | 5.50 | 5.00 |
| 9 to 10 ft. B&B | | 6.50 | 6.00 |
| -occ. elvangeriana 6 ft. (Tom T | humb Arb | orvitae) | |
| 24 to 30 in. B&B | | 1.35 | 1.25 |
| 30 to 36 in. B&B | 1.75 | 1.65 | 1.50 |
| 3 to 4 ft. B&B | | 2.25 | 2.00 |
| -occ. elvangeriana reingold 2 ft. | | | |
| 12 to 15 in. B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. B&B | 2.00 | 1.75 | 1.50 |
| -occ. globosa 3 ft. (Globe Arbor | rvitae) | | |
| 12 to 15 in. B&B | 1.00 | .85 | .70 |
| 15 to 18 in. B&B | | 1.00 | .85 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| -occ. hoveyi 6 ft. (Hovey's Gold | den Arbor | vitae) | |
| 12 to 15 in. B&B | 1.00 | | .70 |
| 15 to 18 in. B&B | 1.25 | 1.15 | 1.00 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| -occ. lutea 15 ft. (Geo. Peabody | Arborvita | ae) | |
| 18 to 24 in. B&B | | | .70 |
| 2 to 3 ft. B&B | | 1.15 | 1.00 |
| 3 to 4 ft. B&B | | 1.75 | 1.50 |
| 5 to 6 ft. B&B | | 2.75 | 2.50 |
| 6 to 7 ft. B&B | 3.75 | 3.50 | 3.25 |
| —occ. pyramidalis 25 ft. (Pyrami | idal Arbor | | |
| 18 to 24 in. B&B | | | .75 |
| 2 to 2½ ft. B&B 2½ to 3 ft. B&B | 1.15 | $\frac{1.00}{1.25}$ | .90 |
| 2 ½ t0 3 It. B&B | $\begin{array}{ccc} -1.40 \\ -2.00 \end{array}$ | $\frac{1.25}{1.75}$ | 1.10 1.50 |
| 3 to 4 ft. B&B | | | 1.50 |
| -occ. rosenthali 10 ft. (Rosenth 18 to 24 in. B&B | al Arborvi | itae) 1.00 | .90 |
| 2 to 2½ ft. B&B | 1.25 | 1.15 | 1.00 |
| 2 ½ to 3 ft. B&B | | | 1.25 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.20 |
| 4 to 5 ft. B&B | 3.00 | 2.75 | |
| | | writes) | |
| -occ. spihlmanni 4 ft. (Dutch G | 2 00 | 1.75 | 1.50 |
| 2 to 2½ ft. B&B | | 2.25 | 2.00 |
| -occ. spiralis 25 ft. (Spiral Arb | orwitae) | | |
| 18 to 24 in. B&B | 90 | .85 | .70 |
| 2 to 3 ft. B&B | | 1.15 | 1.00 |
| 3 to 4 ft. B&B | | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| 7 to 8 ft. B&B | 5.00 | 4.50 | 4.00 |
| | | | |

| THUYA—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|---------------------------------------------------|---------------------|----------------------|---------------------|
| -occ. Vervaeneana 12 ft. | | | |
| 3 to 4 ft. B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. B&B | 2.50 | 2.25 | 2.00 |
| occ. vervaeneana aurea 12 ft. | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B 6 to 7 ft. B&B | $\frac{3.00}{3.75}$ | $\frac{2.75}{3.50}$ | $\frac{2.50}{3.25}$ |
| | | | 5.25 |
| —occ. wareana 15 ft. (Siberian Ar | borvitae 1.00 | .85 | .70 |
| 12 to 15 in. B&B 15 to 18 in. B&B | 1.00 1.10 | 1.00 | .85 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| | | | |
| —occ. woodwardi 3 ft. (Woodward | Globe A 1.00 | | |
| 12 to 15 in, B&B 15 to 18 in, B&B | 1.00 1.10 | $\frac{.85}{1.00}$ | .70 |
| 18 to 24 in. B&B | $1.10 \\ 1.25$ | 1.15 | 1.00 |
| | | | 1.00 |
| —orientalis compacta 8 ft. (Compa Arborvitae) | ict Orie | ntal | |
| 18 to 24 in. B&B | 1.15 | 1.00 | .90 |
| 2 to 2½ ft. B&B | 1.40 | 1.25 | 1.10 |
| 2½ to 3 ft. B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. B&B | 2.00 | 1.75 | |
| -orientalis Kallay's Golden 10 ft. | | | |
| (Golden Chinese Arborvitae) | | | |
| 15 to 18 in. B&B | 1.00 | .85 | .75 |
| 18 to 24 in. B&B | 1.25 | 1.15 | 1.00 |
| 2 to 2 ½ ft. B&B 2 ½ to 3 ft. B&B | $\frac{1.50}{1.75}$ | $\frac{1.35}{1.50}$ | $\frac{1.15}{1.35}$ |
| | | | 1.00 |
| —orientalis nana aurea 3 ft. (Berk Arborvitae) | man's (| Golden | |
| 12 to 15 in, B&B | 1.00 | .85 | .75 |
| 15 to 18 in. B&B | 1.25 | 1.15 | 1.00 |
| | | | |
| TILIA | | | |
| | | 0.0 | 75 |
| 8 to 10 ft | $\frac{1.00}{1.35}$ | $\frac{.90}{1.15}$ | $\frac{.75}{1.00}$ |
| 1½ to 1¾ in | 2.00 | 1.75 | 1.50 |
| 1 3/4 to 2 in | 2.25 | 2.00 | 1.75 |
| 2 to 2½ in | 3.00 | 2.75 | |
| 2½ to 3 in | 3.00 | 2.75 | |
| 2 ½ to 3 in | 3.50 | 3.00 | |
| 3 to 3½ in 3½ to 4 in | 4.75 | 4.50 | |
| 4 to 5 in | $6.00 \\ 11.00$ | $\frac{5.50}{10.00}$ | |
| 5 to 6 in. price on request | 11.00 | 10.00 | |
| -cordata 65 ft. (Little Leaf Europ | none Ti | ndor | |
| 2½ to 3 in. | 6 00 | 5.50 | 5.00 |
| 3 to 3½ in | 7.00 | 6.50 | 6.00 |
| 3½ to 4 in | 8.50 | 8.00 | 7.50 |
| 4 to 5 in | 12.00 | 11.00 | |
| 5 to 6 in. price on request | | | |
| | | | |

| TSUGA Eacl | | Each 25-up |
|---------------------------------------|----------|---------------------|
| —canadensis 75 ft. (Canadian Hemlock) | | 20-up |
| | | 1 00 |
| 18 to 24 in. B&B 1.2 | | 1.00 |
| 2 to 3 ft. B&B 2.00 | | 1.50 |
| 3 to 4 ft. B&B 2.25 | | 1.75 |
| 4 to 5 ft. B&B 3.25 | | 2.75 |
| 5 to 6 ft. B&B 4.50 | | 4.00 |
| 6 to 7 ft. B&B 6.00 | | 7.00 |
| 7 to 8 ft. B&B 8.00 | | 7.00 |
| 8 to 9 ft. sheared spec. B&B 11.00 | | |
| 9 to 10 ft. sheared spec. B&B 14.00 | | |
| 10 to 11 ft. sheared spec. B&B 16.00 | | |
| 11 to 12 ft. sheared spec. B&B 20.00 | | |
| 12 to 14 ft. sheared spec. B&B 25.00 | | |
| 14 to 16 ft. sheared spec. B&B 27.50 | 0 25.00 | |
| -carolineana 50 ft. (Carolina Hemlock |) | |
| 2 to 3 ft. B&B 2.25 | | |
| 3 to 4 ft. B&B 3.00 | | |
| 4 to 5 ft. B&B 4.50 | | |
| 5 to 6 ft. B&B 6.00 | | |
| 5 to 6 ft. b&b 0.00 | 0.00 | |
| *** **** | | |
| ULMUS | | |
| -alata 45 ft. (Winged Elm) | | |
| 6 to 8 ft 2.00 | 0 	 1.75 | 1.50 |
| 8 to 10 ft 2.50 | 0 	 2.25 | 2.00 |
| | | |
| -americana 80 ft. (American Elm) | | |
| 6 to 8 ft70 | 0 .60 | .50 |
| 8 to 10 ft80 | | .60 |
| 1 1/4 to 1 1/2 in 1.00 | | .75 |
| 1½ to 1¾ in 1.2 | | .90 |
| 1 3/4 to 2 in 1.50 | | 1.20 |
| 2 to 2 ½ in 2.2 | | 1.75 |
| 2 ½ to 3 in 3.2 | | $\frac{1.75}{2.75}$ |
| 3 to 3½ in 4.00 | | 3.50 |
| 3 ½ to 4 in 5.00 | | 4.25 |
| 4 to 5 in 7.50 | | 1.20 |
| | 1.00 | |
| 5 to 6 in., price on request | | |
| -americana moline 80 ft. (Moline Elm) | | |
| 6 to 8 ft 1.0 | 0 .85 | .65 |
| 8 to 10 ft 1.1 | | .85 |
| 1 1/4 to 1 1/2 in 1.2 | | 1.00 |
| 1½ to 1¾ in | | 1.50 |
| 1 % to 2 in 2.5 | | 2.00 |
| 2 to 2 ½ in 3.0 | | 2.50 |
| 2 to 2 ½ in 3.0 2 ½ to 3 in 3.7 | | 3.25 |
| | | |
| 3 to 3½ in 5.0 | | 4.50 |
| 3½ to 4 in 6.5 | | 5.50 |
| 4 to 5 in 9.0 | 0 8.50 | 8.00 |
| 5 to 6 in., price on request | | |
| | | |

For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover

| ULMUS Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------|---------------------|---------------------|---------------------|
| —americana vase shaped 60 ft. (Va | | | _p |
| 6 to 8 ft | 1.00 | .85 | .65 |
| 8 to 10 ft | 1.10 | 1.00 | .85 |
| 1 1/4 to 1 1/2 in | 1.25 | 1.15 | 1.00 |
| 1½ to 1¾ in | 2.00 | 1.75 | 1.50 |
| 1 3/4 to 2 in | $\frac{2.50}{3.00}$ | $\frac{2.25}{2.75}$ | $\frac{2.00}{2.50}$ |
| 2 to 2½ in | 3.75 | $\frac{2.75}{3.50}$ | 3.25 |
| 2½ to 3 in | 5.00 | 4.75 | 4.50 |
| 3 ½ to 4 in | 6.50 | 6.00 | 5.50 |
| 4 to 5 in | 9.00 | 8.50 | |
| 5 to 6 in., price on request | | | |
| —campestris 80 ft. (English Elm) | | | |
| 6 to 8 ft | 1.60 | 1.40 | 1.25 |
| 8 to 10 ft | 1.80 | 1.65 | 1.50 |
| 1 ½ to 1 ½ in | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in | 3.00 | 2.75 | 2.50 |
| 1 3/4 to 2 in | 3.50 | 3.25 | 3.00 |
| -fulva 65 ft. (Slippery Elm) | | | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| 1 1/4 to 1 1/2 in | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in | 2.25 | 2.00 | 1.75 |
| 1 3/4 to 2 in | 2.75 | 2.50 | 2.25 |
| 2 to 2½ in | 3.00 | 2.75 | 2.50 |
| -parvifolia 30 ft. (Chinese Elm) | | | |
| 6 to 8 ft | 1.50 | 1.25 | |
| 8 to 10 ft | 1.75 | 1.50 | |
| 1 ½ to 1 ½ in | 2.00 | 1.75 | |
| 1½ to 2 in | 2.75 | 2.50 | |
| 2 to 2½ in | 3.50 | 3.00 | |
| 2½ to 3 in | 4.50 | 4.00 | |
| —pumila 75 ft. (Asiatic Elm) | | | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | .80 | .70 | .60 |
| 8 to 10 ft | 1.00 | .85 | .75 |
| 1¼ to 1½ in | 1.25 | 1.15 | 1.00 |
| 1½ to 2 in | 2.00 | 1.75 | 1.50 |
| 2 to 2½ in 2½ to 3 in | 2.50 | $\frac{2.25}{3.75}$ | 2.00 |
| 3 to 3 ½ in | $\frac{4.00}{4.75}$ | 4.50 | |
| 3 ½ to 4 in | 6.00 | 5.50 | |
| | 10.00 | 9.00 | |
| 5 to 6 in., price on request | 20.00 | 0.00 | |
| | | | |
| VIBURNUM | | | |
| -acerifolium 5 ft. (Mapleleaf Vibu: | rnum) | | |
| 18 to 24 in | .35 | .30 | .25 |
| 2 to 3 ft | .40 | .35 | .30 |
| 8 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .80 | .70 | .60 |
| -americanum 8 ft (American Cran | berry | Bush) | |
| 18 to 24 in. | .30 | .25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| | | | |

| TAINESVIEDE, OHIO | | | |
|------------------------------------|---------|------|-------|
| | Each | Each | Each |
| VIBURNUM—Continued | 1-4 | 5-24 | 25-up |
| -carlesi 4 ft. (Fragrant Viburnum) | 0.0 | = 0 | |
| 12 to 15 in. B&B | .80 | .70 | .60 |
| 15 to 18 in. B&B | 1.00 | .85 | .75 |
| 12 to 15 in. own roots B&B | .90 | .80 | .75 |
| 15 to 18 in. own roots B&B | 1.10 | 1.00 | .90 |
| -cassinoides 6 ft. (Withe Rod) | | 4.0 | |
| 2 to 3 ft | .45 | .40 | .35 |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .60 | .55 | .50 |
| 5 to 6 ft | .90 | .80 | .70 |
| -dentatum 12 ft. (Arrowwood) | | | |
| 2 to 3 ft | .25 | .20 | .18 |
| 3 to 4 ft | .30 | .25 | .20 |
| 4 to 5 ft | .35 | .30 | .25 |
| 5 to 6 ft | .60 | .50 | .40 |
| 6 to 7 ft | .70 | .60 | .50 |
| -dilatatum 10 ft. (Linden Viburnu | ım) | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .45 | .40 |
| —lantana 15 ft. (Wayfaring Tree) | | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| 5 to 6 ft | .70 | .60 | .50 |
| -lentago 20 ft. (Nannuberry) | | | |
| 18 to 24 in | .30 | 25 | .20 |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .70 | .60 | .50 |
| 5 to 6 ft | .90 | .75 | .65 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | |
| -molle 10 ft. (Kentucky Viburnum |) | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| 4 to 5 ft | .45 | .40 | .35 |
| -nudum 8 ft. (Smooth Withe Rod |) | | |
| 15 to 18 in | .25 | .20 | .18 |
| 18 to 24 in | .40 | .35 | .30 |
| 2 to 3 ft | .50 | .45 | .40 |
| -opulus 10 ft. (Highbush Cranberr | v) | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| 5 to 6 ft | .60 | .55 | .50 |
| -opulus nanum 2 ft. (Dwarf Cranb | erry B | ush) | |
| 9 to 12 in | .40 | .35 | .30 |
| -opulus sterile 12 ft. (Common Sn | owball) | | |
| 2 to 3 ft | .35 | .30 | .25 |
| 3 to 4 ft | .40 | .35 | .30 |
| 4 to 5 ft | .50 | .45 | .40 |
| | | | |

| VIBURNUM—Continued Each 1-4 Each 25-up Each 25-up —prunifolium 12 ft. (Blackhaw) 15 to 18 in | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|------|------|-------|
| | VIDIIDNIM Continued | Each | | Each |
| 15 to 18 in | | 1-4 | 0-44 | 20-up |
| 18 to 24 in. | 15 to 18 in. | .40 | .35 | .30 |
| 2 to 3 ft | 18 to 24 in. | | | |
| ## Sto 4 ft. ## Sto 24 ft. ## Sto 24 ft. ## Sto 24 ft. ## Sto 3 ft. ## Sto 24 ft. ## Sto 25 ft. ## Sto 26 ft. ## Sto 26 ft. ## Sto 26 ft. ## Sto 27 ft. ## Sto 27 ft. ## Sto 26 ft. ## Sto 26 ft. ## Sto 27 ft. ## S | | .75 | .65 | .60 |
| 2 to 3 ft | | .90 | .80 | |
| 2 to 3 ft | -pubescens 6 ft. (Downy Viburnum | .) | | |
| | 2 to 3 ft | .45 | .40 | |
| 4 to 5 ft. .60 .50 .40 5 to 6 ft. .90 .80 .70 6 to 8 ft. .1.50 1.25 1.00 —tomentosum 8 ft. (Doublefile Viburnum) 2 to 3 ft. .35 .30 .25 3 to 4 ft. .45 .40 .35 4 to 5 ft. .50 .45 .40 5 to 6 ft. .80 .70 .60 6 to 8 ft. .1.00 .90 .80 —tomentosum plicatum 8 ft. (Japanese Snowball) 18 to 24 in. .35 .30 .25 2 to 3 ft. .45 .40 .35 —wrighti 8 ft. (Wright's Viburnum) 4 to 5 ft. .65 .55 .50 5 to 6 ft. .85 .75 .70 6 to 8 ft. .1.00 .90 .80 VINCA —agnus castus 4 ft. (Chaste Tree) 18 to 24 in. .25 .20 .16 2 to 3 ft. .30 .25 .20 3 to 4 ft. .30 .25 .20 <td></td> <td>.50</td> <td>.45</td> <td></td> | | .50 | .45 | |
| 5 to 6 ft. .90 .80 .70 6 to 8 ft. 1.50 1.25 1.00 —tomentosum 8 ft. (Doublefile Viburnum) 2 to 3 ft. .35 .30 .25 3 to 4 ft. .45 .40 .35 4 to 5 ft. .50 .45 .40 5 to 6 ft. .80 .70 .60 6 to 8 ft. .100 .90 .80 —tomentosum plicatum 8 ft. (Japanese Snowball) 1 8 to 24 in. .35 .30 .25 2 to 3 ft. .45 .40 .35 —wrighti 8 ft. (Wright's Viburnum) 4 to 5 ft. .85 .75 .70 6 to 8 ft. .100 .90 .80 VINCA —minor 6 in. (Periwinkle) 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in. .25 .20 .16 2 to 3 ft. .30 .25 .20 3 to 4 ft. .35 | | | | |
| -tomentosum 8 ft. (Doublefile Viburnum) 2 to 3 ft | 4 to 5 ft | | | |
| —tomentosum 8 ft. (Doublefile Viburnum) 2 to 3 ft. .35 .30 .25 3 to 4 ft. .45 .40 .35 4 to 5 ft. .50 .45 .40 5 to 6 ft. .80 .70 .60 6 to 8 ft. 1.00 .90 .80 —tomentosum plicatum 8 ft. (Japanese Snowball) 18 to 24 in. .35 .30 .25 2 to 3 ft. .45 .40 .35 —wright 8 ft. (Wright's Viburnum) .45 .40 .35 —wright 8 ft. (Wright's Viburnum) .45 .55 .50 4 to 5 ft. .65 .55 .50 5 to 6 ft. .85 .75 .70 6 to 8 ft. .100 .90 .80 VINCA —minor 6 in. (Periwinkle) 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) .35 .30 .25 .20 .3 to 4 ft. .35 .30 .25 .20 .20 .20 .25 .20 | 5 to 6 ft | | | |
| 2 to 3 ft | 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | | | | |
| 4 to 5 ft | | | | |
| 5 to 6 ft | | | | |
| 6 to 8 ft | 4 to 5 ft | | .45 | |
| tomentosum plicatum 8 ft. (Japanese Snowball) 18 to 24 in | 5 to 6 ft | | | |
| 18 to 24 in | | | | .80 |
| 2 to 3 ft | -tomentosum plicatum 8 ft. (Japan | | | |
| wrighti 8 ft. (Wright's Viburnum) 4 to 5 ft | 18 to 24 in | | | |
| 4 to 5 ft | | | .40 | .35 |
| 5 to 6 ft | | | | |
| VINCA —minor 6 in. (Periwinkle) 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in | 4 to 5 it | | | |
| VINCA —minor 6 in. (Periwinkle) 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in | 5 to 6 II | | | |
| —minor 6 in. (Periwinkle) 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in | 0 to 8 ft | 1.00 | .90 | .80 |
| 2 yrs. field grown \$50.00 per M .10 .08 .06 VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in | VINCA | | | |
| VITEX —agnus castus 4 ft. (Chaste Tree) 18 to 24 in | -minor 6 in. (Periwinkle) | | | |
| -agnus castus 4 ft. (Chaste Tree) 18 to 24 in | 2 yrs. field grown \$50.00 per M | .10 | .08 | .06 |
| -agnus castus 4 ft. (Chaste Tree) 18 to 24 in | | | | |
| 18 to 24 in | | | | |
| 2 to 3 ft | -agnus castus 4 It. (Chaste Tree) | 0 = | | 4.0 |
| 3 to 4 ft | 18 to 24 in | | | |
| -negundo incisa 4 ft. (Cutleaf Chaste Tree) 18 to 24 in | 2 to 5 It | | | |
| 18 to 24 in | | | ••• | .25 |
| 2 to 3 ft | —negundo incisa 4 ft. (Cutleaf Cha | | | 2.0 |
| VITIS —aestivalis 40 ft. (Summer Grape) 2 years No. 1 | 2 to 2 ft | | | |
| —aestivalis 40 ft. (Summer Grape) 2 years No. 1 | 2 to 5 1t | .40 | .35 | .30 |
| —aestivalis 40 ft. (Summer Grape) 2 years No. 1 | VITIS | | | |
| 2 years No. 1 | | | | |
| WEIGELIA —abel carriere 10 ft. 2 to 3 ft | 2 years No. 1 | 3.0 | 25 | |
| -abel carriere 10 ft. 2 to 3 ft | | .00 | .20 | |
| 2 to 3 ft | WEIGELIA | | | |
| 3 to 4 ft | —abel carriere 10 ft. | | | |
| 3 to 4 ft | 2 to 3 ft | .20 | .16 | .13 |
| 2 to 3 ft | 3 to 4 ft | .25 | | |
| 2 to 3 ft | -amabilis 8 ft. (Rose Weigelia) | | | |
| 3 to 4 ft | 2 to 3 ft | .20 | .16 | .13 |
| | 3 to 4 ft | | | |

| WEIGELIA—Continued | Each 1-4 | Each 5-24 | Each 25-up |
|-------------------------------------|-------------|--------------|---------------|
| -candida 10 ft. (White Weigelia) | | 0-21 | 20-up |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| -desboisi 10 ft. (Pink Weigelia) | | | |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .35 | .30 | .25 |
| -Eva Rathke 5 ft. (New, Red Flower | ering W | /eigelia) |) |
| 18 to 24 in | .25 | .20 | .16 |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .25 |
| —floribunda 8 ft. (Crimson Weigelia | a) | | |
| 2 to 3 ft | .30 | .25 | .20 |
| 3 to 4 ft | .35 | .30 | .22 |
| —hendersoni 10 ft. (Pink Weigelia) | | | |
| 2 to 3 ft | .25 | .20 | .15 |
| 3 to 4 ft | .30 | .25 | .20 |
| -nana variegata 5 ft. (Variegated) | Leaf W | /eigelia) | |
| 18 to 24 in | .20 | .16 | .14 |
| 2 to 3 ft | .25 | .20 | .16 |
| 3 to 4 ft | .30 | .25 | .20 |
| -rosea 8 ft. (Pin Flowering Weigel | ia) | | |
| 18 to 24 in | .20 | .15 | .10 |
| 2 to 3 ft | .20 | .16 | .13 |
| 3 to 4 ft | .25 | .20 | .16 |
| 4 to 5 ft | .35 | .30 | .25 |
| ZANTHORHIZA | | | |
| -apiifolia 3 ft. (Yellowroot) | | | |
| 12 to 15 in | .35 | .30 | |
| 15 to 18 in | .40 | .35 | |
| 18 to 24 in | .45 | .40 | |
| WISTARIA | | | |
| —multijuga 30 ft. (Japanese Wistan | ria) | | |
| 2 years No. 1 | .35 | .30 | .25 |
| 3 years No. 1 | .40 | .35 | .30 |
| -sinensis blue 40 ft. (Chinese Purp | ole Wis | taria) | |
| 2 years No. 1 | .25 | .20 | .15 |
| 3 years No. 1 | .30 | .25 | .20 |
| | ite Wis | staria) | |
| -sinensis white 40 ft. (Chinese Wh | | · correct) | |
| —sinensis white 40 ft. (Chinese Wh | | | 15 |
| 2 years No. 1 | .25 | .20 | .15 |
| | | .20 | .15 .20 |

For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover.

PEONIES

Strong, 3 to 5 eye divisions

| building, o to o eye are | 101011 | | |
|-------------------------------------|-------------|-----------|---------------|
| | Each 1-4 | Each 5-24 | Each 25-up |
| Albert Crousse. Shell pink | .25 | .20 | .15 |
| Dr. Van Der Tak. Crimson | .60 | .50 | .40 |
| Edulis Superba. Early rose pink | .25 | .20 | .15 |
| Felix Crousse. Ruby red | .25 | .20 | .15 |
| Festiva Maxima. White | .25 | .20 | .15 |
| Karl Rosefield. Red | .25 | .20 | .15 |
| Kelways Glorious. Creamy white | 1.25 | 1.00 | |
| Lady A. Duff. White, tinted pink | .30 | .25 | .20 |
| Le Cygne. Cream white | 1.25 | 1.00 | |
| Livingston. Light pink | .25 | .20 | .15 |
| Longfellow. Bright crimson | .60 | .50 | .40 |
| Mad. Emile Galle. Pink | .25 | .20 | .15 |
| Mad. Jules Dessert. Shell pink | .40 | .35 | .30 |
| Marie Crousse. Salmon pink | .25 | .20 | .15 |
| Mons. Jules Elie. Early pink | .30 | .25 | .20 |
| Mons. Martin Cohuzac. Dark red | .70 | .50 | .60 |
| Mr. Van Leeuwen. Light crimson | 1.00 | .75 | |
| Officinalis rubra fl. pl. Early red | .35 | .30 | .25 |
| Phillippe Rivoir. Wine red | 1.00 | .80 | |
| Primevere. Straw white | 6.00 | .50 | |
| Sarah Bernhardt. Pink | 3.50 | .30 | .25 |
| Solange. Waxy white | .50 | .45 | .40 |
| Therese. Pink | .60 | .50 | .40 |
| Walter Faxon. Coral pink | .50 | .40 | |
| | | | |

HARDY PHLOX

Strong, field grown plants, No. 1 grade, 5 at 10 rate 25 at hundred rate

| .15 | .10 | .08 |
|-----|------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| .15 | .10 | .08 |
| .15 | .10 | .08 |
| .15 | .10 | .08 |
| | | |
| .15 | .10 | .08 |
| .10 | .08 | .06 |
| | | |
| .15 | .10 | .08 |
| .15 | .10 | .08 |
| .15 | .10 | .08 |
| | | |
| .20 | .15 | .10 |
| | .15 .15 .15 .15 .10 .15 .15 .15 | .15 .10 .15 .10 .15 .10 .15 .10 .15 .10 .10 .08 .15 .10 .15 .10 .15 .10 |

HARDY PERENNIALS

| | 1-24 | 25-up |
|----------------------------------------------------------------------------|--------------|------------|
| ACHILLEA—tomentosa, 3 ft., June, July | .10 | .08 |
| AJUGA-reptans blue, 6 in., May | .10 | .08 |
| ALYSSUM—argenteum, 15 in., summer_saxatile compactum, 12 in., yellow, | .10 | .08 |
| May | .10 | .08 |
| ANCHUSA—dropmore blue, 4 ft., June myosotidiflora br. blue, 12 in., May | .12 .12 | .10 .10 |
| AQUILEGIA—canadense, scarlet, 2 ft., | 10 | 0.0 |
| Mayalpina, blue, 1 ft., May and June | $.10 \\ .10$ | .08 |
| dobbies imperial hybrids, 2 ft., June_ | .12 | .10 |
| ARABIS—alpina white, 12 in., May | .12 | .10 |
| ARTEMESIA-abrotanum, 5 ft., fragrant | .10 | .08 |
| lactiflora white, 4 ft., August | .10 | .08 |
| silver king, silver foliage, 4 ft | .12 | .10 |
| ASCLEPIAS—tuberosa, orange, 2 ft., July, Aug. | .10 | .08 |
| ASTER—alpinus, blue, 8 in., June, July | .10 | .08 |
| climax, 3 ft., Sept. and Oct | .10 | .08 |
| Mauve cushion, mauve, Oct. 12 in St. egwin, pink, 3 ft., Sept., Oct | .10 | .08 |
| ASTILBE—gloria, dark pink. | .20 | .18 |
| | | •10 |
| AUBRIETIA—deltoides hybrids, April, May | .12 | .10 |
| | | |
| BAPTISIA—australis, 4 ft., June | .10 | .08 |
| BOCCONIA—cordata, white, 6 ft., Aug | .10 | .08 |
| BOLTONIA—asteroides, white, 5 ft., Sept. | .10 | .08 |
| ——latisquama, lavender, 5 ft., Aug | .10 | .08 |
| CAMPANULA—calycanthema, rose, 3 ft., | 4.0 | 0.0 |
| July | .10 | .08 |
| carpatica, blue, July, Aug., 9 in | .10 | .08 |
| carpatica, white, July, Aug., 9 in persicifolia, blue, June, July 2 ft | .10 | .08 |
| pyramidalis alba, white, July, 4 ft | .10 | .08 |
| | .10 | .00 |
| CASSIA—marilandica, yellow, 3-4 ft., July | .10 | .08 |
| CENTAUREA—dealbata, red, 18 in | .10 | .08 |
| montana, blue, 2 ft., July | .10 | .08 |
| CERASTIUM-tomentosum, white, 6 in., | | |
| June | .12 | .10 |
| CHELONE—lyoni, deep rose, 2 ft., Aug. | .12 | .10 |
| | | |

| | Each 1-24 | Each 25-up |
|-----------------------------------------------|--------------|---------------|
| CHRYSANTHEMUMS-Alice Howell, old | .10 | .08 |
| gold | .10 | .08 |
| Autumn glow, rosy red | .10 | .08 |
| boston bronze, bronze | .10 | .08 |
| crimson beauty, crimson | .10 | .08 |
| excelsior, golden yellow | .10 | .08 |
| golden queen, golden yellow | .10 | |
| gold coin, yellow | | .08 |
| golden climax, yellow button | .10 | .08 |
| indian red, red | .10 | .08 |
| La Danube, pure pink | .10 | .08 |
| lady estelle, red | .10 | .08 |
| lucifer, blood red | .10 | .08 |
| Mrs. Bergen, pale pink | .10 | .08 |
| mitzie, yellow, red center, button | .10 | .08 |
| old homestead, rose pink | .10 | .08 |
| pink doty, pink | .10 | .08 |
| skibo, bronze yellow, button | .10 | .08 |
| victory, white | .10 | .08 |
| COREOPSIS-lanceolata grandfl. yellow, | | |
| auriculata, orange, summer, 18 in | .12 | .10 |
| 2 ft | .10 | .08 |
| DAISY—etoile d'or, white, July, Aug. 18 | | |
| in | .15 | .12 |
| Mrs. Lotian Bell, white, June, July | | |
| 2 ft | .12 | .10 |
| shasta alaska, white, July, Aug., 2 ft. | .10 | .08 |
| DELPHINIUM-belladonna, sky blue, all | | |
| summer, 4 ft | .12 | .10 |
| bellamosa, dark blue, all summer, 4 ft. | .12 | .10 |
| Hybrids, Blackmore & Langdon's var- | | |
| ious | .15 | .12 |
| DIANTHUS-barbatus newport pink, July, | | |
| 1 ft | .10 | .08 |
| barbatus scarlet beauty, scarlet, 1 ft. | .10 | .08 |
| deltoides erecta, pink, 9 in., July | .10 | .08 |
| plumarius, mixed, all summer, 8 in | .10 | .08 |
| DICENTRA—eximea, rose, 12 in., all sum- | | |
| mer spectabilis, bleeding heart, May, June, | .12 | .10 |
| spectabilis, bleeding heart, May, June, 2 ft. | .20 | .18 |
| DIGITALIS purpurea, mixed, June, July | .20 | .10 |
| 3 ft. | .10 | .08 |
| purpurea, rose, June, July, 3 ft | .10 | .08 |
| purpurea, white, June, July, 3 ft. | .10 | .08 |
| Shirley hybrids, mixed, June, July, 3 | | |
| ft | .10 | .08 |
| | | |

| EUDATORUM | Each 1-24 | Each 25-up |
|--------------------------------------------------------------------------------------------------------------------------|--------------|---------------|
| EUPATORIUM—ageratoides, white, Aug., | .10 | .08 |
| coelestinum, blue, 18 in., Sept. Oct | .10 | .08 |
| Coelestifium, blue, 10 m., sept. cet. | .10 | .00 |
| EUPHORBIA—corollata, white, July, Aug. 2 ft. | .12 | .10 |
| myrsinites, yellow, May and June, 6 in. | .15 | .12 |
| FUNKIA—lancifolia, blue, July, 2 ft undulata variegata, white foliage, 2 ft. | .10 .12 | .08 .10 |
| GAILLARDIA—grandiflora, yellow and crimson, 2 ft | .10 | .08 |
| GALIUM—boreale, white, July, 18 in vernum, yellow, June, July, 6 in | $.12 \\ .12$ | .10 .10 |
| GERANIUM—sanguineum, red, June, July 2 ft. | .12 | .10 |
| GEUM—Mrs. Bradshaw, red all sum-mer, | .12 | .10 |
| lady strateden, orange, all summer, 15 in. | .12 | .10 |
| GYPSOPHILA—bristol fairy, baby's | | |
| breath | .25 | .20 |
| paniculata, white, July, Aug., 2/3 ft. | .10 | .08 |
| HELIANTHEMUM—mutabile, flesh, May, June, 12 in. | .12 | .10 |
| HELENIUM-riverton gem, old gold, Sept. | | |
| 4 ft | .12 | .10 |
| rubrum, brick red, Sept., 4 ft | .12 | .10 |
| HELIANTHUS—multiflorus, 5 ft., yellow, all summer | .10 | .08 |
| HEMEROCALIS-florham, golden yellow, | | |
| June. 3 ft | .12 | .10 |
| Dr. Regel, orange yellow, May, 18 in. | .12 | .10 |
| Dr. Regel, orange yellow, May, 18 in. gold dust, indian yellow, June, 2½ ft. kwanso fl. pl., reddish orange, 2½ ft. June | .12 | .10 |
| luteola, orange, June, 3 ft. | .12 | .10 |
| middendorffi, orange, June, 3 ft minor, yellow, June, 2 ft | .12 | .10 |
| | .12 | .10 |
| HESPERIS—matronalis, purple, June, July, 2 ft. | .10 | .08 |
| HEUCHERA-pleu de feu, red, May, June, | | |
| 2 ft | .18 | .15 |
| rosamundi, coral, summer, 18 in | .18 | .15 |
| HIBISCUS—mellow marvels, separate colors, 5 ft. | .10 | .08 |
| IBERIS-sempervirens, white, May, June | | |
| demperations, write, may, June | .10 | .08 |

| | Each 1-24 | Each 25-up |
|-----------------------------------------------------------------------------------------|--------------|---------------|
| IRIS—pumila sambo, violet, April, 9 in | $.10 \\ .10$ | .08 |
| siberica snow queen, white, May, 2 ft. siberica, Blue, May, 2 ft. | .10 | .08 |
| versicolor, blue, May, 2 ft | $.10 \\ .10$ | .08 |
| versicolor, blue, May, 2 ft germanica in variety kaempferi, six varieties, 2/3 ft | .20 | .15 |
| LIATRIS—pychnostachya, purple, Aug., Sept., 4 ft | .10 | .08 |
| scariosa, deep purple, Sept. 2 ft | .10 | .08 |
| LYCHNIS—chalcedonica, scarlet, July, 3 | .10 | .08 |
| ft. viscaria fl. pl., red, June, 12 in | .10 | .08 |
| LYSOMACHIA—numularia, yellow, June to Aug., 6 in. | .10 | .08 |
| LINUM—perenne, blue, 18 in., June, July | .10 | .08 |
| LYTHRUM—roseum, rose, July, 4 ft | .12 | .10 |
| MONARDA—cambridge, scarlet, July, Aug., 3 ft. | .12 | .10 |
| MYOSOTIS—palustris, blue, April, May, 6 in. | .10 | .08 |
| NEPETA—macrantha, lavender, summer, 2 ft. | 12 | .10 |
| 2 ft mussini, blue, June, July, 12 in | .12 | .10 |
| OENOTHERA—missouriensis, yellow, July, 6 in. | .12 | .10 |
| PAPAVER—nudicaule, all colors, all sum- mer 8 ft | .10 | .08 |
| mer, 8 ftorientale, orange scarlet, June, 2 ft | .12 | .10 |
| PENSTEMON—barbatus, scarlet, July, 3 | 1.0 | 0.0 |
| digitalis, white, August, 3 ft | .10 .10 | .08 |
| PHYSOSTEGIA—virginiana, rose, Aug., 3 ft. | .10 | .08 |
| Virginiana alba, white, 3 ft., Aug | .10 | .08 |
| PLATYCODON—grandiflorum, blue, summer, 2 ft. | .10 | .08 |
| PLUMBAGA—larpentae, blue, fall, 6 in. | .10 | .08 |
| PRIMULA—veris giant, munstead, May, | | |
| 1 ftveris, yellow, April, May, 9 in | $.15 \\ .15$ | .12 .12 |
| PYRETHRUM—roseum, various, May, June, 1 ft. | .10 | .08 |
| RANUNCULUS—repens fl. pl., May, June, | | |
| 10 in. | .10 | .08 |

| | Each 1-24 | Each 25-up |
|---------------------------------------------------------------------|--------------|---------------|
| RUDEBECKIA-autumn glory, yellow, | | |
| Aug., Sept., 6 in | .10 | .08 |
| Aug., Sept., 6 inpurpurea, purple, Aug., 3 ft | .10 | .08 |
| SALVIA-argentea, pinkish white, June, | | |
| of | .10 | .08 |
| 3 ftazurea grandiflora, blue, 6 in., Aug., 3 | .10 | .00 |
| ft. | .10 | .08 |
| pratensis, deep blue, June, 3 ft | .10 | .08 |
| | | |
| SAXIFRAGA—cordifolia, rose pink, May, | 1.0 | 0.0 |
| June, 8 ft. | .10 | .08 |
| SEDUM—album, white, July, 4 in | .10 | .08 |
| brilliant, crimson, Sept., 1½ ft | .10 | .08 |
| brilliant, crimson, Sept., 1½ ft ewersi, pink, Aug., Sept., 6 in | .10 | .08 |
| glaucum, blue foliage, 2 in | .10 | .08 |
| glaucum, blue foliage, 2 in kamtschaticum, yellow, July, 6 in | .10 | .08 |
| lydium, white, July, 2 in | .10 | .08 |
| lydium, white, July, 2 in | .10 | .08 |
| murale, pink, July, 1 ft | .10 | .08 |
| sarmentosum, yellow, July, 3 in | .10 | .08 |
| stoloniferum, pink, July, Aug. 6 in | .10 | .08 |
| CEMPEDVIVIIM 1 1 1 | | |
| SEMPERVIVUM—arachnoideum, red, | .15 | .12 |
| June, 4 in | .10 | .12 |
| SIDALCEA—rose queen, rose pink, July, | | |
| Aug., 4 ft | .10 | .08 |
| | 1.0 | 10 |
| SILEME—maritima, white, summer, 1 ft. | $.12 \\ .12$ | .10 |
| schafta, bright pink, July, 6 in | .12 | .10 |
| STACHYS—lanata, purple, June, July, | | |
| 1 ½ ft | .10 | .08 |
| STATICE Later Is him Indeed Asset | | |
| STATICE—latifolium, blue, July, Aug., 18/24 in. | .10 | 00 |
| 10/24 III. | .10 | .08 |
| STOKESIA—cyanea, blue, July, 18/24 | .10 | .08 |
| | | |
| THYMUS—serpyllum citriodorus, purple, | 4.0 | 00 |
| 3 ft., Juneserpyllum coccineus, scarlet, June, 4 | .10 | .08 |
| in serpyllum coccineus, scarlet, June, 4 | .10 | .08 |
| inserpyllum lanuginosus, rose purple, June, | .10 | .00 |
| 5 in | .10 | .08 |
| | .10 | .00 |
| TRADESCANTIA—virginia, blue, sum- | | |
| mer, 2 ft. | .10 | .08 |
| TROILLIUS-ledebouri, orange, summer, | | |
| 18 in | .20 | .18 |
| | .20 | .10 |
| VALERIANA—officinalis, rose, June, 5 ft. | .15 | .12 |
| VERONICA—emethistina, blue, June, July, | | |
| 12 in | .12 | 10 |
| incana, pale blue, 6 ft., July, Sept | .12 | .10 |
| longifolia subsessilis, blue, Aug., 2 ft. | .12 | .10 |
| rupestris, blue, June, 6 in | .12 | .10 |
| spicata, blue, July, Aug., 2 ft. | .12 | .10 |
| , , , , , , , , , , , , , , , , , , , , | 4 7 2 | |

| | Each 1-24 | Each 25-up |
|--------------------------------------------------------------------------------|--------------|---------------|
| VIOLA-cornuta blue perfection, blue, 6 | . 10 | 10 |
| in. cornuta apricot, apricot, summer, 6 in cornuta G. Werming, violet, all sum | .12 | .10 |
| mer 3 incor.uv# jersey gem, rich violet, sum | 12 | .10 |
| mer 6 incornuta white perfection, white, sum | 12 | .10 |
| mer 6 in | 12 | .10 |
| mer 6 in | .12 | .10 |
| YUCCA—filamentosa, white, June, July, ft. | .10 | .08 |
| fil. variegata, creamy white foliage | .20 | .15 |
| FRUIT DEPARTMEN | | |
| Each 1-4 | Each 5-24 | Each 25-up |
| APPLES—Standard named varieties, 11/16 in. and up40 | .35 | .30 |
| cherries—Sweet—Standard named varieties, 11/16 in. and up55 | .50 | .45 |
| CHERRIES—Sour—Standard named varieties, 11/16 in. and up45 | .40 | .35 |
| PEARS—Standard named varieties, 11/16 in. and up45 | .40 | .35 |
| PEACHES—Standard named varieties, 9/16 in. and up30 | .25 | .20 |
| PLUMS—Standard named varieties, 11/16 in. and up50 | .45 | .40 |
| APRICOTS—Standard named varieties, 11/16 in. and up40 | .35 | .30 |
| QUINCES—Standard named varieties, 5/8 in. and up55 | .50 | .45 |
| SMALL FRUITS | | |
| GRAPES— | | |
| Agawam. 2 yrs., No. 1, per M. \$60.00 | .10 | .08 |
| Brighton. 2 yrs., No. 1, per M. | .10 | .08 |
| , | | |
| • , | .18 | .16 |
| Campbell's Early. 2 yrs., No. 115 | .14 | .12 |
| Catawba. 2 yrs., No. 115 | .14 | .12 |
| Concord. 2 yrs., No. 1, per M. \$4010 | .08 | .06 |
| Delaware. 2 yrs., No. 1, per M. \$60 .12 | .10 | .08 |
| Diamond. 2 yrs., No. 112 | .10 | .08 |
| Lucile. 2 yrs., No. 1 | .10 | .08 |
| \$60.0012 | .10 | .08 |
| Niagara. 2 yrs. No. 1, per M. \$55.00 .12 | .10 | .08 |
| Worden. 2 yrs., No. 1, per M. \$55 .12 | .10 | .08 |



Note: Heavy root system on our Evergreen cuttings when removed from sand.

| | Each 5-25 | | |
|--------------------------|------------------|-----|--|
| BLACKBERRIES No. 1- | | | |
| Blowers | $.03\frac{1}{2}$ | .03 | |
| Early Harvest | $.03\frac{1}{2}$ | .03 | |
| Eldorado | $.03\frac{1}{2}$ | .03 | |
| Snyder | $.03\frac{1}{2}$ | .03 | |
| RASPBERRIES No. 1- | | | |
| Columbia. Red | $.03\frac{1}{2}$ | .03 | |
| Cuthbert. Red | $.03\frac{1}{2}$ | .03 | |
| Latham. No. 1 transplant | $.03\frac{1}{2}$ | .03 | |
| St. Regis. Red | .03 1/2 | .03 | |
| | | | |

Lining Out Stock

S indicates rooted cuttings from sand. P indicates rooted cuttings from 2 ¼ in. pots. TT indicates twice transpl. from field.

| —JUNIPERUS | | |
|----------------------------------------------------------------------------------------------|------------|----------|
| | Per 100 | Per 1000 |
| —chin. pfitzeriana 6 to 8 in. P | \$15.00 | \$130.00 |
| —chin. pfitzeriana 6 to 8 in. P—chin. sargenti 8 to 12 in. TT—com. depressa 10 to 12 in. TT— | _ 16.00 | 140.00 |
| —com. depressa 10 to 12 in. TT | 16.00 | 140.00 |
| —com. dep. plumosa 6 to 8 in. S | 7.00 | 60.00 |
| —com. dep. plumosa 9 to 12 in. TT | | 140.00 |
| —com. hibernica 6 to 8 in. S | | 50.00 |
| —excelsa stricta 6 to 8 in. S | | 60.00 |
| —excelsa stricta 6 to 8 in. P | | 140.00 |
| -horizont. douglasi 9 to 12 in. TT | 16.00 | 140.00 |
| —horiz. glauca 12 to 15 in. TT | 16.00 | 140.00 |
| -sabina 6 to 8 in. P | _ 12.00 | 100.00 |
| PICEA | | |
| —p. kosteri grafted, 8 to 12 in. P | | 250.00 |
| -p. moerheimi grafted, 8 to 12 in. P | _ 35.00 | 300.00 |
| PINUS | | |
| —densiflora 9 to 12 in. TT | _ 8.00 | 70.00 |
| -sylvestris 12 to 15 in. TT | _ 8.00 | 70.00 |
| PSEUDOTSUGA | | |
| —douglasi 12 to 15 in. TT | _ 12.00 | 100.00 |
| TAXUS | | |
| -bac. repandens 6 to 8 in. P | _ 14.00 | 120.00 |
| —bac. repandens 9 to 12 in. TT | _ 20.00 | 180.00 |
| -cuspidata 6 to 8 in. S | _ 8.00 | 70.00 |
| -cuspidata 6 to 8 in. P | _ 14.00 | 120.00 |
| —cusp. capitata 6 to 8 in. S | | 70.00 |
| —cusp. capitata 6 to 8 in. P | | 120.00 |
| —cusp. capitata 9 to 12 in. TT | | 180.00 |
| -cusp. Kallay's vase 6 to 8 in. P | _ 14.00 | 120.00 |
| —cusp. Kallay's vase 9 to 12 in. TT | _ 20.00 | 180.00 |
| —intermedia 6 to 8 in. P | _ 14.00 | |
| —cusp. brevifolia 6 to 8 in. S | _ 9.00 | 80.00 |
| —cusp. brevifolia 6 to 8 in. P | | 140.00 |
| -media andersoni 6 to 8 in. P | | 140.00 |
| —media browni 6 to 8 in. P | | 140.00 |
| —media hatfieldi 6 to 8 in. P | _ 16.00 | 140.00 |
| —media hicksi 6 to 8 in. S | _ 8.00 | 70.00 |
| —media hicksi 6 to 8 in. P | | 120.00 |
| -media hicksi 9 to 12 in. TT | | 180.00 |
| When less than 100 of a variety is ord | dered, add | d 20 per |
| cent to the hundred rat | e. | |

| PAINESVILLE, OHIO | | |
|--------------------------------------------------------------------|---------|----------|
| y. | Per 100 | Per 1000 |
| THUYA | 7 00 | 00.00 |
| —occ. hoveyi 6 to 8 in. S | 7.00 | 60.00 |
| —occ. pyramidalis 8 to 12 in. S | 7.00 | 60.00 |
| -occ. pyramidalis 6 to 8 in. P -occ. pyramidalis 9 to 12 in. TT | 12.00 | 100.00 |
| —occ. pyramidalis 9 to 12 in. TT | 16.00 | 140.00 |
| —occ. woodwardi 6 to 8 in. S | 7.00 | 60.00 |
| TSUGA | | |
| —canadensis 3 to 5 in. P | 10.00 | 80.00 |
| Canadensia o to o init z ===== | | |
| ABELIA | | |
| —grandiflora P | 10.00 | 80.00 |
| | | |
| BERBERIS | | 7.00 |
| —thunbergi 2 yrs. sdgs. 6 to 9 in | | 7.00 |
| CORNUS | | |
| —florida 2 yrs. sdgs. 12 to 18 in | | 10.00 |
| —florida 2 yrs. sdgs. 18 to 24 in | | 12.00 |
| COTONEASTER | | |
| divericata 6 to 8 in. P | 12.00 | 100.00 |
| | 12.00 | 100.00 |
| DAPHNE —cneorum P | 1000 | |
| -cneorum P | 10.00 | 80.00 |
| EUONYMUS | | |
| —alatus 6 to 8 in. P | 10.00 | 80.00 |
| —radicans 6 to 8 in. S | 5.00 | 40.00 |
| —rad. carriere 6 to 8 in. S | 5.00 | 40.00 |
| —rad. colorata 6 to 8 in. S | 5.00 | 40.00 |
| —rad. erecta 6 to 8 in. S | 5.00 | 40.00 |
| —rad. vegetus 6 to 8 in. S | 6.00 | 50.00 |
| FAGUS | | |
| —syl. riversi grafted, 12 to 18 in | 35.00 | |
| -syl. heterophylla gftd. 12 to 18 in. | | |
| —syl. pendula grafted 12 to 18 in | 35.00 | |
| | 35.00 | |
| —syl. tricolor grafted 12 to 18 in | 35.00 | |
| ILEX | | |
| -crenata 12 to 15 in. TT | 22.00 | 200.00 |
| —glabra 4 to 6 in. P | 12.00 | 100.00 |
| —glabra 9 to 12 in. TT | 20.00 | 180.00 |
| KERRIA | | |
| —japonica P | 8.00 | 70.00 |
| LIGUSTRUM | | |
| —amurense hardwood ctg. 12 to 15 in. | | 15 00 |
| —regelianum S true type | 1.00 | 15.00 |
| | 4.00 | 30.00 |
| PHILADELPHUS | | |
| -coro. aureus 6 to 8 in. P | 8.00 | 70.00 |
| —virginal 6 to 8 in. P | 8.00 | 70.00 |
| POLYGONUM | | |
| -auberti pots | 7.00 | 65.00 |
| | 1.00 | 00.00 |
| PRUNUS | 0 | |
| —glandulosa pink 6 to 8 in. P | 8.00 | 70.00 |
| VIBURNUM | | |
| -americanum 6 to 8 in. P | 8.00 | 70.00 |
| -carlesi P | | 100.00 |
| | | 200.00 |

BERRY-BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds:

TREES

Cornus florida—red Corylus americana—brown Corylus avellana—brown Crataegus in variety—red Malus in variety—red Morus alba—white Nyssa sylvatica—black Sorbus aucuparia—red

DECIDUOUS SHRUBS

Amelanchier canadensis—purple Amelanchier stolonifera-purple Aronia arbutifolia-red Aronia melanocarpa-black Berberis in variety-red Benzoin aestivale-red Chionanthus virginica-blue Cornus alternifolia-black Cornus alba siberica-white Cornus amomum-blue Cornus mas-red Cornus paniculata-white Cornus stolonifera-black Cotoneaster in variety-red Euonymus alatus-red Euonymus americana-red Euonymus europaeus-orange Euonymus yedoensis-orange Ilex verticilata—red Ligustrum amurense-black Ligustrum ibota-black Ligustrum ibota regelianum-Black

Ligustrum vulgare-black Lonicera in variety-red Myrica carolinensis-gray Photinia villosa-red Rhamnus catharticus-black Rhamus frangula--black Rhus canadensis-red Sambucus canadensis-black Sambucus nigra-black Sambucus pubens-scarlet Symphoricarpos racemosus white Symphoricarpos vulgaris-red Symphoricarpos v. chenaulti-red Viburnum Acerifolium-black Viburnum americanum-red Viburnum cassinoides-red black Viburnum dentatum-black Viburnum Lantana-black Viburnum lentago - black Viburnum opulus-red Viburnum Wrighti-red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

Amelanchier in variety
Aronia in variety
Benzoin aestivale
Chionanthus virginica
Cornus in variety
Cotoneaster in variety
Crataegus in variety
Ligustrum in variety

Lonicera in variety
Malus in variety
Myrica carolinensis
Prunus in variety
Rhus in variety
Rosa in variety
Symphoricarpos in variety
Viburnum in variety

Schedule of B. & B. Prices

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls will be supplied. If larger or smaller balls are required, prices will be adjusted accordingly.

Shrubs and Flowering Trees

| Ball | -5 5-25 ach Each |
|-----------------------|------------------------|
| 10 in. 30 172 to 2 10 | .20 \$.15 .30 .25 |
| 12 in. 45 2 to 4 ft | .35 .30 .50 .40 |
| 16 in. 105 5 to 6 ft | .60 .50 .50 1.25 |
| 20 in 200 7 to 8 ft 2 | 2.00 1.75 2.50 2.25 |

Shade Trees

| 20 in. | 200 | 11/4 | to | 1½ in\$ | 2.00 | \$ 1.75 |
|--------|------|-------|----|----------|-------|---------|
| 22 in. | 260 | 1 1/2 | to | 1 3/4 in | 2.50 | 2.25 |
| 24 in. | 325 | 1 3/4 | to | 2 in | 3.50 | 3.00 |
| 28 in. | 400 | | | 2 1/2 in | | 4.00 |
| 30 in. | 650 | | | 3 in | | 5.00 |
| | | 2 72 | to | 0 .111 | 0.00 | 7.00 |
| 36 in. | 1025 | | | 4 in | | **** |
| 42 in. | 1600 | 4 | to | 5 in | 11.00 | 10.00 |
| 48 in. | 2500 | 5 | to | 5½ in | 14.00 | 12.00 |
| 54 in. | 3500 | 5 1/6 | | 6 in | | 16.00 |
| | | | | | | 20.00 |
| 60 in. | 4600 | 0 | to | 7 in | 22.00 | 20.00 |

Packing Charges

Boxes

| 30x30 | in. | \$.45 | per foot |
|-------|-----|-----------|----------|
| 28x28 | in. | .43 | per foot |
| 24x24 | in. | | |
| 20x20 | in. | .33 | per foot |
| | | | per foot |
| | | | per foot |
| 12x12 | in. | .22 | per foot |

Bales

25 cents to \$3.50, depending on size.

The weight of balls as above indicated are approximate, price quoted includes loading on your truck

